

November 18, 2005

Ms. Cris Tulloch
Santa Clara Valley Water District
5750 Almaden Expressway
San Jose, California 95118

**Subject: Destruction of Groundwater Monitoring Wells
Olympic Sunnyvale Station
750 South Bernardo Avenue, Sunnyvale, California**

Dear Ms. Tulloch:

On behalf of Fred Hill, ETIC Engineering (ETIC) presents this letter documenting the results of destroying groundwater monitoring wells MW1 through MW5, EW1, EW2, and AS1. Well locations are shown on the attached site map. Well destruction permits were issued by Santa Clara Valley Water District (SCVWD), on April 7, 2005 and copies are attached. At the request of SCVWD, monitoring well MW2 was removed by overdrilling and the borehole was grouted and sealed. Wells MW1, MW3, MW4, MW5, EW1, EW2, and AS1 were pressure grouted and sealed in accordance with federal, state, and local requirements.

On October 13, 2005, Cascade Drilling, Inc., supervised by two ETIC hydrogeologists, drilled out monitoring well MW2 with 8-inch diameter, hollow stem augers. The augers were advanced to a depth of 85 feet below ground surface. The polyvinyl chloride (PVC) well casing was removed from the borehole with the soil cuttings, sand filter pack, and grout seal. The borehole was filled and sealed with neat cement.

The remaining wells (MW1, MW3, MW4, MW5, EW1, EW2, and AS1) were destroyed using the pressure grouting method in accordance with SCVWD guidelines. Upon completion of pressure grouting, the well box and concrete surface seal of each well were removed and backfilled with neat cement to grade. An inspector from SCVWD observed and approved the grouting procedure.

Reports of the destruction of monitoring wells MW1 through MW5, EW1, EW2, and AS1 were filed with the Department of Water Resources (DWR) in Sacramento and the SCVWD Well Section. Copies of the well logs, permits, DWR Form 188, and inspector's completion notices for wells MW1-MW5, EW1, EW2, and AS1 are attached.

It is ETIC's understanding that these activities fulfill the remaining requirements for environmental case closure and that a letter stating such will be mailed to Fred Hill upon receipt of this report.

Please contact us at 925-602-4710 if you have any questions or comments regarding this report.

Respectfully yours,



Sherris Prall
Project Manager




Thomas Neely, PG, CHG, REA II
Senior Hydrogeologist

Attachments:


Site Map

Copies of the well logs, permits, DWR Form 188, and inspector's completion notices for wells MW1 through MW5, EW1, EW2, and AS1

cc: Fred Hill



SITE PLAN



MW1
Permit #: 05D00227

IF ADDITIONAL SPACE IS NEEDED, USE NEXT CONSECUTIVELY NUMBERED FORM

Well Drillers Authorization Letter

Site Name:

Site Address:

City:

Well Driller Woodward Drilling Co., Inc

Drillers Address P.O. Box 336

City, State, Zip Rio Vista, CA 94571

Drillers Phone # (707) 374 - 4300

C-57 License # 710079 Exp. Date 7/31/2007

For the sole purpose of procuring permits for drilling, well construction, and well destruction's, and DWR188 forms, I hereby designate the following entities to act as our authorized representative.

Name: Thomas Neely


Company: ETIC

Address: 2285 Morello

City & State: Pleasant Hill, CA

I understand that as the applicant for permits, I am responsible for compliance with all provisions of the permits. I also understand that upon written notification, that I may rescind this Authorization.

Signed:



Printed: Wayne G. Woodward

Date: 8-5-05

LOG OF EXPLORATORY BORING

PROJECT NAME HILL/OLYMPIC BORING NO. MW - 1 DATE 6/19/91
 PROJECT NUMBER 91028.1 DRILLER BAYLAND LOGGED BY: CO & KLM

Odor	PENETRATION (Blows/ Ft)	GROUND WATER LEVELS	DEPTH IN FT.	SAMPLES	LITHO- GRAPHIC COLUMN	DESCRIPTION
						3-inches asphalt concrete
					ML	Silt, Sandy w/gravel, brown, dry loose
None	8		5		ML	Increase in moisture
None	12		10			
None	9		15			Increase in Clay content; yellow mottling; dry
None	37		20		GW	Gravel, Sandy, Silty, gray, moist, minor Silt, medium dense
None	59		25			
None	19		30		SW	Sand, Gravelly, brown, moist, medium dense
None	9		35		ML	Silt, Sandy, brown to yellow brown, loose, moist
			40			

REMARKS Drilled using 8-inch outside diameter hollow stem augers.
 Samples collected using 2-1/2 inch outside diameter modified California split-spoon sampler with 2-inch outside diameter brass sleeves.
 Drilled out to 104 feet total depth. Completed as Monitoring Well.

ETIC

LOG OF EXPLORATORY BORING

PROJECT NAME HILL/OLYMPIC BORING NO. MW - 1 DATE 6/19/91
 PROJECT NUMBER 91028.1 DRILLER BAYLAND LOGGED BY: CO & KLM

Odor	PENETRATION (Blows/ Ft.)	GROUND WATER LEVELS	DEPTH IN FT.	SAMPLES	LITHO- GRAPHIC COLUMN	DESCRIPTION
None	17		40		ML/CL	Silt, Sandy to Clay, Silty, brown to yellow brown, moist, stiff
None	20		45		SP	Sand, Silty, Brown, fine to medium, medium dense
None	45		50		GW	Sand, Gravelly, brown with some clay binder, moist, dense
None	26		55		ML	Silt, clayey, brown, moist, stiff to hard
None	58		60		GW	Gravel, Sandy, Silty, gray brown, moist, dense to very dense
None	75		65			(no silt or clay fraction)
None	56		70			
None	100		75			
None			80			(mottled red/gray/brown)

REMARKS See Page 1 of 3.

ETIC

LOG OF EXPLORATORY BORING

PROJECT NAME HILL/OLYMPIC BORING NO. MW - 1 DATE 6/19 & 20/91
 PROJECT NUMBER 91028.1 DRILLER BAYLAND LOGGED BY: CO & KIM

Odor	PENETRA- TION (Blows/ FT)	GROUND WATER LEVELS	DEPTH IN FT.	SAMPLES	LITHO- GRAPHIC COLUMN	DESCRIPTION
None	81		80		GW	Gravel, Clayey, Sandy, mottled red/gray/brown moist, very dense, gravel clasts to 3/4-inch
None	72		85		SW	Sand, Gravelly, gray-brown, moist, clasts to 1-inch, possibly nearing groundwater horizon
None	24		90		ML	Silt, Clayey, Sandy, brown, moist but not saturated; occasional gravel pebbles to 1/4-inch
None	43		95		SP	Sand, Silty, slightly Clayey, brown, dense, saturated
None	36		100		ML	Silt, Clayey, Sandy, Stiff, wet Note: Drill Rig broke coupler chain, was repaired and completed boring 6/20 a.m.
None			105		ML	Silt, Clayey, Sandy, stiff, wet Hole terminated after sampling at 104 feet Converted to monitoring well 6/20/91

REMARKS See Page 1 of 3

ETIC

RECEIVED

WELL DESTRUCTION APPLICATION

FC 198w (12-16-02)

Santa Clara Valley Water District

APR 12 2005

Page 1 of 4

ETIC ENGINEERING

5750 ALMADEN EXPRESSWAY, SAN JOSE, CA 95118-3686

Please complete all information.

DISTRICT PERMIT NO.:

05D00227

Well Owner:
Fred Hill % Hill & Company RealtorsProperty Owner:
Fred Hill % Hill & Company RealtorsName of Business/Residence at Well Site:
Olympic Sunnyvale StationWell Owner's Mailing Address:
700 S. Bernardo AvenueProperty Owner's Mailing Address:
700 S. Bernardo AvenueAddress of Well Site:
750 S. Bernardo AvenueCity, State, Zip:
Sunnyvale, Ca. 94087City, State, Zip:
Sunnyvale, Ca. 94087City, State, Zip:
Sunnyvale, Ca. 94086Telephone No.:
(408) 736-5900Telephone No.:
(408) 736-5900

Assessor's Parcel Number of Well Site:

Book: 198 Page: 18 Parcel: 015

Consultant:
ETIC EngineeringDrilling Company:
Woodward DrillingAddress:
2285 Morelo AvenueAddress:
550 River Road PO Box 336City, State, Zip:
Pleasant Hill Ca. 94523City, State, Zip:
Rio Vista Ca. 94571Telephone No.:
(925) 602-4710 694-25-3300Telephone No.:
(707) 374-4300

C-57 License No.:

710079

☐ Check if address or phone number has changed.☐ Check if address or phone number has changed.

All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers.

Well Information

Well Registration No.:
06502W35D002Owner/Consultant Well No.:
MW-1

Original Well Construction Permit No.:

91W1314

Well Casing Depth:
105 feetTotal Boring Depth:
105 feetWell Casing Diameter:
2 inches

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

CASE NAME: Bernardo Texaco

FL# 20-011

Cris Tulloch

Oversight Agency: SCVWD

If under S.C.V.W.D. oversight, list Case Number(s):

0652W35D01F

☐ Well on SCVWD property/easement* ☐ Well is within 50 feet of the top of a creek/river bank* (* See General Conditions, E)

Well Description:

☒ Vertical Well ☐ Dewatering Well ☐ Elevator Shaft ☐ Multiple Casing ☐ Horizontal Wall ☐ Pit Well

Well Type: check all that apply

☐ Water Producing ☐ Contamination Cleanup ☐ Agricultural ☐ Domestic ☐ Municipal & Industrial ☐ Vapor Extraction☒ Monitoring ☐ Inclinator ☐ Groundwater ☐ Vadose ☐ Piezometer ☐ Interface ☐ Suction Lysimeter ☐ Seismic☐ Injection/Infiltration ☐ Contamination Cleanup ☐ Reclaimed Water ☐ Air Sparging☐ Cathodic Protection

Additional Questions For Water Producing Wells

Does the well have: 1. Outer conductor casing? ☐ Yes ☐ No
2. Annular cement seal outside of casing at surface? ☐ Yes ☐ No
3. A S.C.V.W.D. water meter attached? ☐ Yes ☐ No

Type of Original Drilling Method:

☐ Rotary ☐ Cable-Tool ☐ Hand Dug Pit Well ☐ Hollow Stem Auger ☐ Other:

IMPORTANT

A minimum 24-hour notice must be given to SCVWD prior to installing the annular seal.
Call (408) 265-2607 Ext. 2660. For weekends, holidays, after hours call (408) 265-2607, Ext. 2120.
Please allow 10 working days to process permit application.

MAR 23 2005

S.C.V.W.D.


Site Plan

WELL LOCATION


(Draw accurately; recommend using assessor's map)

1. Sketch well location to scale, show dimensions to nearest foot. (Do not attach separate map.)
2. Show a minimum of two dimensions at right angles. Dimensions shall be from the centerline of the closest named streets, roads, or highways.

EXAMPLE →



Sketch well location as described above:



Please allow 10 working days to process this application.



Please describe, in detail, the proposed destruction method*:

The well will be destroyed using the pressure grouting method in accordance with SCVWD methodology. Employing this method, neat cement grout will be tremied into the well to displace any water in the well from the bottom of the well to the surface. Once the casing has been filled, additional neat cement grout will be pumped into the well and placed under at least 25 psi for a minimum of 5 minutes or until an additional 1/3 of the volume of the well casing has been injected into the well. Upon completion of pressure grouting, the well box and concrete surface seal will be removed and backfilled with neat cement to grade.

*Any well destruction in which the well casing is left in place and in which the well has a filter pack outside the casing, must be destroyed using approved neat cement grout.

I understand that all work is to be done in accordance with the District Well Ordinance, the District Well Standards, and the conditions of this permit (see page 4). I also certify that the information given in this permit is correct.
NOTE: All applicable signatures must be present before permit will be processed.

Signature of Well Owner/Agent: <i>W. Charles Lawrence for Fred Hill</i>	Print Name: <i>W. Charles Lawrence for Fred Hill</i>	Date: <i>3-8-05</i>
Signature of Driller/Agent: <i>Concine E. Woodward</i>	Print Name: <i>CONCINE E WOODWARD</i>	Date: <i>3-14-05</i>
Signature of Consultant (if any): <i>W. Charles Lawrence</i>	Print Name: <i>W. Charles Lawrence</i>	Date: <i>3-8-05</i>

DISTRICT USE ONLY

The District has approved the following destruction methods for the well described in this permit:

- ☒ Pressure Grout Method (as outlined in Standards).
NOTE: Neat cement is the only sealing material approved for pressure grouting.
- ☐ Drill out well to a total depth of _____ feet, with a minimum bore of _____ inches.
- ☐ Clean out well casing to a total depth of _____ feet and back fill with approved sealing material (if total depth is unknown, driller must determine total depth during clean out of well). NOTE: Neat cement is the only sealing material approved for back filling gravel packed wells.
- ☐ Well casing must be perforated at the following depths prior to backfilling: _____
- ☐ Other: _____

Permit Approved By: <i>[Signature]</i>	Date: <i>4/5/05</i>
District Permit No.: <i>05D00227</i>	Date Issued: <i>4-7-05</i>
Expiration Date: <i>10-7-05</i>	Driller's Log No.: <i>023744</i>

Please allow 10 working days to process this application.

GENERAL CONDITIONS

- A. SCVWD (Telephone 408-265-2607, Ext. 2660) MUST BE NOTIFIED A MINIMUM OF ONE WORKING DAY BEFORE THE PLACEMENT OF THE WELL DESTRUCTION SEALING MATERIALS. An authorized District representative must be on site to witness the destruction activities. This requirement may be waived by an authorized District representative. If the District waives the inspection requirement, the District may request the Permittee(s) to furnish certification under penalty of perjury that the well was destroyed in accordance with the District Well Standards and with the permit conditions.
- B. This Permit is valid only for the purpose specified herein. Well destruction methods authorized under this Permit may not be changed except by written approval of an authorized District representative, and only if the District believes that such a change will result in equal or superior compliance with the District and State Well Standards (e.g. if the District representative believes that site conditions warrant such a change).
- C. This Permit is only valid for the Assessor's Parcel Number indicated on it.
- D. This Permit may be voided if it contains any incorrect information. If the permit is voided after work has begun, the well or boring that is being destroyed under this permit may be required to be reconstructed in accordance with District and State Well Standards.
- E. If any work associated with this permit will take place within 50 feet of the top of the banks of a stream or watercourse, or on SCVWD property, an encroachment or construction permit must be granted by the District's Community Projects Review Unit (telephone (408) 2652607, Ext. 2350, 2217, or 2253).
- F. Within 60 days of the completion of well destruction activities, the driller or consultant identified on this permit shall fully complete State of California DWR Form 188 and submit the original to the District's Wells and Water Production Unit.
- G. The Permittee(s) shall assume entire responsibility for all activities and uses under this Permit and shall indemnify, defend, and hold the District, its officers, agents, and employees free and harmless from any and all expense, cost, and liability in connection with or resulting from, the granting of or exercise of this Permit including, but not limited to, property damage, personal injury, and wrongful death.
- H. Permittees are required to be in full compliance with Cal/OSHA California Labor Code Section 6300.
- I. A current C-57 Water Well Drilling Contractors License is required for the destruction of all wells.
- J. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all materials generated during drilling, well destruction, well development, pump testing, or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials/waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways. Such materials/waters shall not be allowed to move off the property where the work is being completed.
- K. The driller and consultant (if applicable) shall have an active copy of their Worker's Compensation Insurance on file with the District.
- L. This Permit shall expire if not exercised within 180 calendar days of its approval unless an extension of the permit expiration date is granted in writing by an authorized District representative.
- M. If the well approved to be destroyed under this permit is a monitoring well, associated with an investigation/cleanup overseen by a regulatory agency, the proposed well destruction must be approved by the person with regulatory authority over the investigation/cleanup.
- N. This permit shall be kept on-site during the completion of all activities associated with it and shall immediately be presented to an authorized District representative upon request.

Please allow 10 working days to process this application.

Santa Clara Valley Water District

WELL INSPECTION COMPLETION NOTICE
 FC 156A (07-26-89) (DP 4-901)

From: WELL SECTION	Date: 6-25-91	Permit No.: 91W1314
Inspector: Bill Cameron	Date of Inspection: 6-20-91	Well Registration No.: MU-1 0652W35D02A
Well Owner: Fred Hill		
Address of Well Site: 750 S. Bernardo Ave.		City or County: Sunnyvale
Drilling Company: Bayland	Consultant: ETIC	

PURPOSE OF WELL:

- ☐ Domestic
- ☐ Agricultural
- ☐ Municipal/Industrial
- ☐ Cathodic Protection

*Monitoring Well Use

- ☐ *Vadose
- ☒ *Groundwater
- ☐ *Other

- Well completed according to provisions of Santa Clara Valley Water District Permit ☒ Yes ☐ No (if "No", see comments below)
- Depth of Surface Annular Seal = 82

Comments: TD = 104' Hollow Stem
 TS = 82' Neat Cement
 Bent = 3'

Distribution: White - Well Section Yellow - Water Revenue Pink - Permittee Goldenrod - City/County

①

Santa Clara Valley Water District

5750 Almaden Expressway, San Jose, CA 95118 (408) 265-2600

WELL CONSTRUCTION APPLICATION

FC 158 (12-08-90) (DP 4-901)

TO BE COMPLETED BY DISTRICT

District Permit No.: <u>9101314</u>	Date issued: <u>6-18-91</u>	Well Registration No.: <u>0652W35 D02A</u>
Geologic Setting: <u>1</u>	Expiration Date: <u>12-18-91</u>	Driller's Log No.: <u>383368</u>

TO BE COMPLETED BY OWNER AND DRILLER

Property Owner: <u>FRED HILL</u>	Well Owner (if different):	Drilling Co.: <u>BAYLAND DRILLING</u>
Address: <u>700 South Bernardo</u>	Address of Well Site: <u>750 SOUTH BERNARDO</u>	Driller's Contractors License Number (C-57 Req'd): <u>374152</u>
City, State, Zip: <u>Sunnyvale CA 94087</u>	City, State, Zip: <u>Sunnyvale, CA 94087</u>	Address: <u>811 HAMILTON AVE</u>
Telephone No.: <u>(408) 736-5900</u>	Telephone No.: <u>MENLO PARK, CA 94025</u>	City, State, Zip: <u>MENLO PARK, CA 94025</u>
Assessor's Parcel No. of Well site: <u>Book 198 Page 18 Parcel 015</u>	Owner's/Consultant's Well No.: <u>MW-1</u>	Telephone No.: <u>(415) 322-2900</u>

Estimated depth of completed well: ☐ Less than 50 ft. ☒ 50 to 300 ft. ☐ Over 300 ft.
 Purpose of Well: ☐ Domestic ☐ Municipal/Industrial ☐ Agricultural ☐ *Monitoring ☐ Cathodic Protection
 *Monitoring wells are those constructed for the purpose of obtaining repetitive water level measurements and/or repetitive air samples for analysis.
 This includes wells constructed for general exploration and investigation purposes as well as those to be constructed in conformance with the Hazardous Materials Storage Permit Ordinance for site-specific groundwater monitoring of existing underground hazardous materials storage tanks.

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

Purpose of Monitoring Well: ☐ To comply with City or County Hazardous Materials Storage Permit Ordinance ☒ Exploration studies
☐ Other (specify): ☐ Extraction/Recovery

NAME OF BUSINESS AT WELL SITE:

If proposed well is to meet compliance with a Hazardous Materials Storage Permit Ordinance has the City or County been contacted? ☐ Yes ☐ No
 If yes, give name of City or County:

Consultant's Name (Company):

ETIC

Address:

3275 STEVENS CREEK BLVD #315

City, State, Zip:

SAN JOSE, CA 95117

Telephone No.:

(408) 244-7202

Type of monitoring device: ☒ Groundwater ☐ Vadose
 Monitoring well use: ☐ Depth ☐ Quality ☐ Chloride
 Vadose device installation: ☐ Vapor ☐ Interface ☐ Suction Lysimeter

Kenneth A. Mahan

Signature of Responsible Professional
 (No substitution of signature will be accepted)

C 17487
 Registration No. Civil Engineer OR Certificate No. Engineering Geologist

TOPOGRAPHIC FEATURES

Well is to be constructed: ☐ In a public sidewalk ☐ In a public road ☐ On public property ☒ On private property ☐ On SCVWD property
 Within 50 ft. of the top of a creek bank: ☐ Yes ☒ No Within 50 ft. of any existing well: ☐ Yes ☒ No
 Within 50 ft. of a sanitary sewer: ☒ Yes ☐ No Within 100 ft. of a cesspool or seepage pit: ☐ Yes ☒ No
 Within 100 ft. of a pit privy, septic tank, leachfield: ☐ Yes ☒ No Other wells exist on this property: ☐ Yes ☒ No
 Status: ☐ Active ☐ Inactive ☐ Abandoned

CERTIFICATION BY WELL OWNER/AGENT AND DRILLER/AGENT

I certify that the information given above is correct to the best of my knowledge. I certify that the well will be constructed in compliance with the conditions of this permit, the Santa Clara Valley Water District's Ordinance 85-1 and, if applicable, the Hazardous Materials Storage Permit Ordinance of the County or City, as appropriate. It is my responsibility as the well owner to notify this District of any changes in the purpose of this well from that which is indicated on this application form.

Kenneth A. Mahan, R.E. for Fred Hill 6/13/91
 Signature of Well Owner/Agent Date

Kenneth A. Mahan, R.E. for Bayland Drilling 6/13/91
 Signature of Driller/Agent Date

MONITORING WELL PLAN APPROVAL

City/County: _____
 Approved by: _____
 Date: _____

IMPORTANT: A minimum 24-hour notice must be given to SCVWD Well Inspection Dept. prior to installing the annular seal. Call (408) 827-0710 Ext. 650. For weekends, holidays, after hours call (408) 395-8121 or (408) 827-0710.

ORIGINAL
File with DWR

STATE OF CALIFORNIA
THE RESOURCES AGENCY
DEPARTMENT OF WATER RESOURCES
WATER WELL DRILLERS REPORT

Do not fill in


No. 383368

Notice of Intent No. _____
Local Permit No. or Date 91W134

State Well No. 06SZW35D02A
Other Well No. _____

(1) OWNER: Name FRED HILL
Address 700 SOUTH BERNARDO AVENUE
City SUNNYVALE, CA ZIP 94087

(2) LOCATION OF WELL (See instructions):
County SANTA CLARA Owner's Well Number MW-1
Well address if different from above 750 SOUTH BERNARDO
Township 6S Range 2W Section 35
Distance from cities, roads, railroads, fences, etc. 35' EAST OF
E OF BERNARDO AVE., 150 NORTH
OF BROOKFIELD DRIVE



WELL LOCATION SKETCH

(3) TYPE OF WORK:
New Well ☒ Deepening ☐
Reconstruction ☐
Reconditioning ☐
Horizontal Well ☐
Destruction ☐ (Describe
destruction materials and pro-
cedures in item 12)

(4) PROPOSED USE:
Domestic ☐
Irrigation ☐
Industrial ☐
Test Well ☐
Municipal ☐
Other ☐ (Describe) MONITORING

(5) EQUIPMENT:

Rotary ☐ Reverse ☐
Cable ☐ Air ☐
Other ☒ Bucket ☐
CONTINUOUS FLIGHT

(6) GRAVEL PACK:

Yes ☒ No ☐
Diameter of bore 8 1/2"
Packed from 104' to 82'

(7) CASING INSTALLED:

Steel ☐ Plastic ☒ Concrete ☐

(8) PERFORATIONS:

Type of perforation or size of jet

From ft.	To ft.	Dis. in.	Gage or Wall	Flow in.	To ft.	Shot size
104	0	2	3 1/4 40	104	82	0.010

(9) WELL SEAL:

Was surface sanitary seal provided? Yes ☒ No ☐ If yes, to depth 82 ft.
Were struts sealed against pollution? Yes ☐ No ☐ Interval _____ ft.
Method of sealing 3-Foot Bentonite, 79' Cement Slurry

(10) WATER LEVELS:

Depth of first water, if known 95 ft.
Standing level after well completion Dry ft.

(11) WELL TESTS:

Was well test made? Yes ☐ No ☒ If yes, by whom? _____
Type of test _____ Pump ☐ Air lift ☐
Depth to water at start of test _____ ft. At end of test _____ ft.
Discharge _____ gal/min after _____ hours Water temperature _____
Chemical analysis made? Yes ☒ No ☐ If yes, by whom? Chromalab
Was electric log made? Yes ☐ No ☒ If yes, attach copy to this report

(12) WELL LOG: Total depth 104 ft. Completed depth 104 ft.
from ft. to ft. Formation (Describe by color, character, size or material)


0	-	1	3" AC / Gravel Base
1	-	21	Silt, Sandy w/ Gravel, brown, dry, loose
21	-	30	Gravel, sandy, silty, gray, moist, medium dense
30	-	35	Sandy, gravelly, brown, moist, medium dense
35	-	45	Silt, sandy to clay, silty, brown to yellow, brown, moist, stiff
45	-	50	Sandy, silty, brown, poorly sorted, moist, stiff
50	-	55	Gravel, sandy, brown, silty, clay binder, moist, dense
55	-	60	Silt, clay, brown, moist, stiff
60	-	65	Gravel, sandy, silty, gray, brown, moist, dense
65	-	70	Sandy, gravelly, gray-brown, moist, very dense
70	-	75	Silt, clayey, sandy, brown, moist, exc. yellow
75	-	80	Silt, clayey, sandy, brown, stiff, saturated

Work started 6/19 1991 Completed 6/20 1991
WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Signed Kenneth L. McLean (Well Driller)
NAME KENNETH L. McLEAN / RAYLAND DRILLING
(Person, firm, or corporation) (If typed or printed)
Address 811 HAMILTON AVENUE
City MENLO PARK CA ZIP 94025
License No. 374152 Date of this report 9/26/91

ETIC

4



Well Annotations- 7 Wells Selected

APN: 19818015
750 S Bernardo Ave
Sunnyvale CA
94087

No	Well_nbr	Permit	Consultnum	Status	Easting	Northing
1	06S02W35D001	84W0708	MW-1	Other-Active	6109206	1961149
2	06S02W35D002	91W1314	MW-1	Other-Active	6109194	1961221
3	06S02W35D003	93W0595	EW-2	Other-Active	6109223	1961168
4	06S02W35D004	93W0594	EW-1	Other-Active	6109254	1961161
5	06S02W35D007	98W00793	MW4	Other-Active	6109188	1961206
6	06S02W35D008	98W00792	MW-5	Other-Active	6109263	1961148
7	06S02W35D009	98W00826	AS-1	Other-Active	6109237	1961144

- Wells.shp
- ⊕ Water Supply - Active
 - ⊞ Water Supply - Standby
 - ⊞ Water Supply - Inactive
 - ⊕ Extraction (Env) - Active
 - ⊞ Extraction (Env) - Inactive
 - ⊕ Other - Active
 - ⊞ Other - Inactive
 - * Abandoned
 - ⊕ Destroyed
 - ⊕ Status Undetermined
- Parcels.shp
- ▲ Fuelleak.shp
- VALFLOOR.SHP
- Zone 1
 - Zone 2
 - Zone 3
 - Zone 4
 - Zone 5

Approximate Scale
30 0 30 60 Feet

April 7, 2005



WELL DESTRUCTION COMPLETION NOTICE

FCE 218 (08-14-98)

Inspector: <u>H. [unclear]</u>		Date of Inspection: <u>10-12-05</u>		Permit: <u>011100227</u>	
Owner/Consultant No.: <u>1111-1</u>			Well Registration No.: <u>0650210-13002</u>		
Well Owner: <u>F. [unclear]</u>		Address of Well Site: <u>750 S. [unclear] Ave</u>		City, or County: <u>San Jose</u>	
Drilling Company: <u>[unclear]</u>		Consultant: <u>ETIC</u>			
Well Depth: <u>107.5</u>	Borehole Diameter: <u>8"</u>	Casing Diameter: <u>3"</u>	Casing Material: <u>40C</u>	Well Type: <input checked="" type="checkbox"/> HSA <input type="checkbox"/> Rotary <input type="checkbox"/> Other (see comments) <input checked="" type="checkbox"/> Direct Push <input type="checkbox"/> Cable Tool	
Casing Perforated: _____ to _____		Sealing Material: <input type="checkbox"/> Neat Cement <input type="checkbox"/> 10 Sack Sand Slurry <input type="checkbox"/> Bentonite <input type="checkbox"/> Other (See Comments)			
Destruction Method: <input checked="" type="checkbox"/> Pressure Grout <input type="checkbox"/> Drill Out <input type="checkbox"/> Excavate <input type="checkbox"/> Bail, Perf, & Backfill <input type="checkbox"/> Bail & Backfill <input type="checkbox"/> Other (See Comments)					
Well destroyed according to provisions of Santa Clara Valley Water District Permit?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)	
GPS Coordinates: Lat: _____ Long: _____					
Comments: _____ _____ _____					

Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee

MW2
Permit #: 05D00243

IF ADDITIONAL SPACE IS NEEDED, USE NEXT CONSECUTIVELY NUMBERED FORM

Well Drillers Authorization Letter

Site Name:

Site Address:

City:

Well Driller Woodward Drilling Co., Inc

Drillers Address P.O. Box 336

City, State, Zip Rio Vista, CA 94571

Drillers Phone # (707) 374 - 4300

C-57 License # 710079 Exp. Date 7/31/2007

For the sole purpose of procuring permits for drilling, well construction, and well destruction's, and DWR188 forms, I hereby designate the following entities to act as our authorized representative.

Name: Thomas Neely


Company: ETIC

Address: 2285 Morello

City & State: Pleasant Hill, CA

I understand that as the applicant for permits, I am responsible for compliance with all provisions of the permits. I also understand that upon written notification, that I may rescind this Authorization.

Signed:



Printed: Wayne G. Woodward

Date: 8-5-05

SOIL BORING LOG/WELL DETAILS

Project Name: Olympic
 Project #: 95123
 Driller: Exploration Geoservices
 Logged By: C. Orountotis
 Drilling Method: Hollow Stem Auger

Boring/Well #: EB1/MW-2
 Date: 9/8/97
 Well Permit #: 97E00042
 Total Depth: 85 feet
 Diameter: 8 in.

Well Construction Material	Casing	Depth (feet)	ODOR	Blows/ Foot	Graphic Log	Litho-graphy	Subsurface Description
		5				GM	Pea gravel, gravel sand silt mixtures
		10					
		15					
		20					
		25					
		30					
		35					
		40	NO	16-17-16		SM	Fine sands, silt mixtures, tan ,dry
		45					
		50					
		55	NO	12-13-15		ML	Clayey silt, fine sand, tan/brown, moist
		60					
		65				GM	Gravel-silt mixtures, cobbles and fines
		70					
		75	NO	27-50*		SP	Very tight sand and gravel, pea mostly, same large cobbles, grey/brown, slight moisture
		80					
		85	NO	19-50*		SM	Sandy, silt,some gravel, low moisture, brown
							Total depth of boring/well is 85 feet

Comments: * Blows per 5"

ETIC

RECEIVED

WELL DESTRUCTION APPLICATION

FC 198w (12-16-02)

APR 12 2005

Page 1 of 4

5750 ALMADEN EXPRESSWAY, SAN JOSE, CA 95118-3686
Please complete all information.

ETIC ENGINEERING

DISTRICT PERMIT NO.:

05D00243

Well Owner:
Fred Hill % Hill's Company Realtors

Property Owner:
Fred Hill % Hill's Company Realtors

Name of Business/Residence at Well Site:
Olympic Sunnyvale Station

Well Owner's Mailing Address:
700 S. Bernardo Avenue

Property Owner's Mailing Address:
700 S. Bernardo Avenue

Address of Well Site:
750 S. Bernardo Avenue

City, State, Zip:
Sunnyvale, Ca. 94087

City, State, Zip:
Sunnyvale, Ca. 94087

City, State, Zip:
Sunnyvale, Ca. 94086

Telephone No.:
(408) 736-5900

Telephone No.:
(408) 736-5900

Assessor's Parcel Number of Well Site:
Book: 198 Page: 18 Parcel: 015

Consultant:
ETIC Engineering

Drilling Company:
Woodward Drilling

Address:
2285 Morelo Avenue

Address:
550 River Road PO Box 336

City, State, Zip:
Pleasant Hill Ca. 94523

City, State, Zip:
Rio Vista Ca. 94571

Telephone No.:
(925) 602-4710

Telephone No.:
(707) 374-4300

C-57 License No.:
710079

☐ Check if address or phone number has changed.

☐ Check if address or phone number has changed.

All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers.

Well Information

Well Registration No.:

Owner/Consultant Well No.:
MW-2

Original Well Construction Permit No.:
97E00542

Well Casing Depth:
85 feet

Total Boring Depth:
85 feet

Well Casing Diameter:
2 inches

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

CASE NAME:

Oversight Agency: SCVWD

If under S.C.V.W.D. oversight, list Case Number(s): 06S2W35 D014

☐ Well on SCVWD property/easement*

☐ Well is within 50 feet of the top of a creek/river bank*

(* See General Conditions, E.)

Well Description:

☒ Vertical Well

☐ Dewatering Well

☐ Elevator Shaft

☐ Multiple Casing

☐ Horizontal Well

☐ Pit Well

Well Type: check all that apply

☐ Water Producing
(supply or extraction)

☐ Contamination Cleanup

☐ Agricultural

☐ Domestic

☐ Municipal & Industrial

☐ Vapor Extraction

☒ Monitoring

☐ Inclinator

☐ Groundwater

☐ Vadose

☐ Piezometer

☐ Interface

☐ Suction Lysimeter

☐ Seismic

☐ Injection/Infiltration

☐ Contamination Cleanup

☐ Reclaimed Water

☐ Air Sparging

☐ Cathodic Protection

Additional Questions For Water Producing Wells

Does the well have:

1. Outer conductor casing?

☐ Yes

☐ No

2. Annular cement seal outside of casing at surface?

☐ Yes

☐ No

3. A S.C.V.W.D. water meter attached?

☐ Yes

☐ No

Type of Original Drilling Method:

☐ Rotary

☐ Cable-Tool

☐ Hand Dug Pit Well

☐ Hollow Stem Auger

☐ Other:

IMPORTANT

A minimum 24-hour notice must be given to SCVWD prior to installing the annular seal.
Call (408) 265-2607 Ext. 2660. For weekends, holidays, after hours call (408) 265-2607, Ext. 2120.
Please allow 10 working days to process permit application.

MAR 23 2005


Site Plan

WELL LOCATION


(Draw accurately; recommend using assessor's map)

1. Sketch well location to scale, show dimensions to nearest foot. (Do not attach separate map.)
2. Show a minimum of two dimensions at right angles. Dimensions shall be from the centerline of the closest named streets, roads, or highways.

EXAMPLE →



Sketch well location as described above:



Please allow 10 working days to process this application.

Please describe, in detail, the proposed destruction method*:

The well will be destroyed using the pressure grouting method in accordance with SCVWD methodology. Employing this method, neat cement grout will be tremied into the well to displace any water in the well from the bottom of the well to the surface. Once the casing has been filled, additional neat cement grout will be pumped into the well and placed under at least 25 psi for a minimum of 5 minutes or until an additional 1/3 of the volume of the well casing has been injected into the well. Upon completion of pressure grouting, the well box and concrete surface seal will be removed and backfilled with neat cement to grade.

* Any well destruction in which the well casing is left in place and in which the well has a filter pack outside the casing, must be destroyed using approved neat cement grout.

I understand that all work is to be done in accordance with the District Well Ordinance, the District Well Standards, and the conditions of this permit (see page 4). I also certify that the information given in this permit is correct.
NOTE: All applicable signatures must be present before permit will be processed.

Signature of Well Owner/Agent: <i>W. Charles Lawrence for Fred Hill</i>	Print Name: <i>W. Charles Lawrence for Fred Hill</i>	Date: <i>3-8-05</i>
Signature of Driller/Agent: <i>Concine E. Woodward</i>	Print Name: <i>CONCINE E WOODWARD</i>	Date: <i>3-14-05</i>
Signature of Consultant (if any): <i>W. Charles Lawrence</i>	Print Name: <i>W. Charles Lawrence</i>	Date: <i>3-8-05</i>

DISTRICT USE ONLY

The District has approved the following destruction methods for the well described in this permit:

- ☐ Pressure Grout Method (as outlined in Standards).
NOTE: Neat cement is the only sealing material approved for pressure grouting.
- ☒ Drill out well to a total depth of 85 feet, with a minimum bore of 8 inches.
- ☐ Clean out well casing to a total depth of _____ feet and back fill with approved sealing material (if total depth is unknown, driller must determine total depth during clean out of well). NOTE: Neat cement is the only sealing material approved for back filling gravel packed wells.
- ☐ Well casing must be perforated at the following depths prior to backfilling: _____
- ☐ Other: _____


Permit Approved By: <i>B. Carr</i>	Date: <i>4/7/05</i>
District Permit No.: <i>OSD00243</i>	Date Issued: <i>4-7-05</i>
Expiration Date: <i>10-7-05</i>	Driller's Log No.: <i>023760</i>

Please allow 10 working days to process this application.

GENERAL CONDITIONS

- A. SCVWD (Telephone 408-265-2607, Ext. 2660) MUST BE NOTIFIED A MINIMUM OF ONE WORKING DAY BEFORE THE PLACEMENT OF THE WELL DESTRUCTION SEALING MATERIALS. An authorized District representative must be on site to witness the destruction activities. This requirement may be waived by an authorized District representative. If the District waives the inspection requirement, the District may request the Permittee(s) to furnish certification under penalty of perjury that the well was destroyed in accordance with the District Well Standards and with the permit conditions.
- B. This Permit is valid only for the purpose specified herein. Well destruction methods authorized under this Permit may not be changed except by written approval of an authorized District representative, and only if the District believes that such a change will result in equal or superior compliance with the District and State Well Standards (e.g. if the District representative believes that site conditions warrant such a change).
- C. This Permit is only valid for the Assessor's Parcel Number indicated on it.
- D. This Permit may be voided if it contains any incorrect information. If the permit is voided after work has begun, the well or boring that is being destroyed under this permit may be required to be reconstructed in accordance with District and State Well Standards.
- E. If any work associated with this permit will take place within 50 feet of the top of the banks of a stream or watercourse, or on SCVWD property, an encroachment or construction permit must be granted by the District's Community Projects Review Unit (telephone (408) 2652607, Ext. 2350, 2217, or 2253).
- F. Within 60 days of the completion of well destruction activities, the driller or consultant identified on this permit shall fully complete State of California DWR Form 188 and submit the original to the District's Wells and Water Production Unit.
- G. The Permittee(s) shall assume entire responsibility for all activities and uses under this Permit and shall indemnify, defend, and hold the District, its officers, agents, and employees free and harmless from any and all expense, cost, and liability in connection with or resulting from, the granting of or exercise of this Permit including, but not limited to, property damage, personal injury, and wrongful death.
- H. Permittees are required to be in full compliance with Cal/OSHA California Labor Code Section 6300.
- I. A current C-57 Water Well Drilling Contractors License is required for the destruction of all wells.
- J. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all materials generated during drilling, well destruction, well development, pump testing, or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials/waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways. Such materials/waters shall not be allowed to move off the property where the work is being completed.
- K. The driller and consultant (if applicable) shall have an active copy of their Worker's Compensation Insurance on file with the District.
- L. This Permit shall expire if not exercised within 180 calendar days of its approval unless an extension of the permit expiration date is granted in writing by an authorized District representative.
- M. If the well approved to be destroyed under this permit is a monitoring well, associated with an investigation/cleanup overseen by a regulatory agency, the proposed well destruction must be approved by the person with regulatory authority over the investigation/cleanup.
- N. This permit shall be kept on-site during the completion of all activities associated with it and shall immediately be presented to an authorized District representative upon request.

Please allow 10 working days to process this application.



Well Annotations- 7 Wells Selected

APN: 19818015
750 S Bernardo Ave
Sunnyvale CA
94087

No	Well_nbr	Permit	Consultnum	Status	Easting	Northing
1	06S02W35D001	84W0708	MW-1	Other-Active	6109206	1961149
2	06S02W35D002	91W1314	MW-1	Other-Active	6109194	1961221
3	06S02W35D003	93W0595	EW-2	Other-Active	6109223	1961168
4	06S02W35D004	93W0594	EW-1	Other-Active	6109254	1961161
5	06S02W35D007	98W00793	MW4	Other-Active	6109188	1961206
6	06S02W35D008	98W00792	MW-5	Other-Active	6109263	1961148
7	06S02W35D009	98W00826	AS-1	Other-Active	6109237	1961144

- Wells.shp
- Water Supply - Active
 - Water Supply - Standby
 - Water Supply - Inactive
 - Extraction (Env) - Active
 - Extraction (Env) - Inactive
 - Other - Active
 - Other - Inactive
 - Abandoned
 - Destroyed
 - Status Undetermined
 - Parcels.shp
 - FuelLeak.shp
 - VALFLOOR.SHP
 - Zone 1
 - Zone 2
 - Zone 3
 - Zone 4
 - Zone 5

Approximate Scale

30 0 30 60 Feet



WELL DESTRUCTION COMPLETION NOTICE

FCE 218 (08-14-98)

Inspector: <u>Hamm</u>		Date of Inspection: <u>10-13-00</u>		Permit: <u>00000-13</u>	
Owner/Consultant No.: <u>11111</u>			Well-Registration No.: <u>00000-13</u>		
Well Owner: <u>11111</u>		Address of Well Site: <u>750 S. 1st St.</u>			City or County: <u>San Jose</u>
Drilling Company: <u>11111</u>		Consultant: <u>11111</u>			
Well Depth: <u>10'</u>	Borehole Diameter: <u>8"</u>	Casing Diameter: <u>2"</u>	Casing Material: <u>Steel</u>	Well Type: <input checked="" type="checkbox"/> HSA <input type="checkbox"/> Rotary <input type="checkbox"/> Other (see comments) <input type="checkbox"/> Direct Push <input type="checkbox"/> Cable Tool	
Casing Perforated: <u>to</u>			Sealing Material: <input checked="" type="checkbox"/> Neat Cement <input type="checkbox"/> 10 Sack Sand Slurry <input type="checkbox"/> Bentonite <input type="checkbox"/> Other (See Comments)		
Destruction Method: <input type="checkbox"/> Pressure Grout <input checked="" type="checkbox"/> Drill Out <input type="checkbox"/> Excavate <input type="checkbox"/> Bail, Perf, & Backfill <input type="checkbox"/> Bail & Backfill <input type="checkbox"/> Other (See Comments)					
Well destroyed according to provisions of Santa Clara Valley Water District Permit?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)	
GPS Coordinates: Lat:		Long:			
Comments:					

Distribution: **ORIGINAL**-Permit File; **YELLOW**-City/County; **PINK**-Well File; **GOLDENROD**-Permittee

MW3
05D00230

ORIGINAL
File with DWR

STATE OF CALIFORNIA
WELL COMPLETION REPORT
Refer to Instruction Pamphlet

Page 1 of 1

Owner's Well No. MW-3

No. e023747

Date Work Began 10/12/05 Ended 10/13/05

Local Permit Agency SCVWD

Permit No. 05D00230 Permit Date 4-7-05

DWR USE ONLY - DO NOT FILL IN

065102W35D1005

STATE WELL NO./STATION NO.

LATITUDE LONGITUDE

APN/TRS/OTHER

GEOLOGIC LOG

ORIENTATION () ☐ VERTICAL ☐ HORIZONTAL ☐ ANGLE (SPECIFY)

DEPTH FROM SURFACE

FL	to	FL	DESCRIPTION
0	35		GM - Gravelly, silt sand mixtures brown
35	75		ML - Fine sands, silt, some clay brown, slight mixture
75	90		SP - Gravelly sand, coarse, silt and clay, very moist, grey/green
Pressure grouted with neat cement.			

DRILLING METHOD _____ FLUID _____

Describe material, grain size, color, etc.

WELL OWNER

Name Fred Hill & Hill Company Realtors

Mailing Address 700 S. Bernardo Ave. Sunnyvale CA 94087

CITY STATE ZIP

WELL LOCATION

Address 700 S. Bernardo Ave.

City Sunnyvale

County Santa Clara

APN Book 198 Page 18 Parcel 016

Township 6S Range 2W Section 35D

Latitude _____ North _____ Longitude _____ West _____

DEG. MIN. SEC. DEG. MIN. SEC.

LOCATION SKETCH

WEST NORTH EAST SOUTH

Illustrate or Describe Distance of Well from Roads, Buildings, Fences, Rivers, etc. and attach a map. Use additional paper if necessary. **PLEASE BE ACCURATE & COMPLETE**

see attached site plan

ACTIVITY ()

☐ NEW WELL

☐ MODIFICATION/REPAIR

☐ Deepen

☐ Other (Specify)

☒ DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")

PLANNED USES ()

☐ WATER SUPPLY

☐ Domestic ☐ Public

☐ Irrigation ☐ Industrial

☐ MONITORING

☐ TEST WELL

☐ CATHODIC PROTECTION

☐ HEAT EXCHANGE

☐ DIRECT PUSH

☐ INJECTION

☐ VAPOR EXTRACTION

☐ SPARGING

☐ REMEDIATION

☐ OTHER (SPECIFY)

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER _____ (FL) BELOW SURFACE

DEPTH OF STATIC _____

WATER LEVEL _____ (FL) & DATE MEASURED _____

ESTIMATED YIELD _____ (GPM) & TEST TYPE _____

TEST LENGTH _____ (Hrs) TOTAL DRAWDOWN _____ (FL)

* May not be representative of a well's long-term yield.

DEPTH FROM SURFACE	BORE-HOLE DIA (Inches)	CASING (S)						DEPTH FROM SURFACE	ANNULAR MATERIAL					
		TYPE ()				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)		GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	TYPE			
FL	to	FL	BLANK	SCREEN	CON. DUCTOR			FILL PIPE			FL	to	FL	CE- MENT
0	65	8	✓				PVC	2	sch. 40		✓			711
65	90	8		✓			PVC	2	sch. 40	0.010"				sand #20

see well completion notice for 97W00507 from 9/1/97 and

ATTACHMENTS ()

☒ Geologic Log

☒ Well Construction Diagram

☐ Geophysical Log(s)

☐ Soil/Water Chemical Analyses

☒ Other Site plan

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief

NAME Woodward Drilling

(PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)

550 River Road PO Box 336 Rio Vista CA 94571

ADDRESS CITY STATE ZIP

Signed [Signature] DATE SIGNED 10/19/05 C-57 LICENSE NUMBER 710079

WELL DRILLER/AUTHORIZED REPRESENTATIVE

Well Drillers Authorization Letter

Site Name:

Site Address:

City:

Well Driller Woodward Drilling Co., Inc

Drillers Address P.O. Box 336

City, State, Zip Rio Vista, CA 94571

Drillers Phone # (707) 374 - 4300

C-57 License # 710079 Exp. Date 7/31/2007

For the sole purpose of procuring permits for drilling, well construction, and well destruction's, and DWR188 forms, I hereby designate the following entities to act as our authorized representative.

Name: Thomas Neely


Company: ETIC

Address: 2285 Morello

City & State: Pleasant Hill, CA

I understand that as the applicant for permits, I am responsible for compliance with all provisions of the permits. I also understand that upon written notification, that I may rescind this Authorization.

Signed:



Printed: Wayne G. Woodward

Date: 8-5-05

WELL DETAILS

PROJECT NUMBER 95123


BORING/WELL NUMBER MW3

DRILLER Exploration Geoservices

PROJECT NAME Olympic Gas Station

WELL PERMIT NUMBER 97W00387

DATE 9/11/97



EXPLORATORY BORING

a. Total depth 90 ft.

b. Diameter 8 in.

Drilling method Hollow Stem Auger

WELL CONSTRUCTION

c. Casing length 90 ft.

Material Schedule 40 PVC

d. Diameter 2 in.

e. Depth to top perforations 65 ft.

f. Perforated length 25 ft.

Perforated interval from 65 to 90 ft.

Perforation type Factory Slotted

Perforation size 0.010 inch

g. Surface seal 2 ft.

Seal material Sand/Cement Slurry

h. Seal 2 ft.

Seal material Bentonite

i. Gravel pack 86 ft.

Pack material No. 2/12 Sand

j. Bottom seal ft.

Seal material

RECEIVED

WELL DESTRUCTION APPLICATION

FC 198w (12-16-02)

Santa Clara Valley Water District

APR 12 2005

Page 1 of 4

5750 ALMADEN EXPRESSWAY, SAN JOSE, CA 95118-3686
Please complete all information.

ETIC ENGINEERING

DISTRICT PERMIT NO.:

05D00230

Well Owner: Fred Hill c/o Hill's Company Realtors	Property Owner: Fred Hill c/o Hill's Company Realtors	Name of Business/Residence at Well Site: Olympic Sunnyvale Station
Well Owner's Mailing Address: 700 S. Bernardo Avenue	Property Owner's Mailing Address: 700 S. Bernardo Avenue	Address of Well Site: 750 S. Bernardo Avenue
City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94086
Telephone No.: (408) 736-5900	Telephone No.: (408) 736-5900	Assessor's Parcel Number of Well Site: Book: 198 Page: 18 Parcel: 015
Consultant: ETIC Engineering	Drilling Company: Woodward Drilling	
Address: 2285 Morelo Avenue	Address: 550 River Road PO Box 336	
City, State, Zip: Pleasant Hill Ca. 94523	City, State, Zip: Rio Vista Ca. 94571	
Telephone No.: (925) 602-4710	Telephone No.: (707) 374-4300	C-57 License No.: 710079
<input type="checkbox"/> Check if address or phone number has changed.		<input type="checkbox"/> Check if address or phone number has changed.

All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers.

Well Information

Well Registration No.: 06S02W35D005	Owner/Consultant Well No.: MW-3	Original Well Construction Permit No.: 97W00387
Well Casing Depth: 90 feet	Total Boring Depth: 90 feet	Well Casing Diameter: 2 inches

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

CASE NAME:
Oversight Agency: SCVWD If under S.C.V.W.D. oversight, list Case Number(s): 06S2W35D014

☐ Well on SCVWD property/easement* ☐ Well is within 50 feet of the top of a creek/river bank* (* See General Conditions, E.)

Well Description:
☒ Vertical Well ☐ Dewatering Well ☐ Elevator Shaft ☐ Multiple Casing ☐ Horizontal Wall ☐ Pit Well

Well Type: check all that apply
☐ Water Producing (supply or extraction) ☐ Contamination Cleanup ☐ Agricultural ☐ Domestic ☐ Municipal & Industrial ☐ Vapor Extraction
☒ Monitoring ☐ Inclinator ☐ Groundwater ☐ Vadose ☐ Piezometer ☐ Interface ☐ Suction Lysimeter ☐ Seismic
☐ Injection/Infiltration ☐ Contamination Cleanup ☐ Reclaimed Water ☐ Air Sparging
☐ Cathodic Protection

Additional Questions For Water Producing Wells

Does the well have:

1. Outer conductor casing?	<input type="checkbox"/> Yes <input type="checkbox"/> No
2. Annular cement seal outside of casing at surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No
3. A S.C.V.W.D. water meter attached?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Type of Original Drilling Method:
☐ Rotary ☐ Cable-Tool ☐ Hand Dug Pit Well ☐ Hollow Stem Auger ☐ Other: _____

IMPORTANT

A minimum 24-hour notice must be given to SCVWD prior to installing the annular seal.
Call (408) 265-2607 Ext. 2660. For weekends, holidays, after hours call (408) 265-2607, Ext. 2120.
Please allow 10 working days to process permit application.

MAR 23 2005

SCVWD



Site Plan

WELL LOCATION

(Draw accurately; recommend using assessor's map)

1. Sketch well location to scale, show dimensions to nearest foot. (Do not attach separate map.)
2. Show a minimum of two dimensions at right angles. Dimensions shall be from the centerline of the closest named streets, roads, or highways.

EXAMPLE →



Please allow 10 working days to process this application.



Please describe, in detail, the proposed destruction method*:

The well will be destroyed using the pressure grouting method in accordance with SCVWD methodology. Employing this method, neat cement grout will be tremied into the well to displace any water in the well from the bottom of the well to the surface. Once the casing has been filled, additional neat cement grout will be pumped into the well and placed under at least 25 psi for a minimum of 5 minutes or until an additional 1/3 of the volume of the well casing has been injected into the well. Upon completion of pressure grouting, the well box and concrete surface seal will be removed and backfilled with neat cement to grade.

*Any well destruction in which the well casing is left in place and in which the well has a filter pack outside the casing, must be destroyed using approved neat cement grout.

I understand that all work is to be done in accordance with the District Well Ordinance, the District Well Standards, and the conditions of this permit (see page 4). I also certify that the information given in this permit is correct.
NOTE: All applicable signatures must be present before permit will be processed.

Signature of Well Owner/Agent: <i>W. Charles Lawrence for Fred Hill</i>	Print Name: <i>W. Charles Lawrence for Fred Hill</i>	Date: <i>3-8-05</i>
Signature of Driller/Agent: <i>Concetta E. Woodward</i>	Print Name:	Date:
Signature of Consultant (if any): <i>W. Charles Lawrence</i>	Print Name: <i>W. Charles Lawrence</i>	Date: <i>3-8-05</i>

DISTRICT USE ONLY

The District has approved the following destruction methods for the well described in this permit:

- ☐ Pressure Grout Method (as outlined in Standards).
NOTE: Neat cement is the only sealing material approved for pressure grouting.
- ☒ Drill out well to a total depth of 90' feet, with a minimum bore of 8" inches.
- ☐ Clean out well casing to a total depth of _____ feet and back fill with approved sealing material (if total depth is unknown, driller must determine total depth during clean out of well). NOTE: Neat cement is the only sealing material approved for back filling gravel packed wells.
- ☐ Well casing must be perforated at the following depths prior to backfilling: _____
- ☐ Other: * Sand to 4'

Permit Approved By:		Date:	
District Permit No.: <i>05D00230</i>	Date Issued: <i>4-7-05</i>	Expiration Date: <i>10-7-05</i>	Driller's Log No.: <i>023747</i>

Please allow 10 working days to process this application.

From: "Bill Cameron" <BCameron@valleywater.org>
To: <tneely@eticeng.com>
Date: 10/12/2005 11:08AM
Subject: Well Destruction Permit 05D00230

SCVWD Well Destruction permit 05D00230 has been updated to reflect that "pressure grouting" has been approved as an acceptable destruction method for this well.

Bill Cameron

SCVWD

GENERAL CONDITIONS

- A. SCVWD (Telephone 408-265-2607, Ext. 2660) MUST BE NOTIFIED A MINIMUM OF ONE WORKING DAY BEFORE THE PLACEMENT OF THE WELL DESTRUCTION SEALING MATERIALS. An authorized District representative must be on site to witness the destruction activities. This requirement may be waived by an authorized District representative. If the District waives the inspection requirement, the District may request the Permittee(s) to furnish certification under penalty of perjury that the well was destroyed in accordance with the District Well Standards and with the permit conditions.
- B. This Permit is valid only for the purpose specified herein. Well destruction methods authorized under this Permit may not be changed except by written approval of an authorized District representative, and only if the District believes that such a change will result in equal or superior compliance with the District and State Well Standards (e.g. if the District representative believes that site conditions warrant such a change).
- C. This Permit is only valid for the Assessor's Parcel Number indicated on it.
- D. This Permit may be voided if it contains any incorrect information. If the permit is voided after work has begun, the well or boring that is being destroyed under this permit may be required to be reconstructed in accordance with District and State Well Standards.
- E. If any work associated with this permit will take place within 50 feet of the top of the banks of a stream or watercourse, or on SCVWD property, an encroachment or construction permit must be granted by the District's Community Projects Review Unit (telephone (408) 2652607, Ext. 2350, 2217, or 2253).
- F. Within 60 days of the completion of well destruction activities, the driller or consultant identified on this permit shall fully complete State of California DWR Form 188 and submit the original to the District's Wells and Water Production Unit.
- G. The Permittee(s) shall assume entire responsibility for all activities and uses under this Permit and shall indemnify, defend, and hold the District, its officers, agents, and employees free and harmless from any and all expense, cost, and liability in connection with or resulting from, the granting of or exercise of this Permit including, but not limited to, property damage, personal injury, and wrongful death.
- H. Permittees are required to be in full compliance with Cal/OSHA California Labor Code Section 6300.
- I. A current C-57 Water Well Drilling Contractors License is required for the destruction of all wells.
- J. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all materials generated during drilling, well destruction, well development, pump testing, or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials/waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways. Such materials/waters shall not be allowed to move off the property where the work is being completed.
- K. The driller and consultant (if applicable) shall have an active copy of their Worker's Compensation Insurance on file with the District.
- L. This Permit shall expire if not exercised within 180 calendar days of its approval unless an extension of the permit expiration date is granted in writing by an authorized District representative.
- M. If the well approved to be destroyed under this permit is a monitoring well, associated with an investigation/cleanup overseen by a regulatory agency, the proposed well destruction must be approved by the person with regulatory authority over the investigation/cleanup.
- N. This permit shall be kept on-site during the completion of all activities associated with it and shall immediately be presented to an authorized District representative upon request.

Please allow 10 working days to process this application.

Santa Clara Valley Water District

WELL INSPECTION/COMPLETION NOTICE

FC 158A (05-14-95) (DP 4-901)

From: WELL SECTION	Date:	Permit No.: 97W00387
Inspector: Bill Cameron	Date of Inspection: 9-11-97	Well Registration No.: 06S02W35D005
Well Owner: Fred Hill		
Address of Well Site: 740 S. Bernardo Ave.	City or County: Sunnyvale	
Drilling Company: Exp. Geo Services	Consultant: ETIC	

PURPOSE OF WELL:

- | | |
|---|--|
| <input type="checkbox"/> Domestic | <input type="checkbox"/> *Monitoring Well Use |
| <input type="checkbox"/> Agricultural | <input type="checkbox"/> *Vadose |
| <input type="checkbox"/> Municipal/Industrial | <input checked="" type="checkbox"/> *Groundwater |
| <input type="checkbox"/> Cathodic Protection | <input type="checkbox"/> *Other |

1. Well completed according to provisions of Santa Clara Valley Water District Permit ☒ Yes ☐ No (If "No", see comments below)
2. Depth of Surface Annular Seal = 63'

Comments: TD = 90' 2" casing 8" bore
TS = 63' next cement seal
Bent = 2' Hollow stem auger Screen = 65'-90'

Distribution: WHITE - Well Section, YELLOW - City/County, PINK - Permittee, GOLDENROD - Water Revenue

Santa Clara Valley Water District

WELL CONSTRUCTION APPLICATION

FC 118 (04-22-92) (DP 4-901)

5750 Almaden Expressway, San Jose, CA 95118 (408) 265-2600

TO BE COMPLETED BY DISTRICT		
District Permit No.: <u>97W00387</u>	Date Issued: <u>5-15-97</u>	Well Registration No.: <u>06302W05D005</u>
Geologic Setting: <u>1</u>	Expiration Date: <u>11-15-97</u>	Driller's Log No.: <u>504287</u>

TO BE COMPLETED BY OWNER AND DRILLER		
Property Owner: <u>Feed Milk & Food Products</u>	Well Owner (if different):	Drilling Co.: <u>Exploration Geosystems</u>
Address: <u>C/O Hill & Company Realtors</u> <u>700 S Bernardo AVE</u>	Address of Well Site: <u>740 S Bernardo AVE</u>	Driller's Contractors License Number (C-57 Reg'd): <u>484288</u>
City, State, Zip: <u>Sunnyvale CA 94087</u>	City, State, Zip: <u>Sunnyvale CA 94087</u>	Address: <u>1535 Industrial AVE</u>
Telephone No.: <u>408 736-5900</u>	Telephone No.: <u>408 280 6822</u>	City, State, Zip: <u>San Jose CA 95112</u>
Assessor's Parcel No. of Well site: Book <u>198</u> Page <u>18</u> Parcel <u>016</u>	Owner's/Consultant's Well No.: <u>MIN3</u>	Telephone No.: <u>408 280 6822</u>

Estimated depth of completed well: ☐ Less than 50 ft. ☒ 50 to 300 ft. ☐ Over 300 ft.
 Purpose of Well: ☐ Domestic ☐ Municipal/Industrial ☐ Agricultural ☒ *Monitoring ☐ Cathodic Protection
 *Monitoring wells are those constructed for the purpose of obtaining repetitive water level measurements and/or repetitive air samples for analysis. This includes wells constructed for general exploration and investigation purposes as well as those to be constructed in conformance with the Hazardous Materials Storage Permit Ordinance for site-specific groundwater monitoring of existing underground hazardous materials storage tanks.

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS
 Purpose of Monitoring Well: ☐ To comply with City or County Hazardous Materials Storage Permit Ordinance ☒ Exploration studies
☐ Other (specify): ☐ Extraction/Recovery

NAME OF BUSINESS AT WELL SITE: Hill & Co. Realty

If proposed well is to meet compliance with a Hazardous Materials Storage Permit Ordinance has the City or County been contacted? ☐ Yes ☒ No

Consultant's Name (Company):
ETIC
 Address:
3275 Stevens Creek Blvd #315
 City, State, Zip:
San Jose CA 95117
 Telephone No.:
408 244 7202

Type of monitoring device: ☒ Groundwater ☐ Vadose
 Type of extraction device: ☐ Groundwater ☐ Vadose
 Monitoring well use: ☒ Depth ☒ Quality ☐ Chloride
 Vadose device installation: ☐ Vapor ☐ Interface ☐ Suction Lysimeter
Kenneth L. Melum
 Signature of Responsible Professional
 (No substitution of signature will be accepted)
C174B7
 Registration No. Civil Engineer OR Certificate No. Engineering Geologist

TOPOGRAPHIC FEATURES
 Well is to be constructed: ☐ In a public sidewalk ☐ In a public road ☐ On public property ☒ On private property ☐ On SCVWD property
 Within 50 ft. of the top of a creek bank: ☐ Yes ☒ No
 Within 50 ft. of a sanitary sewer: ☐ Yes ☒ No
 Within 100 ft. of a pit privy, septic tank, leachfield: ☐ Yes ☒ No
 Other wells exist on this property: ☐ Yes ☒ No
 Status: ☒ Active ☐ Inactive ☐ Abandoned

CERTIFICATION BY WELL OWNER/AGENT AND DRILLER/AGENT

I certify that the information given above is correct to the best of my knowledge. I certify that the well will be constructed in compliance with the conditions of this permit, the Santa Clara Valley Water District's Ordinance 90-1 and, if applicable, the Hazardous Materials Storage Permit Ordinance of the County or City, as appropriate. It is my responsibility as the well owner to notify this District of any changes in the purpose of this well from that which is indicated on this application form.

Signature of Well Owner/Agent

Signature of Driller/Agent

4/22/97

Date

4/28/97

Date

MONITORING WELL PLAN APPROVAL	
City/County:	
Approved by:	
Date:	

IMPORTANT: A minimum 24-hour notice must be given to SCVWD Well Inspection Dept. prior to installing the annular seal. Call (408) 927-0710 Ext. 660. For weekends, holidays, after hours call (408) 325-8121 or (408) 927-0714.

ORIGINAL
File with DWR

Page 1 of 1

Owner's Well No. MW-3

Date Work Began 9/11/97

Local Permit Agency SCVWD

Permit No. 91W00387

STATE OF CALIFORNIA
WELL COMPLETION REPORT

Refer to Instruction Pamphlet

No. 504287

DWR USE ONLY - DO NOT FILL IN

01651021W3510015

STATE WELL NO./STATION NO.

LATITUDE

LONGITUDE

APN/TRS/OTHER

WELL OWNER

Name Fred Hill

Mailing Address 700 S. Bernardo Ave

Sunnyvale

CA 95087

CITY

WELL LOCATION

Address 700 S. Bernardo Ave

City Sunnyvale

County Santa Clara

APN Book 19K Page 18 Parcel 16


Township _____ Range _____ Section _____

Latitude _____ Longitude _____

DEC. MIN. SEC. NORTH

DEC. MIN. SEC. WEST

LOCATION SKETCH



Illustrate or Describe Distance of Well from Landmarks such as Roads, Buildings, Fences, Rivers, etc. PLEASE BE ACCURATE & COMPLETE.

DRAWING METHOD Hand-drawn FLUID _____

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH OF STATO 77 (PL) & DATE MEASURED 9/17/97

WATER LEVEL _____ (OPM) & TEST TYPE _____

ESTIMATED YIELD _____ (GPM) & TEST TYPE _____

TEST LENGTH _____ (hrs.) TOTAL DRAWDOWN _____ (PL)

* May not be representative of a well's long-term yield.

ORIENTATION (L) ☒ VERTICAL ☐ HORIZONTAL ☐ ANGLE _____ (SPECIFY) _____

DEPTH TO FIRST WATER 77 (PL) BELOW SURFACE

DESCRIPTION

Describe material, grain size, color, etc.

DEPTH FROM SURFACE

PL. to PL.

0 to 35

6M - Gravelly, silt and mixture

brown

35 to 75

ML - Fine sands, silt, some clay

brown, slight moisture

75 to 90

SP - Gravelly sand, coarse, silt

and clay, very moist, grey/green

TOTAL DEPTH OF BORING 90 (Feet)

TOTAL DEPTH OF COMPLETED WELL 90 (Feet)

TOTAL DEPTH OF COMPLETED WELL _____ (Feet)															
DEPTH FROM SURFACE		BORE-HOLE DIA. (Inches)	CASING(S)						DEPTH FROM SURFACE		ANNULAR MATERIAL				
			TYPE (L)				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)			GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	TYPE		
PL. to PL.			NAME	SIZE	COE	POSITIVE								PL. to PL.	CE- MENT (L)
0	65	8"	V				PVC	3.2	SCH 40		0	2	V		
65	90	11"	V				PVC	2	SCH 40	2.010	2	4		V	
											4	90			V sand 3/16

ATTACHMENTS (L)

- ☐ Geologic Log
- ☐ Well Construction Diagram
- ☐ Geophysical Log(s)
- ☐ Soil/Water Chemical Analysis
- ☐ Other _____

ATTACH ADDITIONAL INFORMATION IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

NAME Robert Foley - EPC for Exploration Resources



PERSON, FIRM OR CORPORATION (TYPE OR PRINTED)

ADDRESS 1535 Industrial Ave, Santa Clara CA 95112

CITY _____ STATE _____ ZIP _____

Signed Robert Foley DATE SIGNED _____ EST. LICENSE NUMBER _____

IF ADDITIONAL SPACE IS NEEDED, USE NEXT CONSECUTIVELY NUMBERED FORM



Well Annotations- 7 Wells Selected

APN: 19818015
750 S Bernardo Ave
Sunnyvale CA
94087

No	Well_nbr	Permit	Consultnum	Status	Easting	Northing
1	06S02W35D001	84W0708	MW-1	Other-Active	6109206	1961149
2	06S02W35D002	91W1314	MW-1	Other-Active	6109194	1961221
3	06S02W35D003	93W0595	EW-2	Other-Active	6109223	1961168
4	06S02W35D004	93W0594	EW-1	Other-Active	6109254	1961161
5	06S02W35D007	98W00793	MW4	Other-Active	6109188	1961206
6	06S02W35D008	98W00792	MW-5	Other-Active	6109263	1961148
7	06S02W35D009	98W00826	AS-1	Other-Active	6109237	1961144

- Wells.shp
- ⊕ Water Supply - Active
 - ⊕ Water Supply - Standby
 - ⊕ Water Supply - Inactive
 - ⊕ Extraction (Env) - Active
 - ⊕ Extraction (Env) - Inactive
 - ⊕ Other - Active
 - ⊕ Other - Inactive
 - ✱ Abandoned
 - ⊕ Destroyed
 - ▲ Status Undetermined
- Parcels.shp
- ▲ Fuelleak.shp
- VALFLOOR.SHP
- Zone 1
 - Zone 2
 - Zone 3
 - Zone 4
 - Zone 5

Approximate Scale
30 0 30 60 Feet



WELL DESTRUCTION COMPLETION NOTICE

FCE 218 (08-14-98)

Inspector: <u>Hammispe</u>		Date of Inspection: <u>10-13-05</u>		Permit: <u>01220010</u>	
Owner/Consultant No: <u>1710-2</u>			Well Registration No: <u>0650210351005</u>		
Well Owner: <u>F. & H. H.</u>		Address of Well Site: <u>270 E. Lincoln Ave</u>		City or County: <u>San Jose</u>	
Drilling Company: <u>Woodward</u>		Consultant: <u>ETIC</u>			
Well Depth: <u>84.2</u>	Borehole Diameter: <u>8"</u>	Casing Diameter: <u>2'</u>	Casing Material: <u>PVC</u>	Well Type: <input checked="" type="checkbox"/> HSA <input type="checkbox"/> Rotary <input type="checkbox"/> Other (see comments) <input type="checkbox"/> Direct Push <input type="checkbox"/> Cable Tool	
Casing Perforated: _____ to _____			Sealing Material: <input checked="" type="checkbox"/> Neat Cement <input type="checkbox"/> 10 Sack Sand Slurry <input type="checkbox"/> Bentonite <input type="checkbox"/> Other (See Comments)		
Destruction Method: <input checked="" type="checkbox"/> Pressure Grout <input type="checkbox"/> Drill Out <input type="checkbox"/> Excavate <input type="checkbox"/> Bail, Perf, & Backfill <input type="checkbox"/> Bail & Backfill <input type="checkbox"/> Other (See Comments)					
Well destroyed according to provisions of Santa Clara Valley Water District Permit? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)					
GPS Coordinates: Lat: _____ Long: _____					
Comments: _____ _____ _____					

Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee

MW4
05D00232

ORIGINAL
File with DWR

STATE OF CALIFORNIA
WELL COMPLETION REPORT
Refer to Instruction Pamphlet

Page 1 of 1

Owner's Well No. MW-4

No. e023749

Date Work Began 10/12/05 Ended 10/12/05

Local Permit Agency SCVWD

Permit No. 05D00232 Permit Date 4-7-05

DWR USE ONLY - DO NOT FILL IN

016S012W351D10017

STATE WELL NO./STATION NO.

LATITUDE LONGITUDE

APN/TRS/OTHER

GEOLOGIC LOG

ORIENTATION () ☐ VERTICAL ☐ HORIZONTAL ☐ ANGLE (SPECIFY)

DRILLING METHOD ☐ FLUID

DEPTH FROM SURFACE
FL ID FL

DESCRIPTION

Describe material, grain size, color, etc.

Pressure grouted with
neat cement.

See attached soil

borings log for
lithology description

WELL OWNER

Name Fred Hill & Company Realtors
Mailing Address 700 S. Bernardo Avenue
San Jose CA 94087
CITY STATE ZIP

WELL LOCATION

Address 750 S. Bernardo Ave.
City San Jose
County San Jose
APN Book 198 Page 13 Parcel 015
Township 6S Range 2W Section 35
Latitude DEG MIN SEC NORTH Longitude DEG MIN SEC WEST

LOCATION SKETCH

NORTH

See site plan
attached

ACTIVITY ()

☐ NEW WELL
MODIFICATION/REPAIR
☐ Deepen
☐ Other (Specify)

☒ DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")

PLANNED USES ()

WATER SUPPLY
☐ Domestic ☐ Public
☐ Irrigation ☐ Industrial

MONITORING ☐

TEST WELL ☐

CATHODIC PROTECTION ☐

HEAT EXCHANGE ☐

DIRECT PUSH ☐

INJECTION ☐

VAPOR EXTRACTION ☐

SPARGING ☐

REMEDIATION ☐

OTHER (SPECIFY) ☐

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER (F1) BELOW SURFACE

DEPTH OF STATIC
WATER LEVEL (F1) & DATE MEASURED

ESTIMATED YIELD (GPM) & TEST TYPE

TEST LENGTH (Hrs) TOTAL DRAWDOWN (F1)

* May not be representative of a well's long-term yield.

TOTAL DEPTH OF BORING 82 (Feet)

TOTAL DEPTH OF COMPLETED WELL 82 (Feet)

DEPTH FROM SURFACE			BORE-HOLE DIA (Inches)	CASING (S)					DEPTH FROM SURFACE	ANNULAR MATERIAL						
				TYPE ()				MATERIAL / GRADE		INTERNAL DIAMETER (Inches)	GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	TYPE			
				BLANK	SCREEN	CON- DUCTOR	FILL PIPE						CE- MENT ()	BEN- TONITE ()	FILL ()	FILTER PACK (TYPE/SIZE)
Fl	to	Fl							Fl	to	Fl					
0	80		8						0	57		✓				
10	60		8	✓			PVC	2	sch 40	—			✓			
60	80		8		✓		PVC	2	sch 40	0.010"				✓	2 1/2 sand	

ATTACHMENTS ()

- ☒ Geologic Log
☒ Well Construction Diagram
☐ Geophysical Log(s)
☐ Soil/Water Chemical Analyses
☒ Other Site plan

ATTACH ADDITIONAL INFORMATION IF IT EXISTS

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief

NAME Woodward Drilling
(PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)

ADDRESS 550 River Road PO Box 336 Rio Vista CA 94511
CITY STATE ZIP

Signed [Signature] DATE SIGNED 10/12/05 710079
WELL DRILLER AUTHORIZED REPRESENTATIVE C-57 LICENSE NUMBER

Well Drillers Authorization Letter

Site Name:

Site Address:

City:

Well Driller Woodward Drilling Co., Inc

Drillers Address P.O. Box 336

City, State, Zip Rio Vista, CA 94571

Drillers Phone # (707) 374 - 4300

C-57 License # 710079 Exp. Date 7/31/2007

For the sole purpose of procuring permits for drilling, well construction, and well destruction's, and DWR188 forms, I hereby designate the following entities to act as our authorized representative.

Name: Thomas Neely


Company: ETIC

Address: 2285 Morello

City & State: Pleasant Hill, CA

I understand that as the applicant for permits, I am responsible for compliance with all provisions of the permits. I also understand that upon written notification, that I may rescind this Authorization.

Signed:



Printed: Wayne G. Woodward

Date: 8-5-05

SOIL BORING LOG DETAILS

Boring No. _____ MW 4
Date: _____ 12/8/98
Well permit No. _____ 98W00793
Total depth: _____ 80 ft
Diameter: _____ 8 inches

[illegible]

Notes

Figure No.

APR 12 2005

5750 ALMADEN EXPRESSWAY, SAN JOSE, CA 95118-3686
Please complete all information.

ETIC ENGINEERING

DISTRICT PERMIT NO.:

05D00232

Well Owner: Fred Hill % Hill's Company Realtors	Property Owner: Fred Hill % Hill's Company Realtors	Name of Business/Residence at Well Site: Olympic Sunnyvale Station
Well Owner's Mailing Address: 700 S. Bernardo Avenue	Property Owner's Mailing Address: 700 S. Bernardo Avenue	Address of Well Site: 750 S. Bernardo Avenue
City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94086
Telephone No.: (408) 736-5900	Telephone No.: (408) 736-5900	Assessor's Parcel Number of Well Site: Book: 198 Page: 18 Parcel: 015
Consultant: ETIC Engineering	Drilling Company: Woodward Drilling	
Address: 2285 Morello Avenue	Address: 550 River Road PO Box 336	
City, State, Zip: Pleasant Hill Ca. 94523	City, State, Zip: Rio Vista Ca. 94571	
Telephone No.: (925) 602-4710	Telephone No.: (707) 374-4300	C-57 License No.: 710079
<input type="checkbox"/> Check if address or phone number has changed.		<input type="checkbox"/> Check if address or phone number has changed.

All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers.

Well Information

Well Registration No.: 06S02W35D007	Owner/Consultant Well No.: MW-4	Original Well Construction Permit No.: 98W00793
Well Casing Depth: 82 feet	Total Boring Depth: 82 feet	Well Casing Diameter: 2 inches

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

CASE NAME: SCVWD
Oversight Agency: SCVWD If under S.C.V.W.D. oversight, list Case Number(s): 06S2W35D014

☐ Well on SCVWD property/easement* ☐ Well is within 50 feet of the top of a creek/river bank* (* See General Conditions, E)

Well Description:
☒ Vertical Well ☐ Dewatering Well ☐ Elevator Shaft ☐ Multiple Casing ☐ Horizontal Wall ☐ Pit Well

Well Type: check all that apply
☐ Water Producing ☐ Contamination Cleanup ☐ Agricultural ☐ Domestic ☐ Municipal & Industrial ☐ Vapor Extraction
☒ Monitoring ☐ Inclinator ☐ Groundwater ☐ Vadose ☐ Piezometer ☐ Interface ☐ Suction Lysimeter ☐ Seismic
☐ Injection/Infiltration ☐ Contamination Cleanup ☐ Reclaimed Water ☐ Air Sparging
☐ Cathodic Protection

Additional Questions For Water Producing Wells

Does the well have:

- Outer conductor casing? ☐ Yes ☐ No
- Annular cement seal outside of casing at surface? ☐ Yes ☐ No
- A S.C.V.W.D. water meter attached? ☐ Yes ☐ No

Type of Original Drilling Method:

☐ Rotary ☐ Cable-Tool ☐ Hand Dug Pit Well ☐ Hollow Stem Auger ☐ Other: _____

IMPORTANT

A minimum 24-hour notice must be given to SCVWD prior to installing the annular seal.
Call (408) 265-2607 Ext. 2660. For weekends, holidays, after hours call (408) 265-2607, Ext. 2120.
Please allow 10 working days to process permit application.

MAR 23 2005


Site Plan

WELL LOCATION


(Draw accurately; recommend using assessor's map)

1. Sketch well location to scale, show dimensions to nearest foot. (Do not attach separate map.)
2. Show a minimum of two dimensions at right angles. Dimensions shall be from the centerline of the closest named streets, roads, or highways.

EXAMPLE →



Sketch well location as described above:



Please allow 10 working days to process this application.

Please describe, in detail, the proposed destruction method*:

The well will be destroyed using the pressure grouting method in accordance with SCVWD methodology. Employing this method, neat cement grout will be tremied into the well to displace any water in the well from the bottom of the well to the surface. Once the casing has been filled, additional neat cement grout will be pumped into the well and placed under at least 25 psi for a minimum of 5 minutes or until an additional 1/3 of the volume of the well casing has been injected into the well. Upon completion of pressure grouting, the well box and concrete surface seal will be removed and backfilled with neat cement to grade.

* Any well destruction in which the well casing is left in place and in which the well has a filter pack outside the casing, must be destroyed using approved neat cement grout.

I understand that all work is to be done in accordance with the District Well Ordinance, the District Well Standards, and the conditions of this permit (see page 4). I also certify that the information given in this permit is correct.
NOTE: All applicable signatures must be present before permit will be processed.

Signature of Well Owner/Agent: <i>W. Charles Lawrence for Fred Hill</i>	Print Name: W. Charles Lawrence for Fred Hill	Date: 3-8-05
Signature of Driller/Agent: <i>Concino E. Woodward</i>	Print Name: CONCINO E WOODWARD	Date: 3-14-05
Signature of Consultant (if any): <i>W. Charles Lawrence</i>	Print Name: W. Charles Lawrence	Date: 3-8-05

DISTRICT USE ONLY

The District has approved the following destruction methods for the well described in this permit:

☒ Pressure Grout Method (as outlined in Standards).
NOTE: Neat cement is the only sealing material approved for pressure grouting.

- ☐ Drill out well to a total depth of _____ feet, with a minimum bore of _____ inches.
- ☐ Clean out well casing to a total depth of _____ feet and back fill with approved sealing material (if total depth is unknown, driller must determine total depth during clean out of well). NOTE: Neat cement is the only sealing material approved for back filling gravel packed wells.
- ☐ Well casing must be perforated at the following depths prior to backfilling: _____
- ☐ Other: _____

Permit Approved By: <i>W. Charles Lawrence</i>	Date: 4/5/05
District Permit No.: 05D00232	Date Issued: 4-7-05
Expiration Date: 10-7-05	Driller's Log No.: 023749

Please allow 10 working days to process this application.

GENERAL CONDITIONS

- A. SCVWD (Telephone 408-265-2607, Ext. 2660) MUST BE NOTIFIED A MINIMUM OF ONE WORKING DAY BEFORE THE PLACEMENT OF THE WELL DESTRUCTION SEALING MATERIALS. An authorized District representative must be on site to witness the destruction activities. This requirement may be waived by an authorized District representative. If the District waives the inspection requirement, the District may request the Permittee(s) to furnish certification under penalty of perjury that the well was destroyed in accordance with the District Well Standards and with the permit conditions.
- B. This Permit is valid only for the purpose specified herein. Well destruction methods authorized under this Permit may not be changed except by written approval of an authorized District representative, and only if the District believes that such a change will result in equal or superior compliance with the District and State Well Standards (e.g. if the District representative believes that site conditions warrant such a change).
- C. This Permit is only valid for the Assessor's Parcel Number indicated on it.
- D. This Permit may be voided if it contains any incorrect information. If the permit is voided after work has begun, the well or boring that is being destroyed under this permit may be required to be reconstructed in accordance with District and State Well Standards.
- E. If any work associated with this permit will take place within 50 feet of the top of the banks of a stream or watercourse, or on SCVWD property, an encroachment or construction permit must be granted by the District's Community Projects Review Unit (telephone (408) 2652607, Ext. 2350, 2217, or 2253).
- F. Within 60 days of the completion of well destruction activities, the driller or consultant identified on this permit shall fully complete State of California DWR Form 188 and submit the original to the District's Wells and Water Production Unit.
- G. The Permittee(s) shall assume entire responsibility for all activities and uses under this Permit and shall indemnify, defend, and hold the District, its officers, agents, and employees free and harmless from any and all expense, cost, and liability in connection with or resulting from, the granting of or exercise of this Permit including, but not limited to, property damage, personal injury, and wrongful death.
- H. Permittees are required to be in full compliance with Cal/OSHA California Labor Code Section 6300.
- I. A current C-57 Water Well Drilling Contractors License is required for the destruction of all wells.
- J. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all materials generated during drilling, well destruction, well development, pump testing, or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials/waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways. Such materials/waters shall not be allowed to move off the property where the work is being completed.
- K. The driller and consultant (if applicable) shall have an active copy of their Worker's Compensation Insurance on file with the District.
- L. This Permit shall expire if not exercised within 180 calendar days of its approval unless an extension of the permit expiration date is granted in writing by an authorized District representative.
- M. If the well approved to be destroyed under this permit is a monitoring well, associated with an investigation/cleanup overseen by a regulatory agency, the proposed well destruction must be approved by the person with regulatory authority over the investigation/cleanup.
- N. This permit shall be kept on-site during the completion of all activities associated with it and shall immediately be presented to an authorized District representative upon request.

Please allow 10 working days to process this application.

Santa Clara Valley Water District



WELL CONSTRUCTION/COMPLETION NOTICE

FCE 158A (08-14-98)

Inspector: Castelli		Date of Inspection: 12/15/98		Permit: 98W00793	
Owner/Consultant Well No.: MW-6		Well Registration No.: 02502W35D007		City or County: Sunnyvale	
Well Owner: Fred Hill		Address of Well Site: 740 S. Bernardo Ave.			
Drilling Company: Exploration Geoservices		Consultant: ETIC Engineering			
Cond. Bore:	Conductor Depth:	Conductor Diameter & Material:		Blank Casing Diameter 2" PVC	
TD: 83'	BOC: 83'	Boring Diameter: 8"		Screen Interval(s): 58-83'	
Filter Pack Material: sand	Filter Pack Interval(s): 56-83'	Bent: 54-56'	Screen Diameter, Material, & Size: 2" PVC (.010)		
Sealing Material: <input checked="" type="checkbox"/> Neat Cement		<input type="checkbox"/> 10 Sack Band Blurry		Drilling Method: <input checked="" type="checkbox"/> HSA	
<input type="checkbox"/> Bentonite		<input type="checkbox"/> Other (See Comments)		<input type="checkbox"/> Mud rotary	
				<input type="checkbox"/> Direct Push	
				<input type="checkbox"/> Air Rotary	
Well Type: <input checked="" type="checkbox"/> GW Monitoring		<input type="checkbox"/> GW Extraction		<input type="checkbox"/> Vadoze Monitoring	
<input type="checkbox"/> Domestic		<input type="checkbox"/> Agricultural		<input type="checkbox"/> Vadoze Extraction	
		<input type="checkbox"/> Municipal/Industrial		<input type="checkbox"/> Elevator	
				<input type="checkbox"/> Cathodic	
				<input type="checkbox"/> Other (See Comments)	
Well constructed according to provisions of Santa Clara Valley Water District Permit? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)					
Well Location: 175 nys: Brookfield 41 nys: S. Bernardo Ave.					
GPS Coordinates: Lat: Long:					
Comments: Top of seal: 56'					

Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee

5750 Almaden Expressway, San Jose, CA 95118 (408) 268-2600

TO BE COMPLETED BY DISTRICT		
District Permit No.: <u>98000793</u>	Date Issued: <u>12/1/98</u>	Well Registration No.: <u>DE502W330007</u>
Permittee's Address: <u>1</u>	Expiration Date: <u>6/1/99</u>	Driller's Log No.: <u>824243</u>

TO BE COMPLETED BY OWNER AND DRILLER		
Property Owner: <u>FRED HILL</u>	Well Owner (if different):	Drilling Co.: <u>EXPLORATION GEOSERVICES</u>
Address: <u>700 S. BERNARDO AVE</u>	Address of Well Site: <u>740 S. BERNARDO AVE</u>	Driller's Contractors License Number (C-57 Reg'd): <u>984288</u>
City, State, Zip: <u>SUNNYVALE, CA 94087</u>	City, State, Zip: <u>SUNNYVALE, CA 94087</u>	Address: <u>1535 INDUSTRIAL AVE</u>
Telephone No.: <u>408-736-5900</u>	Telephone No.: <u>909-280-6022</u>	City, State, Zip: <u>SAN JOSE CA 95112</u>
Assessor's Parcel No. of Well site: <u>198</u> Page <u>18</u> Parcel <u>D16</u>	Owner's/Consultant's Well No.: <u>MWA</u>	Telephone No.: <u>408-280-6022</u>

Estimated depth of completed well: ☐ Less than 50 ft. ☒ 50 to 300 ft. ☐ Over 300 ft.
 Purpose of Well: ☐ Domestic ☐ Municipal/Industrial ☐ Agricultural ☒ *Monitoring ☐ Cathodic Protection
 *Monitoring wells are those constructed for the purpose of obtaining repetitive water level measurements and/or repetitive air samples for analysis. This includes wells constructed for general exploration and investigation purposes as well as those to be constructed in conformance with the Hazardous Materials Storage Permit Ordinance for site-specific groundwater monitoring of existing underground hazardous materials storage tanks.

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS
 Purpose of Monitoring Well: ☐ To comply with City or County Hazardous Materials Storage Permit Ordinance ☒ Exploration studies
☐ Other (specify): ☐ Extraction/Recovery

NAME OF BUSINESS AT WELL SITE: OLYMPIC GAS STATION
 If proposed well is to meet compliance with a Hazardous Materials Storage Permit Ordinance has the City or County been contacted? ☐ Yes ☒ No

Consultant's Name (Company): <u>ETC ENGINEERING</u>	Type of monitoring device: <input checked="" type="checkbox"/> Groundwater <input type="checkbox"/> Vadose
Address: <u>3275 STEVENS CREEK BLVD #315</u>	Type of extraction device: <input type="checkbox"/> Groundwater <input type="checkbox"/> Vadose
City, State, Zip: <u>SAN JOSE, CA 95117</u>	Monitoring well use: <input checked="" type="checkbox"/> Depth <input checked="" type="checkbox"/> Quality <input type="checkbox"/> Chloride
Telephone No.: <u>408-244-7202</u>	Vadose device installation: <input type="checkbox"/> Vapor <input type="checkbox"/> Interface <input type="checkbox"/> Suction Lysimeter
	Signature of Responsible Professional (No substitution of signature will be accepted): <u>Kenneth A. McLean</u>
	Registration No. Civil Engineer OR Certificate No. Engineering Geologist: <u>C17487 Exp 6/30/01</u>

TOPOGRAPHIC FEATURES
 Well is to be constructed: ☐ In a public sidewalk ☐ In a public road ☐ On public property ☒ On private property ☐ On SCVWD property
 Within 50 ft. of the top of a creek bank: ☐ Yes ☒ No
 Within 50 ft. of a sanitary sewer: ☐ Yes ☒ No
 Within 100 ft. of a pit privy, septic tank, leachfield: ☐ Yes ☒ No
 Other wells exist on this property: ☒ Yes ☐ No
 Status: ☒ Active ☐ Inactive ☐ Abandoned

CERTIFICATION BY WELL OWNER/AGENT AND DRILLER/AGENT:

I certify that the information given above is correct to the best of my knowledge. I certify that the well will be constructed in compliance with the conditions of this permit, the Santa Clara Valley Water District's Ordinance 90-1 and, if applicable, the Hazardous Materials Storage Permit Ordinance of the County or City, as appropriate. It is my responsibility as the well owner to notify this District of any changes in the purpose of this well from that which is indicated on this application form.

Signature of Well Owner/Agent: [Signature]
 Signature of Driller/Agent: [Signature]

Date: 11/9/98
 Date: 11/9/98

MONITORING WELL PLAN APPROVAL	
City/County:	
Approved by:	
Date:	

IMPORTANT: A minimum 24-hour notice must be given to SCVWD Well Inspection Dept. prior to installing the annular seal. Call (408) 827-0710 Ext. 660. For weekends, holidays, after hours call (408) 395-8121 or (408) 827-0714.

SCVWD NGW12798M 8-29

ORIGINAL
File with DWR

Page 1 of 1

Owner's Well No. 1774

Date Work Began 12-8-98 Ended 12-8-98

Local Permit Agency SUNNYVALE

Permit No. 90000793

Permit Date 12-7-98

STATE OF CALIFORNIA WELL COMPLETION REPORT

Refer to Instruction Pamphlet

No. 824243

DWR USE ONLY - DO NOT FILL IN

D16502W351D1007									
STATE WELL NO./STATION NO.									
LATITUDE					LONGITUDE				
APN/TRB/OTHER									

GEOLOGIC LOG

ORIENTATION (Z) ☒ VERTICAL ☐ HORIZONTAL ☐ ANGLE (SPECIFY) _____
DRILLING METHOD Hollow Stem Auger

DEPTH FROM SURFACE
P B R
0 2 Asphalt and brick fill
2 35 Clean silt, brown
35 66 dry silt
66 80 Gravel, silt, sand
80 80 partly graded


Describe material, grain size, color, etc.

WELL OWNER
Name Fred Hill
Mailing Address 700 S. Bernardo Ave
Sunnyvale, CA 94087
CITY STATE ZIP

WELL LOCATION
Address 740 S. Bernardo Ave
City Sunnyvale, CA 94087
County Santa Clara

APN Book 198 Page 18 Parcel 16
Township _____ Range _____ Section _____
Latitude _____ North _____ West _____
Longitude _____

LOCATION SKETCH
NORTH
El Camino Real



Indicate or Describe Distance of Well from Route, Building, Fence, River, etc. and attach a map. Use additional paper if necessary. PLEASE BE ACCURATE & COMPLETE.

ACTIVITY (Z)
☒ NEW WELL
MODIFICATION/REPAIR
Deepen _____
Other (Specify) _____

DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")

PLANNED USES (Z)
WATER SUPPLY
Domestic _____ Pesticide _____
Irrigation _____ Industrial _____

MONITORING ☒
TEST WELL _____
CATHODIC PROTECTION _____
HEAT EXCHANGE _____
DIRECT PUMP _____
INJECTION _____
VAPOR EXTRACTION _____
SPRINKLING _____
REMEDIATION _____
OTHER (SPECIFY) _____

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER _____ (ft.) BELOW SURFACE
DEPTH OF STATIC WATER LEVEL _____ (ft.) & DATE MEASURED _____
ESTIMATED YIELD _____ (GPM) & TEST TYPE _____
TEST LENGTH _____ (min.) TOTAL DRAWDOWN _____ (ft.)
* May not be representative of a well's long-term yield.

TOTAL DEPTH OF BORING 90 (Feet)
TOTAL DEPTH OF COMPLETED WELL 80 (Feet)

DEPTH FROM SURFACE			BORE-HOLE DIA. (inches)	CASING (S)							ANNULAR MATERIAL				
				TYPE (Z)				MATERIAL / GRADE	INTERNAL DIAMETER (inches)	GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (inches)	TYPE			
				BLANK	SCREEN	CORROSION	FEEL PIPE					CEMENT (Z)	BENTONITE (Z)	FILL (Z)	FILTER PACK (TYPE/SIZE)
P	B	R													
0	60	8	✓			Sh 40 PVC	2			0.010 in	✓				
60	80	8	✓			Sh 40 PVC	2							2 1/2 sand	

ATTACHMENTS (Z)



- Geologic Log
- Well Construction Diagram
- Geophysical Log(s)
- Soil/Water Chemical Analyses
- Other _____

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

NAME Exploration Geoservices
PERSON, FIRM OR CORPORATION (TYPED OR PRINTED)
ADDRESS 1535 Industrial Ave San Jose CA 95112
CITY STATE ZIP
Signed Exploration Geoservices DATE SIGNED 7/25/00 C-57 LICENSE NUMBER 454288
DATE SIGNED



Well Annotations - 7 Wells Selected

No	Well_nbr	Permit	Consultnum	Status	Easting	Northing
1	06S02W35D001	84W0708	MW-1	Other-Active	6109206	1961149
2	06S02W35D002	91W1314	MW-1	Other-Active	6109194	1961221
3	06S02W35D003	93W0595	EW-2	Other-Active	6109223	1961168
4	06S02W35D004	93W0594	EW-1	Other-Active	6109254	1961161
5	06S02W35D007	98W00793	MW4	Other-Active	6109188	1961206
6	06S02W35D008	98W00792	MW-5	Other-Active	6109263	1961148
7	06S02W35D009	98W00826	AS-1	Other-Active	6109237	1961144

APN: 19818015
750 S Bernardo Ave
Sunnyvale CA
94087

- Wells.shp
- ⊕ Water Supply - Active
 - ⊞ Water Supply - Standby
 - ⊞ Water Supply - Inactive
 - ⊕ Extraction (Env) - Active
 - ⊞ Extraction (Env) - Inactive
 - ⊕ Other - Active
 - ⊞ Other - Inactive
 - * Abandoned
 - ⊕ Destroyed
 - ▲ Status Undetermined
- Parcels.shp
- ▲ Fuelleak.shp
- VALFLOOR.SHP
- Zone 1
 - Zone 2
 - Zone 3
 - Zone 4
 - Zone 5

Approximate Scale
30 0 30 60 Feet



WELL DESTRUCTION COMPLETION NOTICE

FCE 218 (08-14-98)

Inspector: <u>Hammage</u>		Date of Inspection: <u>10-13-05</u>		Permit: <u>21000152</u>	
Owner/Consultant No.: <u>1111-4</u>			Well Registration No.: <u>065020250007</u>		
Well Owner: <u>East 4th</u>		Address of Well Site: <u>750 S. Hamilton Ave</u>		City or County: <u>San Jose</u>	
Drilling Company: <u>Westland</u>		Consultant: <u>ETIC</u>			
Well Depth: <u>82'</u>	Borehole Diameter: <u>8"</u>	Casing Diameter: <u>2</u>	Casing Material: <u>MHC</u>	Well Type: <input checked="" type="checkbox"/> HSA <input type="checkbox"/> Rotary <input type="checkbox"/> Other (see comments) <input type="checkbox"/> Direct Push <input type="checkbox"/> Cable Tool	
Casing Perforated: _____ to _____			Sealing Material: <input checked="" type="checkbox"/> Neat Cement <input type="checkbox"/> 10 Sack Sand Slurry <input type="checkbox"/> Bentonite <input type="checkbox"/> Other (See Comments)		
Destruction Method: <input checked="" type="checkbox"/> Pressure Grout <input type="checkbox"/> Drill Out <input type="checkbox"/> Excavate <input type="checkbox"/> Bail, Perf, & Backfill <input type="checkbox"/> Bail & Backfill <input type="checkbox"/> Other (See Comments)					
Well destroyed according to provisions of Santa Clara Valley Water District Permit?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)	
GPS Coordinates: Lat: _____		Long: _____			
Comments: _____ _____ _____					
Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee					

MW5
05D00231

IF ADDITIONAL SPACE IS NEEDED, USE NEXT CONSECUTIVELY NUMBERED FORM

Well Drillers Authorization Letter

Site Name:

Site Address:

City:

Well Driller Woodward Drilling Co., Inc

Drillers Address P.O. Box 336

City, State, Zip Rio Vista, CA 94571

Drillers Phone # (707) 374 - 4300

C-57 License # 710079 Exp. Date 7/31/2007

For the sole purpose of procuring permits for drilling, well construction, and well destruction's, and DWR188 forms, I hereby designate the following entities to act as our authorized representative.

Name: Thomas Neely


Company: ETIC

Address: 2285 Morello

City & State: Pleasant Hill, CA

I understand that as the applicant for permits, I am responsible for compliance with all provisions of the permits. I also understand that upon written notification, that I may rescind this Authorization.

Signed:






Printed: Wayne G. Woodward

Date: 8-5-05

SOIL BORING LOG DETAILS

Project name: OLYMPIC
 Project No. 95221
 Driller: Exploration Geoservices
 Logged by: H Barrientos
 Drilling method: Hollow Stem Auger

Boring No. MW 5
 Date: 12/8/98
 Well permit No. 980W00792
 Total depth: 80 ft
 Diameter: 8 inches

Lithology Description	Casing	Graphic Log	Soil type	Depth	Sample	Blows/ft
Asphalt and backfill	8" dia Sch 40 pipe/ Factory Slotted at 0.010"		SM	0		
				3		
				6		
				9		
				12		
				15		
Clean soil, brown, dry, silt			SM	18		
				21		
				24		
				27		
			SM	30		
				33		
Tight, silty clay, brown, dry				36		
				39		
				42	■	@ 45' (15-22-35)
				45		
				48	■	@ 50' (40-50 for 5')
				51		
				54		
				57		
				60	■	@ 60' (15-30-45)
				63		
				66	■	@ 68' (38-45-50)
				69		
Gravel, silt, sand, poorly graded				72	▼	Ground Water Table At 74.6'
				75		
				78		
				81		
				84		
				87		
				90		

5750 ALMADEN EXPRESSWAY, SAN JOSE, CA 95118-3686
Please complete all information.

APR 12 2005

ETIC ENGINEERING

DISTRICT PERMIT NO.:

05D00231

Well Owner: Fred Hill c/o Hill's Company Realtors	Property Owner: Fred Hill c/o Hill's Company Realtors	Name of Business/Residence at Well Site: Olympic Sunnyvale Station
Well Owner's Mailing Address: 700 S. Bernardo Avenue	Property Owner's Mailing Address: 700 S. Bernardo Avenue	Address of Well Site: 750 S. Bernardo Avenue
City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94086
Telephone No.: (408) 736-5900	Telephone No.: (408) 736-5900	Assessor's Parcel Number of Well Site: Book: 198 Page: 18 Parcel: 015
Consultant: ETIC Engineering	Drilling Company: Woodward Drilling	
Address: 2285 Morello Avenue	Address: 550 River Road PO Box 336	
City, State, Zip: Pleasant Hill Ca. 94523	City, State, Zip: Rio Vista Ca. 94571	
Telephone No.: (925) 602-4710	Telephone No.: (707) 374-4300	C-57 License No.: 710079
<input type="checkbox"/> Check if address or phone number has changed.		<input type="checkbox"/> Check if address or phone number has changed.

All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers.

Well Information

Well Registration No.: 06S02W35D008	Owner/Consultant Well No.: MW-5	Original Well Construction Permit No.: 98W00792
Well Casing Depth: 82 feet	Total Boring Depth: 82 feet	Well Casing Diameter: 2 inch

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

CASE NAME:

Oversight Agency:

SCVWD

If under S.C.V.W.D. oversight, list Case Number(s):

06S2W35D014

☐ Well on SCVWD property/easement* ☐ Well is within 50 feet of the top of a creek/river bank* (* See General Conditions, E)

Well Description:

☒ Vertical Well ☐ Dewatering Well ☐ Elevator Shaft ☐ Multiple Casing ☐ Horizontal Wall ☐ Pit Well

Well Type: check all that apply

☐ Water Producing ☐ Contamination Cleanup ☐ Agricultural ☐ Domestic ☐ Municipal & Industrial ☐ Vapor Extraction (supply or extraction)

☒ Monitoring ☐ Inclinator ☐ Groundwater ☐ Vadose ☐ Piezometer ☐ Interface ☐ Suction Lysimeter ☐ Seismic

☐ Injection/Infiltration ☐ Contamination Cleanup ☐ Reclaimed Water ☐ Air Sparging

☐ Cathodic Protection

Additional Questions For Water Producing Wells

Does the well have:

1. Outer conductor casing? ☐ Yes ☐ No

2. Annular cement seal outside of casing at surface? ☐ Yes ☐ No

3. A S.C.V.W.D. water meter attached? ☐ Yes ☐ No

Type of Original Drilling Method:

☐ Rotary ☐ Cable-Tool ☐ Hand Dug Pit Well ☐ Hollow Stem Auger ☐ Other: _____

IMPORTANT

A minimum 24-hour notice must be given to SCVWD prior to installing the annular seal.
Call (408) 265-2607 Ext. 2660. For weekends, holidays, after hours call (408) 265-2607, Ext. 2120.
Please allow 10 working days to process permit application.

MAR 23 2005




Site Plan

WELL LOCATION


(Draw accurately; recommend using assessor's map)

1. Sketch well location to scale, show dimensions to nearest foot. (Do not attach separate map.)
2. Show a minimum of two dimensions at right angles. Dimensions shall be from the centerline of the closest named streets, roads, or highways.

EXAMPLE →



Sketch well location as described above:



Please allow 10 working days to process this application.



Please describe, in detail, the proposed destruction method*:

The well will be destroyed using the pressure grouting method in accordance with SCVWD methodology. Employing this method, neat cement grout will be tremied into the well to displace any water in the well from the bottom of the well to the surface. Once the casing has been filled, additional neat cement grout will be pumped into the well and placed under at least 25 psi for a minimum of 5 minutes or until an additional 1/3 of the volume of the well casing has been injected into the well. Upon completion of pressure grouting, the well box and concrete surface seal will be removed and backfilled with neat cement to grade.

* Any well destruction in which the well casing is left in place and in which the well has a filter pack outside the casing, must be destroyed using approved neat cement grout.

I understand that all work is to be done in accordance with the District Well Ordinance, the District Well Standards, and the conditions of this permit (see page 4). I also certify that the information given in this permit is correct.
NOTE: All applicable signatures must be present before permit will be processed.

Signature of Well Owner/Agent: <i>W. Charles Lawrence for Fred Hill</i>	Print Name: <i>W. Charles Lawrence for Fred Hill</i>	Date: <i>3-8-05</i>
Signature of Driller/Agent: <i>Concine E Woodward</i>	Print Name: <i>CONCINE E WOODWARD</i>	Date: <i>3-14-05</i>
Signature of Consultant (if any): <i>W. Charles Lawrence</i>	Print Name: <i>W. Charles Lawrence</i>	Date: <i>3-8-05</i>

DISTRICT USE ONLY

The District has approved the following destruction methods for the well described in this permit:

☒ Pressure Grout Method (as outlined in Standards).

NOTE: Neat cement is the only sealing material approved for pressure grouting.

☐ Drill out well to a total depth of _____ feet, with a minimum bore of _____ inches.

☐ Clean out well casing to a total depth of _____ feet and back fill with approved sealing material (if total depth is unknown, driller must determine total depth during clean out of well). NOTE: Neat cement is the only sealing material approved for back filling gravel packed wells.

☐ Well casing must be perforated at the following depths prior to backfilling: _____

☐ Other: _____

Permit Approved By: <i>[Signature]</i>	Date: <i>4/5/05</i>
District Permit No.: <i>05D00231</i>	Date Issued: <i>4-7-05</i>
Expiration Date: <i>10-7-05</i>	Driller's Log No.: <i>023748</i>

Please allow 10 working days to process this application.

GENERAL CONDITIONS

- A. SCVWD (Telephone 408-265-2607, Ext. 2660) MUST BE NOTIFIED A MINIMUM OF ONE WORKING DAY BEFORE THE PLACEMENT OF THE WELL DESTRUCTION SEALING MATERIALS. An authorized District representative must be on site to witness the destruction activities. This requirement may be waived by an authorized District representative. If the District waives the inspection requirement, the District may request the Permittee(s) to furnish certification under penalty of perjury that the well was destroyed in accordance with the District Well Standards and with the permit conditions.
- B. This Permit is valid only for the purpose specified herein. Well destruction methods authorized under this Permit may not be changed except by written approval of an authorized District representative, and only if the District believes that such a change will result in equal or superior compliance with the District and State Well Standards (e.g. if the District representative believes that site conditions warrant such a change).
- C. This Permit is only valid for the Assessor's Parcel Number indicated on it.
- D. This Permit may be voided if it contains any incorrect information. If the permit is voided after work has begun, the well or boring that is being destroyed under this permit may be required to be reconstructed in accordance with District and State Well Standards.
- E. If any work associated with this permit will take place within 50 feet of the top of the banks of a stream or watercourse, or on SCVWD property, an encroachment or construction permit must be granted by the District's Community Projects Review Unit (telephone (408) 2652607, Ext. 2350, 2217, or 2253).
- F. Within 60 days of the completion of well destruction activities, the driller or consultant identified on this permit shall fully complete State of California DWR Form 188 and submit the original to the District's Wells and Water Production Unit.
- G. The Permittee(s) shall assume entire responsibility for all activities and uses under this Permit and shall indemnify, defend, and hold the District, its officers, agents, and employees free and harmless from any and all expense, cost, and liability in connection with or resulting from, the granting of or exercise of this Permit including, but not limited to, property damage, personal injury, and wrongful death.
- H. Permittees are required to be in full compliance with Cal/OSHA California Labor Code Section 6300.
- I. A current C-57 Water Well Drilling Contractors License is required for the destruction of all wells.
- J. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all materials generated during drilling, well destruction, well development, pump testing, or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials/waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways. Such materials/waters shall not be allowed to move off the property where the work is being completed.
- K. The driller and consultant (if applicable) shall have an active copy of their Worker's Compensation Insurance on file with the District.
- L. This Permit shall expire if not exercised within 180 calendar days of its approval unless an extension of the permit expiration date is granted in writing by an authorized District representative.
- M. If the well approved to be destroyed under this permit is a monitoring well, associated with an investigation/cleanup overseen by a regulatory agency, the proposed well destruction must be approved by the person with regulatory authority over the investigation/cleanup.
- N. This permit shall be kept on-site during the completion of all activities associated with it and shall immediately be presented to an authorized District representative upon request.

Please allow 10 working days to process this application.



WELL CONSTRUCTION/COMPLETION NOTICE

FCE 158A (06-14-98)

Inspector: <u>Bill Cameron</u>		Date of Inspection: <u>12-8-98</u>		Permit: <u>98L00792</u>	
Owner/Consultant Well No.: <u>MW-5</u>		Well Registration No.: <u>06S02W35D008</u>			
Well Owner: <u>Fred Hill</u>		Address of Well Site: <u>740 S. Bernardo Ave.</u>		City/County: <u>Sunnyvale</u>	
Drilling Company: <u>Exa Geo Services</u>		Consultant: <u>ETIC</u>			
Cond. Bore: <u> </u>		Conductor Depth: <u> </u>		Conductor Diameter & Material: <u> </u>	
TD: <u>82'</u>		BOC: <u>81'</u>		Blank Casing Diameter & Material: <u>2" PVC</u>	
Filter Pack Material: <u>2 1/2"</u>		Filter Pack Interval(s): <u>59'</u>		Screen Interval(s): <u>62'-82'</u>	
Sealing Material: <input type="checkbox"/> Neat Cement <input checked="" type="checkbox"/> 10 Sack Sand Slurry <input type="checkbox"/> Bentonite <input type="checkbox"/> Other (See Comments)		Drilling Method: <input checked="" type="checkbox"/> HSA <input type="checkbox"/> Mud rotary <input type="checkbox"/> Other (See Comments)		<input type="checkbox"/> Direct Push <input type="checkbox"/> Air Rotary	
Well Type: <input checked="" type="checkbox"/> GW Monitoring <input type="checkbox"/> Domestic <input type="checkbox"/> GW Extraction <input type="checkbox"/> Agricultural <input type="checkbox"/> Vadose Monitoring <input type="checkbox"/> Municipal/Industrial <input type="checkbox"/> Vadose Extraction <input type="checkbox"/> Elevator <input type="checkbox"/> Cathodic <input type="checkbox"/> Other (See Comments)		Well constructed according to provisions of Santa Clara Valley Water District Permit? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)			
Well Location: <u>135 RDS Brookfield Ave. 128' ON S. Bernardo Ave.</u>					
GPS Coordinates: Lat: <u> </u> Long: <u> </u>					
Comments: <u>See 1 = 59'</u>					

Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee

Santa Clara Valley Water District

WELL CONSTRUCTION APPLICATION

FC 116 (04-22-82) (CP 4-801)

5750 Almaden Expressway, San Jose, CA 95118 (408) 265-2600

TO BE COMPLETED BY DISTRICT

District Permit No. 98000792	Date Issued: 12-1-98	Well Registration No. 06502W350008
Geologic Setting: 1	Expiration Date: 6-1-99	Driller's Log No. 829242

TO BE COMPLETED BY OWNER AND DRILLER

Property Owner: FRED HILL	Well Owner (if different):	Drilling Co: EXPLORATION GEOSERVICES
Address: 700 BERNARDO AVE	Address of Well Site: 740 S. BERNARDO AVE	Driller's Contractors License Number (C-47 Reg'd): 484288
City, State, Zip: SUNNYVALE, CA 94087	City, State, Zip: SUNNYVALE, CA 94087	Address: 1535 INDUSTRIAL AVE
Telephone No: 408-736-5900	Telephone No:	City, State, Zip: SAN JOSE CA 95117
Assessor's Parcel No. of Well site: Book 198 Page 18 Parcel D116	Owner's/Consultant's Well No: MW5	Telephone No: (408) 280-6822

Estimated depth of completed well: ☐ Less than 50 ft. ☒ 50 to 300 ft. ☐ Over 300 ft.
 Purpose of Well: ☐ Domestic ☐ Municipal/Industrial ☐ Agricultural ☒ Monitoring ☐ Cathodic Protection
 *Monitoring wells are those constructed for the purpose of obtaining repetitive water level measurements and/or repetitive air samples for analysis. This includes wells constructed for general exploration and investigation purposes as well as those to be constructed in conformance with the Hazardous Materials Storage Permit Ordinance for site-specific groundwater monitoring of existing underground hazardous materials storage tanks.

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

Purpose of Monitoring Well: ☐ To comply with City or County Hazardous Materials Storage Permit Ordinance ☒ Exploration studies
☐ Other (specify): ☐ Extraction/Recovery

NAME OF BUSINESS AT WELL SITE:

If proposed well is to meet compliance with a Hazardous Materials Storage Permit Ordinance has the City or County been contacted? ☐ Yes ☒ No

Consultant's Name (Company): **GTIC ENGINEERING**
 Address: **3275 STEVENS CREEK BLVD #315**
 City, State, Zip: **SAN JOSE CA 95117**
 Telephone No.: **(408) 244-7202**

Type of monitoring device: ☒ Groundwater ☐ Vadose
 Type of extraction device: ☐ Groundwater ☐ Vadose
 Monitoring well use: ☒ Depth ☒ Quality ☐ Chloride
 Vadose device installation: ☐ Vapor ☐ Interface ☐ Suction Lysimeter
 Signature of Responsible Professional: *Kenneth A. Mullen*
 (No substitution of signature will be accepted)
 Registration No. Civil Engineer OR Certificate No. Engineering Geologist: **617487 Exp. 6/30/01**

TOPOGRAPHIC FEATURES

Well is to be constructed: ☐ In a public sidewalk ☐ In a public road ☐ On public property ☒ On private property ☐ On SCVWD property
 Within 50 ft of the top of a creek bank: ☐ Yes ☒ No
 Within 50 ft of a sanitary sewer: ☐ Yes ☒ No
 Within 100 ft of a pit privy, septic tank, leachfield: ☐ Yes ☒ No
 Within 50 ft of any existing well: ☐ Yes ☒ No
 Within 150 ft of a cesspool or seepage pit: ☐ Yes ☒ No
 Other wells exist on this property: ☒ Yes ☐ No
 Status: ☒ Active ☐ Inactive ☐ Abandoned

CERTIFICATION BY WELL OWNER/AGENT AND DRILLER/AGENT

I certify that the information given above is correct to the best of my knowledge. I certify that the well will be constructed in compliance with the conditions of this permit, the Santa Clara Valley Water District's Ordinance 80-1 and, if applicable, the Hazardous Materials Storage Permit Ordinance of the County or City, as appropriate. It is my responsibility as the well owner to notify this District of any changes in the purpose of this well from that which is indicated on this application form.

Signature of Well Owner/Agent: *[Signature]*
 Signature of Driller/Agent: *[Signature]*

Date: **11/9/98**
 Date: **11/9/98**

MONITORING WELL PLAN APPROVAL
 City/County: **SAN JOSE**
 Approved by: *[Signature]*
 Date: **11/9/98**

IMPORTANT: A minimum 24-hour notice must be given to SCVWD Well Inspection Dept. prior to installing the annular seal. Call (408) 827-0710 Ext. 650. For weekends, holidays, after hours call (408) 395-8121 or (408) 827-0714.

ORIGINAL
File with DWR

STATE OF CALIFORNIA
WELL COMPLETION REPORT

06S02M3510008
STATE WELL NO./STATION NO.
LATITUDE
LONGITUDE
APN/ITS/OTHER

Page 1 of 1
Owner's Well No. 1115
Date Work Began 12-8-98
Local Permit No. 98000712
Permit Date 12-1-99

GEOLOGIC LOG

ORIENTATION: ☒ VERTICAL ☐ HORIZONTAL ☐ ANGLE _____

DRELLING METHOD: ☒ Hollow Stem Auger ☐ _____

DEPTH FROM SURFACE: _____

DESCRIPTION: Describe material, grain size, color, etc.

0-2	Asphalt and backfill
2-30	clean silt, brown
30-45	dry silt
45-60	light silty clay
60-80	gravelly silt and sand
80-100	poorly graded

TOTAL DEPTH OF BORING: 80 feet

TOTAL DEPTH OF COMPLETED WELL: 80 feet

WELL OWNER

Name: Fred Hill

Mailing Address: 700 S. Bernardo Ave
Sunnyvale, CA 94087


Address: 740 S. Bernardo Ave
City: Sunnyvale, CA 94087

County: Santa Clara

APN: Book 198 Page 18 Parcel 16

Township: Range: Section: 16

Latitude: _____ Longitude: _____



ACTIVITY (1)

NEW WELL ☒ ☐ MODIFICATION/REPAIR

DESTROY (Destroy Procedures and Materials Under "GEOLOGIC LOG")

PLANNED USES (2)

WATER SUPPLY: ☒ Domestic ☐ Irrigation ☐ Industrial

TEST WELL ☒ ☐ CATHODIC PROTECTION ☐ HEAT EXCHANGE ☐ DIRECT PUSH ☐ INJECTION ☐ VAPOR EXTRACTION ☐ SPARGING ☐ REMEDIATION ☐ OTHER (SPECIFY) _____

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER: _____ (ft) BELOW SURFACE

DEPTH OF STATIC WATER LEVEL: _____ (ft) & DATE MEASURED: _____

ESTIMATED YIELD: _____ (GPM) & TEST TYPE: _____

TEST LENGTH: _____ (hrs) TOTAL DRAWDOWN: _____ (ft)

May not be representative of a well's long-term yield.

DEPTH FROM SURFACE (ft)	BOTH HOLE DIA. (in)	CASING (5)				SLOT SIZE IF ANY (in)
		TYPE (1)	MATERIAL GRADE	INTERNAL DIAMETER (in)	GAUGE OR WALL THICKNESS	
0-60	8	✓	Sch 40 PVC 2	2		2.010 in
60-80	8	✓	Sch 40 PVC 2	2		
80-100	8	✓	Sch 40 PVC 2	2		
100-120	8	✓	Sch 40 PVC 2	2		
120-140	8	✓	Sch 40 PVC 2	2		
140-160	8	✓	Sch 40 PVC 2	2		
160-180	8	✓	Sch 40 PVC 2	2		
180-200	8	✓	Sch 40 PVC 2	2		
200-220	8	✓	Sch 40 PVC 2	2		
220-240	8	✓	Sch 40 PVC 2	2		
240-260	8	✓	Sch 40 PVC 2	2		
260-280	8	✓	Sch 40 PVC 2	2		
280-300	8	✓	Sch 40 PVC 2	2		
300-320	8	✓	Sch 40 PVC 2	2		
320-340	8	✓	Sch 40 PVC 2	2		
340-360	8	✓	Sch 40 PVC 2	2		
360-380	8	✓	Sch 40 PVC 2	2		
380-400	8	✓	Sch 40 PVC 2	2		
400-420	8	✓	Sch 40 PVC 2	2		
420-440	8	✓	Sch 40 PVC 2	2		
440-460	8	✓	Sch 40 PVC 2	2		
460-480	8	✓	Sch 40 PVC 2	2		
480-500	8	✓	Sch 40 PVC 2	2		
500-520	8	✓	Sch 40 PVC 2	2		
520-540	8	✓	Sch 40 PVC 2	2		
540-560	8	✓	Sch 40 PVC 2	2		
560-580	8	✓	Sch 40 PVC 2	2		
580-600	8	✓	Sch 40 PVC 2	2		
600-620	8	✓	Sch 40 PVC 2	2		
620-640	8	✓	Sch 40 PVC 2	2		
640-660	8	✓	Sch 40 PVC 2	2		
660-680	8	✓	Sch 40 PVC 2	2		
680-700	8	✓	Sch 40 PVC 2	2		
700-720	8	✓	Sch 40 PVC 2	2		
720-740	8	✓	Sch 40 PVC 2	2		
740-760	8	✓	Sch 40 PVC 2	2		
760-780	8	✓	Sch 40 PVC 2	2		
780-800	8	✓	Sch 40 PVC 2	2		
800-820	8	✓	Sch 40 PVC 2	2		
820-840	8	✓	Sch 40 PVC 2	2		
840-860	8	✓	Sch 40 PVC 2	2		
860-880	8	✓	Sch 40 PVC 2	2		
880-900	8	✓	Sch 40 PVC 2	2		
900-920	8	✓	Sch 40 PVC 2	2		
920-940	8	✓	Sch 40 PVC 2	2		
940-960	8	✓	Sch 40 PVC 2	2		
960-980	8	✓	Sch 40 PVC 2	2		
980-1000	8	✓	Sch 40 PVC 2	2		

DEPTH FROM SURFACE (ft)	ANNULAR MATERIAL TYPE			
	CEMENT (1)	BENTONITE (1)	PEL (1)	FILTER PACK (TYPE/SIZE)
0-57	✓			CONCRETE CEMENT
57-58	✓			CONCRETE CEMENT
58-80			✓	2 1/2 sand
80-100				
100-120				
120-140				
140-160				
160-180				
180-200				
200-220				
220-240				
240-260				
260-280				
280-300				
300-320				
320-340				
340-360				
360-380				
380-400				
400-420				
420-440				
440-460				
460-480				
480-500				
500-520				
520-540				
540-560				
560-580				
580-600				
600-620				
620-640				
640-660				
660-680				
680-700				
700-720				
720-740				
740-760				
760-780				
780-800				
800-820				
820-840				
840-860				
860-880				
880-900				
900-920				
920-940				
940-960				
960-980				
980-1000				

ATTACHMENTS (1-4)

Geologic Log ☒

Well Construction Diagram ☒

Geophysical Logs ☒

Soil Water Chemical Analysis ☒

Other: _____

ATTACH ADDITIONAL INFORMATION IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

Exploration Geoservices

1555 Industrial Ave San Jose CA 95102

7/25/00 454289

Exploration Geoservices

WELL DRILLER/AUTHORIZED REPRESENTATIVE

Santa Clara Valley Water District
5750 ALMADEN EXPRESSWAY
SAN JOSE, CA 95118-3686

750 S. Bernardo Ave.



APN: 19818015
750 S Bernardo Ave
Sunnyvale CA
94087

Well Annotations- 7 Wells Selected

No	Well_nbr	Permit	Consultnum	Status	Easting	Northing
1	06S02W35D001	84W0708	MW-1	Other-Active	6109206	1961149
2	06S02W35D002	91W1314	MW-1	Other-Active	6109194	1961221
3	06S02W35D003	93W0595	EW-2	Other-Active	6109223	1961168
4	06S02W35D004	93W0594	EW-1	Other-Active	6109254	1961161
5	06S02W35D007	98W00793	MW4	Other-Active	6109188	1961206
6	06S02W35D008	98W00792	MW-5	Other-Active	6109263	1961148
7	06S02W35D009	98W00826	AS-1	Other-Active	6109237	1961144

- Wells.shp
- ⊕ Water Supply - Active
 - ⊞ Water Supply - Standby
 - ⊞ Water Supply - Inactive
 - ⊕ Extraction (Env) - Active
 - ⊞ Extraction (Env) - Inactive
 - ⊕ Other - Active
 - ⊞ Other - Inactive
 - * Abandoned
 - ⊞ Destroyed
 - ▲ Status Undetermined
 - ▭ Parcels.shp
 - ▲ Fuelleak.shp
 - VALFLOOR.SHIP
 - Zone 1
 - Zone 2
 - Zone 3
 - Zone 4
 - Zone 5

Approximate Scale

30 0 30 60 Feet

FCE 218 (08-14-98)

Inspector: <i>H. M. M. M.</i>	Date of Inspection: <i>10-17-05</i>	Permit: <i>10000231</i>
Owner/Consultant No: <i>1111-5</i>	Well Registration No.: <i>06502111-51008</i>	
Well Owner: <i>Earthlink</i>	Address of Well Site: <i>750 E. Howard Ave</i>	City or County: <i>San Jose</i>
Drilling Company: <i>Waterbury</i>	Consultant: <i>ETIC</i>	
Well Depth: <i>82'</i>	Borehole Diameter: <i>7"</i>	Casing Diameter: <i>2"</i>
Casing Material: <i>PVC</i>	Well Type: <input checked="" type="checkbox"/> HSA <input type="checkbox"/> Rotary <input type="checkbox"/> Other (see comments) <input type="checkbox"/> Direct Push <input type="checkbox"/> Cable Tool	
Casing Perforated: <i>to</i>	Sealing Material: <input checked="" type="checkbox"/> Neat Cement <input type="checkbox"/> 10 Sack Sand Slurry <input type="checkbox"/> Bentonite <input type="checkbox"/> Other (See Comments)	
Destruction Method: <input checked="" type="checkbox"/> Pressure Grout <input type="checkbox"/> Drill Out <input type="checkbox"/> Excavate <input checked="" type="checkbox"/> Bail, Perf. & Backfill <input type="checkbox"/> Bail & Backfill <input type="checkbox"/> Other (See Comments)		
Well destroyed according to provisions of Santa Clara Valley Water District Permit? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)		
GPS Coordinates: Lat: Long:		
Comments:		
Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee		

EW1
Permit #: 05D00228

ORIGINAL
File with DWR

STATE OF CALIFORNIA
WELL COMPLETION REPORT
Refer to Instruction Pamphlet

Page 1 of

Owner's Well No. EW-1

No. e023745

Date Work Began 10/12/05 Ended 10/12/05

Local Permit Agency SCVWD

Permit No. 05D00228

Permit Date 4-7-05

DWR USE ONLY - DO NOT FILL IN

0615021035101014											
STATE WELL NO./STATION NO.											
LATITUDE						LONGITUDE					
APN/TRS/OTHER											

ORIENTATION (✓)			DRILLING METHOD		FLUID		DESCRIPTION Describe material, grain size, color, etc.
VERTICAL	HORIZONTAL	ANGLE	(SPECIFY)				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				<u>Pressure grouted with</u> <u>Neat Cement.</u> <u>see attached soil</u> <u>borings log for</u> <u>lithology description</u>
DEPTH FROM SURFACE							
FL	to	FL					

WELL OWNER

Name Fred Hill % Hill Company Realtors

Mailing Address 700 S. Bernardo Ave.

Sunnyvale CA 94087

CITY STATE ZIP

WELL LOCATION

Address 750 S. Bernardo Ave.

City Sunnyvale

County Santa Clara

APN Book 193 Page 18 Parcel 015

Township 65 Range 2W Section 35

Latitude NORTH Longitude WEST

LOCATION SKETCH

WEST EAST

see attached site plan

ACTIVITY (✓)

☐ NEW WELL

MODIFICATION/REPAIR

☐ Deepen

☐ Other (Specify)

☒ DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")

PLANNED USES (✓)

WATER SUPPLY

☐ Domestic ☐ Public

☐ Irrigation ☐ Industrial

MONITORING ☐

TEST WELL ☐

CATHODIC PROTECTION ☐

HEAT EXCHANGE ☐

DIRECT PUSH ☐

INJECTION ☐

VAPOR EXTRACTION ☐

SPARGING ☐

REMEDIATION ☐

OTHER (SPECIFY) ☐

TOTAL DEPTH OF BORING 60 (Feet)

TOTAL DEPTH OF COMPLETED WELL 60 (Feet)

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER (Ft) BELOW SURFACE

DEPTH OF STATIC WATER LEVEL (Ft) & DATE MEASURED

ESTIMATED YIELD (GPM) & TEST TYPE

TEST LENGTH (Hrs) TOTAL DRAWDOWN (Ft)

* May not be representative of a well's long-term yield.

DEPTH FROM SURFACE	BORE-HOLE DIA (Inches)	CASING (S)							DEPTH FROM SURFACE	ANNULAR MATERIAL				
		TYPE (≤)				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)	GAUGE OR WALL THICKNESS		SLOT SIZE IF ANY (Inches)	TYPE			
		BLANK	SCREEN	CON-DOCTOR	FILL PIPE						CE- MENT (≤)	BEN- TONITE (≤)	FILL (≤)	FILTER PACK (TYPE/SIZE)
Fl to Fl									Fl to Fl					
0 to 60	18						4		0 to 32	✓				
0 to 40	10	✓				PVC	4	sch 40	32 to 33		✓			
40 to 100	16		✓			PVC	4	sch 40	33 to 60			✓	1/2 1/2 sand	

ATTACHMENTS (✓)

☒ Geologic Log

☒ Well Construction Diagram

☐ Geophysical Log(s)

☐ Soil/Water Chemical Analyses

☒ Other site plan

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief

NAME Woodward Drilling

(PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)

550 River Road Rio Vista CA 94571

ADDRESS CITY STATE ZIP

Signed [Signature] DATE SIGNED 10/19/05 C-57 LICENSE NUMBER 710079

WELL DRILLER/AUTHORIZED REPRESENTATIVE

Well Drillers Authorization Letter

Site Name:

Site Address:

City:

Well Driller Woodward Drilling Co., Inc

Drillers Address P.O. Box 336

City, State, Zip Rio Vista, CA 94571

Drillers Phone # (707) 374 - 4300

C-57 License # 710079 Exp. Date 7/31/2007

For the sole purpose of procuring permits for drilling, well construction, and well destruction's, and DWR188 forms, I hereby designate the following entities to act as our authorized representative.

Name: Thomas Neely


Company: ETIC

Address: 2285 Morello

City & State: Pleasant Hill, CA

I understand that as the applicant for permits, I am responsible for compliance with all provisions of the permits. I also understand that upon written notification, that I may rescind this Authorization.

Signed:



Printed: Wayne G. Woodward

Date: 8-5-05

LOG OF EXPLORATORY BORING

PROJECT NAME HILL/OLYMPIC BORING NO. EW-1 DATE 4/12/93
 PROJECT NUMBER 93028.1 DRILLER BAYLAND LOGGED BY: REF

Odor	PID READING TPH (ppm)	PENETRA- TION (Blows/ FT)	GROUND WATER LEVELS	DEPTH IN FT.	SAMPLES	LITHO- GRAPHIC COLUMN	DESCRIPTION
				0		SW	2-Inch asphalt concrete over 4-inch aggregate base// Sand, Silty, brown, fine to medium, slightly moist, loose
None	0	12		5		SP	Sand, silty, fine, slightly moist, loose
None	0	10		10			
None	0	12		15			
None	0	10		20		GW	Gravel, Sandy, gray brown, slightly moist, dense, clasts to 3/4-inch
None	0	44		25			
Slight	10	33		30		SW	Sand, Gravelly, slightly silty, gray, gravel clasts to 1/2-inch
Slight	60	9		35		ML	Silt, Sandy, brown, moist, loose
				40			

ETIC

LOG OF EXPLORATORY BORING

PROJECT NAME HILL/OLYMPIC BORING NO. EW-1 DATE 4/12/93
 PROJECT NUMBER 93028.1 DRILLER BAYLAND LOGGED BY: RFF

Odor	PID READING TPH (ppm)	PENETRA- TION (Blows/ ft)	GROUND WATER LEVELS	DEPTH IN FT.	SAMPLES	LITHO- GRAPHIC COLUMN	DESCRIPTION
Mod	100	26		40		SW/ SP	Sand, Silty to Coarse graded in alternating lenses; some lenses grade to sandy silt; brown, medium dense
Strong	200	21		45			
						GW	Gravel, Sandy, gray, slightly moist, very dense
Slight	100	57		50		SW	Sand, Gravelly, gray, moist, very dense, some gravel clasts to 1/2-inch
Strong	150	25		55		ML	Silt, brown, slightly sandy (fine sand), moist, very stiff
Strong	200	78		60		GW	Gravel, Sandy, gray-brown, moist, clasts to 1-inch, very dense
							Bottom of boring at 57 feet. Converted into soil vapor extraction well under inspection of SCWD Inspector.

ETIC

06502435 D04A

WELL DETAILS.

PROJECT NUMBER 93028.1


PROJECT NAME HTL/OLYMPIC

BORING/WELL NUMBER EW-1

WELL PERMIT NUMBER 93W0594

DRILLER BAYLAND DRILLING

DATE 4/12/93



EXPLORATORY BORING

a. Total depth 60 ft
 b. Diameter 10 in.
 Drilling method hollow stem auger

WELL CONSTRUCTION

c. Casing length 60 ft
 Material 40-PVC
 d. Diameter 4 in.
 e. Depth to top perforations 40 ft
 f. Perforated length 20 ft
 Perforated interval from 40 to 60 ft
 Perforation type slotted .010"
 Perforation size 0.010
 g. Surface seal 1.5 ft
 Seal material concrete
 h. Backfill 33.5 ft
 Backfill material cement
 i. Seal 2 ft
 Seal material bentonite
 j. Gravel pack 22 ft
 Pack material 2/12 sand
 k. Bottom seal NA ft
 Seal material NA

PLATE

WELL DETAILS

PROJECT NUMBER 93028.1


PROJECT NAME HILL/OLYMPIC

BORING/WELL NUMBER EW-1

WELL PERMIT NUMBER 93W0594

DRILLER BAYLAND DRILLING

DATE 4/12/93



EXPLORATORY BORING

- a. Total depth 57 ft.
10 in.
 b. Diameter
 Drilling method hollow stem auger

WELL CONSTRUCTION

- c. Casing length 57 ft.
 Material 40-PVC
 d. Diameter 4 in.
 e. Depth to top perforations 37 ft.
 f. Perforated length 20 ft.
 Perforated interval from 37 to 57 ft.
 Perforation type slotted .010"
 Perforation size 0.010
 g. Surface seal 1.5 ft.
 Seal material concrete
 h. Backfill 33.5 ft.
 Backfill material cement
 i. Seal 2 ft.
 Seal material bentonite
 j. Gravel pack 22 ft.
 Pack material 2/12 sand
 k. Bottom seal NA ft.
 Seal material NA

RECEIVED

WELL DESTRUCTION APPLICATION

FC 198w (12-16-02)

APR 12 2005

Page 1 of 4

5750 ALMADEN EXPRESSWAY, SAN JOSE, CA 95118-3685
Please complete all information.

ETIC ENGINEERING

DISTRICT PERMIT NO.:

05D00228

Well Owner: Fred Hill c/o Hill & Company Realtors	Property Owner: Fred Hill c/o Hill & Company Realtors	Name of Business/Residence at Well Site: Olympic Sunnyvale Station
Well Owner's Mailing Address: 700 S. Bernardo Avenue	Property Owner's Mailing Address: 700 S. Bernardo Avenue	Address of Well Site: 750 S. Bernardo Avenue
City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94086
Telephone No.: (408) 736-5900	Telephone No.: (408) 736-5900	Assessor's Parcel Number of Well Site: Book: 198 Page: 18 Parcel: 015
Consultant: ETIC Engineering	Drilling Company: Woodward Drilling	
Address: 2285 Morelo Avenue	Address: 550 River Road PO Box 336	
City, State, Zip: Pleasant Hill Ca. 94523	City, State, Zip: Rio Vista Ca. 94571	
Telephone No.: (925) 602-4210	Telephone No.: (707) 374-4300	C-57 License No.: 710079
<input type="checkbox"/> Check if address or phone number has changed.		<input type="checkbox"/> Check if address or phone number has changed.

All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers.

Well Information

Well Registration No.: 06S02W35 D004	Owner/Consultant Well No.: EW-1	Original Well Construction Permit No.: 93W0594
Well Casing Depth: 57 feet	Total Boring Depth: 57 feet	Well Casing Diameter: 4-inch

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

CASE NAME:

Oversight Agency:

SCVWD

If under S.C.V.W.D. oversight, list Case Number(s):

06S2W35 D01F

☐ Well on SCVWD property/easement* ☐ Well is within 50 feet of the top of a creek/river bank* (* See General Conditions, E.)

Well Description:

☒ Vertical Well ☐ Dewatering Well ☐ Elevator Shaft ☐ Multiple Casing ☐ Horizontal Wall ☐ Pit Well

Well Type: check all that apply

☐ Water Producing ☐ Contamination Cleanup ☐ Agricultural ☐ Domestic ☐ Municipal & Industrial ☒ Vapor Extraction

(supply or extraction)

☒ Monitoring ☐ Inclinator ☐ Groundwater ☐ Vadose ☐ Piezometer ☐ Interface ☐ Suction Lysimeter ☐ Seismic

☐ Injection/Infiltration ☐ Contamination Cleanup ☐ Reclaimed Water ☐ Air Sparging

☐ Cathodic Protection

Additional Questions For Water Producing Wells

Does the well have:

1. Outer conductor casing? ☐ Yes ☐ No

2. Annular cement seal outside of casing at surface? ☐ Yes ☐ No

3. A S.C.V.W.D. water meter attached? ☐ Yes ☐ No

Type of Original Drilling Method:

☐ Rotary ☐ Cable-Tool ☐ Hand Dug Pit Well ☐ Hollow Stem Auger ☐ Other: _____

IMPORTANT

A minimum 24-hour notice must be given to SCVWD prior to installing the annular seal.
Call (408) 265-2607 Ext. 2660. For weekends, holidays, after hours call (408) 265-2607, Ext. 2120.
Please allow 10 working days to process permit application.

MAR 23 2005


Site Plan

WELL LOCATION


(Draw accurately; recommend using assessor's map)

1. Sketch well location to scale, show dimensions to nearest foot. (Do not attach separate map.)
2. Show a minimum of two dimensions at right angles. Dimensions shall be from the centerline of the closest named streets, roads, or highways.

EXAMPLE →



Sketch well location as described above:



Please allow 10 working days to process this application.



Please describe, in detail, the proposed destruction method*:

The well will be destroyed using the pressure grouting method in accordance with SCVWD methodology. Employing this method, neat cement grout will be tremied into the well to displace any water in the well from the bottom of the well to the surface. Once the casing has been filled, additional neat cement grout will be pumped into the well and placed under at least 25 psi for a minimum of 5 minutes or until an additional 1/3 of the volume of the well casing has been injected into the well. Upon completion of pressure grouting, the well box and concrete surface seal will be removed and backfilled with neat cement to grade.

*Any well destruction in which the well casing is left in place and in which the well has a filter pack outside the casing, must be destroyed using approved neat cement grout.

I understand that all work is to be done in accordance with the District Well Ordinance, the District Well Standards, and the conditions of this permit (see page 4). I also certify that the information given in this permit is correct.
NOTE: All applicable signatures must be present before permit will be processed.

Signature of Well Owner/Agent: <i>W. Charles Lawrence</i> for Fred Hill	Print Name: <i>W. Charles Lawrence Hill</i>	Date: <i>3-8-05</i>
Signature of Driller/Agent: <i>Concine E. Woodward</i>	Print Name: <i>CONCINE E WOODWARD</i>	Date: <i>3-14-05</i>
Signature of Consultant (if any): <i>W. Charles Lawrence</i>	Print Name: <i>W. Charles Lawrence</i>	Date: <i>3-8-05</i>

DISTRICT USE ONLY

The District has approved the following destruction methods for the well described in this permit:

☒ Pressure Grout Method (as outlined in Standards).

NOTE: Neat cement is the only sealing material approved for pressure grouting.

☐ Drill out well to a total depth of _____ feet, with a minimum bore of _____ inches.

☐ Clean out well casing to a total depth of _____ feet and back fill with approved sealing material (if total depth is unknown, driller must determine total depth during clean out of well). NOTE: Neat cement is the only sealing material approved for back filling gravel packed wells.

☐ Well casing must be perforated at the following depths prior to backfilling: _____

☐ Other: _____

Permit Approved By: <i>[Signature]</i>	Date: <i>4/5/05</i>
District Permit No.: <i>05D00228</i>	Date Issued: <i>4-7-05</i>
Expiration Date: <i>10-7-05</i>	Driller's Log No.: <i>023745</i>

Please allow 10 working days to process this application.

GENERAL CONDITIONS

- A. SCVWD (Telephone 408-265-2607, Ext. 2660) MUST BE NOTIFIED A MINIMUM OF ONE WORKING DAY BEFORE THE PLACEMENT OF THE WELL DESTRUCTION SEALING MATERIALS. An authorized District representative must be on site to witness the destruction activities. This requirement may be waived by an authorized District representative. If the District waives the inspection requirement, the District may request the Permittee(s) to furnish certification under penalty of perjury that the well was destroyed in accordance with the District Well Standards and with the permit conditions.
- B. This Permit is valid only for the purpose specified herein. Well destruction methods authorized under this Permit may not be changed except by written approval of an authorized District representative, and only if the District believes that such a change will result in equal or superior compliance with the District and State Well Standards (e.g. if the District representative believes that site conditions warrant such a change).
- C. This Permit is only valid for the Assessor's Parcel Number indicated on it.
- D. This Permit may be voided if it contains any incorrect information. If the permit is voided after work has begun, the well or boring that is being destroyed under this permit may be required to be reconstructed in accordance with District and State Well Standards.
- E. If any work associated with this permit will take place within 50 feet of the top of the banks of a stream or watercourse, or on SCVWD property, an encroachment or construction permit must be granted by the District's Community Projects Review Unit (telephone (408) 2652607, Ext. 2350, 2217, or 2253).
- F. Within 60 days of the completion of well destruction activities, the driller or consultant identified on this permit shall fully complete State of California DWR Form 188 and submit the original to the District's Wells and Water Production Unit.
- G. The Permittee(s) shall assume entire responsibility for all activities and uses under this Permit and shall indemnify, defend, and hold the District, its officers, agents, and employees free and harmless from any and all expense, cost, and liability in connection with or resulting from, the granting of or exercise of this Permit including, but not limited to, property damage, personal injury, and wrongful death.
- H. Permittees are required to be in full compliance with Cal/OSHA California Labor Code Section 6300.
- I. A current C-57 Water Well Drilling Contractors License is required for the destruction of all wells.
- J. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all materials generated during drilling, well destruction, well development, pump testing, or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials/waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways. Such materials/waters shall not be allowed to move off the property where the work is being completed.
- K. The driller and consultant (if applicable) shall have an active copy of their Worker's Compensation Insurance on file with the District.
- L. This Permit shall expire if not exercised within 180 calendar days of its approval unless an extension of the permit expiration date is granted in writing by an authorized District representative.
- M. If the well approved to be destroyed under this permit is a monitoring well, associated with an investigation/cleanup overseen by a regulatory agency, the proposed well destruction must be approved by the person with regulatory authority over the investigation/cleanup.
- N. This permit shall be kept on-site during the completion of all activities associated with it and shall immediately be presented to an authorized District representative upon request.

Please allow 10 working days to process this application.

Santa Clara Valley Water District
5750 Almaden Expressway, San Jose, CA 95118 (408) 265-2600

WELL CONSTRUCTION APPLICATION

FC 158 (10-26-90) (DP 4-901)

TO BE COMPLETED BY DISTRICT		
District Permit No.: <u>93W0594</u>	Date issued: <u>4-6-93</u>	Well Registration No.: <u>0632W35D04A</u>
Geologic Setting: <u>1</u>	Expiration Date: <u>10-6-93</u>	Driller's Log No.: <u>466212</u>

TO BE COMPLETED BY OWNER AND DRILLER		
Property Owner: <u>Fred Hill</u>	Well Owner (if different):	Drilling Co.: <u>BAYLAND DRILLING</u>
Address: <u>700 South Bernardo</u>	Address of Well Site: <u>750 S. Bernardo</u>	Driller's Contractors License Number (C-57 Req'd): <u>374152</u>
City, State, Zip: <u>Sunnyvale, CA 94087</u>	City, State, Zip: <u>Sunnyvale, CA 94087</u>	Address: <u>811 Hamilton Ave</u>
Telephone No.: <u>408-736-5900</u>	Telephone No.: <u>408-735-8416</u>	City, State, Zip: <u>Menlo Park, CA 94025</u>
Assessor's Parcel No. of Well site: Book <u>198</u> Page <u>18</u> Parcel <u>15</u>	Owner's/Consultant's Well No.: <u>EW-1</u>	Telephone No.: <u>415-322-2900</u>

Estimated depth of completed well: ☐ Less than 50 ft. ☒ 50 to 300 ft. ☐ Over 300 ft.
Purpose of Well: ☐ Domestic ☐ Municipal/Industrial ☐ Agricultural ☒ *Monitoring ☐ Cathodic Protection
*Monitoring wells are those constructed for the purpose of obtaining repetitive water level measurements and/or repetitive air samples for analysis. This includes wells constructed for general exploration and investigation purposes as well as those to be constructed in conformance with the Hazardous Materials Storage Permit Ordinance for site-specific groundwater monitoring of existing underground hazardous materials storage tanks.

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS
Purpose of Monitoring Well: ☐ To comply with City or County Hazardous Materials Storage Permit Ordinance ☐ Exploration studies
☐ Other (specify): ☒ Extraction/Recovery

NAME OF BUSINESS AT WELL SITE: Olympic Gas Station
If proposed well is to meet compliance with a Hazardous Materials Storage Permit Ordinance has the City or County been contacted? ☐ Yes ☐ No
If yes, give name of City or County:

Consultant's Name (Company): ETIC
Address: 3275 Stevens Creek Blvd, Ste. 315
City, State, Zip: San Jose, CA 95117
Telephone No.: 408-244-7202

Type of monitoring device: ☐ Groundwater ☐ Vadose
Type of extraction device: ☐ Groundwater ☒ Vadose
Monitoring well use: ☐ Depth ☐ Quality ☐ Chloride
Vadose device installation: ☒ Vapor ☐ Interface ☐ Suction Lysimeter
Signature of Responsible Professional (No substitution of signature will be accepted): Kenneth R. Melner
C 17487
Registration No. Civil Engineer OR Certificate No. Engineering Geologist

TOPOGRAPHIC FEATURES
Well is to be constructed: ☐ In a public sidewalk ☐ In a public road ☐ On public property ☐ On private property ☐ On SCVWD property
Within 50 ft. of the top of a creek bank: ☐ Yes ☒ No Within 50 ft. of any existing well: ☒ Yes ☐ No
Within 50 ft. of a sanitary sewer: ☐ Yes ☒ No Within 150 ft. of a cesspool or seepage pit: ☐ Yes ☒ No
Within 100 ft. of a pit privy, septic tank, leachfield: ☐ Yes ☒ No Other wells exist on this property: ☒ Yes ☐ No
Status: ☐ Active ☒ Inactive ☐ Abandoned

CERTIFICATION BY WELL OWNER/AGENT AND DRILLER/AGENT

I certify that the information given above is correct to the best of my knowledge. I certify that the well will be constructed in compliance with the conditions of this permit, the Santa Clara Valley Water District's Ordinance 90-1 and, if applicable, the Hazardous Materials Storage Permit Ordinance of the County or City, as appropriate. It is my responsibility as the well owner to notify this District of any changes in the purpose of this well from that which is indicated on this application form.

Signature of Well Owner/Agent: [Signature] Date: 3/31/93
Signature of Driller/Agent: [Signature] Date: 3/31/93

MONITORING WELL PLAN APPROVAL

City/County: _____
Approved by: _____
Date: _____

IMPORTANT: A minimum 24-hour notice must be given to SCVWD Well Inspection Dept. prior to installing the annular seal. Call (408) 927-0710 Ext. 660. For weekends, holidays, after hours call (408) 325-8121 or (408) 927-0714.

Santa Clara Valley Water District

WELL INSPECTION COMPLETION NOTICE FC 158A (07-26-89) (DP 4-901)

From: WELL SECTION	Date:	Permit No: 9340594
Inspector: Bayland	Date of Inspection: 4-13-93	Well Registration No.: EW-1 0652W35004A
Well Owner: Fred Hill	City or County: Sunnyvale	
Address of Well Site: 750 S. Bernardo Ave.	Consultant: ETIC	
Drilling Company: Bayland		

PURPOSE OF WELL:

- ☐ Domestic
- ☐ Agricultural
- ☐ Municipal/Industrial
- ☐ Cathodic Protection

*Monitoring Well Use

- ☒ *Vadose Extraction
- ☐ *Groundwater
- ☐ *Other

1. Well completed according to provisions of Santa Clara Valley Water District Permit	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (If "No", see comments below)
2. Depth of Surface Annular Seal = 33'	
Comments: TD = 60'	Hollow Stem
TS = 33'	Sand Slurry
Pent = 1'	

Distribution: White - Well Section Yellow - Water Revenue Pink - Permit Goldenrod - City/County

ORIGINAL
File with DWR

Page 1 of 1

Owner's Well No. EW-1

Date Work Began 3/12/93

Local Permit Agency SCVWD

Permit No. 93W0594

STATE OF CALIFORNIA
WELL COMPLETION REPORT
Refer to Instruction Pamphlet

No. 465212

Ended 4/12/93

Permit Date 4-6-93

DWR USE ONLY - DO NOT FILL IN

065102435104A
STATE WELL NO./STATION NO.

LATITUDE _____ LONGITUDE _____

APN/TRS/OTHER _____

GEOLOGIC LOG

ORIENTATION (✓) VERTICAL — HORIZONTAL — ANGLE — (SPECIFY)

DEPTH TO FIRST WATER 102' (FL) BELOW SURFACE

DEPTH FROM SURFACE FL. to FL.	DESCRIPTION Describe material, grain size, color, etc.
----------------------------------	---

0	5	Loose sand silty, fine, fill material
5	25	Sand, silty, fine brown loose
25	30	Gravel, sandy, grey-brown
30	35	Sand, gravelly, silty, gray
35	45	Sand, silty to coarse, sandy silts brown dense
45	52	Gravel, sandy, gray very dense
52	55	Sand, gravelly, gray, very dense
55	60	Silt brown, sandy (fine) very stiff

WELL OWNER

Name Fred Hill

Mailing Address 700 South Bernardo Ave Sunnyvale CA 95117

CITY _____ STATE _____ ZIP _____

WELL LOCATION

Address 750 S. Bernardo Ave

City Sunnyvale

County Santa Clara

APN Book 198 Page 18 Parcel 15

Township _____ Range _____ Section _____

Latitude _____ Longitude _____

LOCATION SKETCH

WEST _____ EAST _____

Building

EW-1

20'

65'

Illustrate or Describe Distance of Well from Landmarks such as Roads, Buildings, Fences, Rivers, etc. PLEASE BE ACCURATE & COMPLETE.

DRILLING METHOD Hollow Stem FLUID _____

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH OF STATIC WATER LEVEL 102' (FL) & DATE MEASURED _____

ESTIMATED YIELD* _____ (GPM) & TEST TYPE _____

TEST LENGTH _____ (FEET) TOTAL DRAWDOWN _____ (FL)

* May not be representative of a well's long-term yield.

TOTAL DEPTH OF BORING 60 (Feet)

TOTAL DEPTH OF COMPLETED WELL 60 (Feet)

TOTAL DEPTH OF COMPLETED WELL										52 (FEET)		ANNULAR MATERIAL							
DEPTH FROM SURFACE			BORE-HOLE DIA. (Inches)	CASING(S)							DEPTH FROM SURFACE		ANNULAR MATERIAL						
				TYPE (✓)				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)	GAUGE OR WALL THICKNESS			SLOT SIZE IF ANY (Inches)	TYPE					
FL.	to	FL.	BLANK	SCREEN	PIPE	PIPE	FILL									FL.	to	FL.	CE- MENT (✓)
0	to	10	✓					PTC 40	2"	.13	0.010	0	to	33	✓				
30	to	60	✓					PTC 40	2"	.15	0.010	33	to	34		✓			
												34	to	60			✓	2/12 Sand	

ATTACHMENTS (✓)

✓ Geologic Log

✓ Well Construction Diagram

— Geophysical Log(s)

— Soil/Water Chemical Analyses

— Other _____

ATTACH ADDITIONAL IF CONSTRUCTION EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

NAME Costas Orountotis, ETIC


(PERSON, FIRM OR CORPORATION) (TYPE OR PRINTED)

ADDRESS 3275 Stevens Creek Blvd #315, San Jose CA 95117

CITY _____ STATE _____ ZIP _____

Signed [Signature] DATE SIGNED 3/17/93 DAY LICENSE NUMBER 374150

WELL DRILLER/AUTHORIZED REPRESENTATIVE



Well Annotations- 7 Wells Selected

APN: 19818015
750 S Bernardo Ave
Sunnyvale CA
94087

No	Well_nbr	Permit	Consultnum	Status	Easting	Northing
1	06S02W35D001	84W0708	MW-1	Other-Active	6109206	1961149
2	06S02W35D002	91W1314	MW-1	Other-Active	6109194	1961221
3	06S02W35D003	93W0595	EW-2	Other-Active	6109223	1961168
4	06S02W35D004	93W0594	EW-1	Other-Active	6109254	1961161
5	06S02W35D007	98W00793	MW4	Other-Active	6109188	1961206
6	06S02W35D008	98W00792	MW-5	Other-Active	6109263	1961148
7	06S02W35D009	98W00826	AS-1	Other-Active	6109237	1961144

- Wells.shp
- Water Supply - Active
 - Water Supply - Standby
 - Water Supply - Inactive
 - Extraction (Env) - Active
 - Extraction (Env) - Inactive
 - Other - Active
 - Other - Inactive
 - Abandoned
 - Destroyed
 - Status Undetermined
 - Parcels.shp
 - FuelLeak.shp
 - VALFLOOR.SHIP
 - Zone 1
 - Zone 2
 - Zone 3
 - Zone 4
 - Zone 5

Approximate Scale

30 0 30 60 Feet



WELL DESTRUCTION COMPLETION NOTICE

FCE 218 (08-14-98)

Inspector: <u>Hammaker</u>		Date of Inspection: <u>10-12-07</u>		Permit: <u>OSD 50-228</u>	
Owner/Consultant No.: <u>210-1</u>			Well Registration No.: <u>06502102510004</u>		
Well Owner: <u>Fred H. II</u>		Address of Well Site: <u>750 S. Yosemite Ave</u>		City or County: <u>San Jose</u>	
Drilling Company: <u>Woodward</u>		Consultant: <u>ETIC</u>			
Well Depth: <u>55.5</u>	Borehole Diameter: <u>10"</u>	Casing Diameter: <u>4"</u>	Casing Material: <u>PVC</u>	Well Type: <input checked="" type="checkbox"/> HSA <input type="checkbox"/> Rotary <input type="checkbox"/> Other (see comments) <input type="checkbox"/> Direct Push <input type="checkbox"/> Cable Tool	
Casing Perforated: _____ to _____			Sealing Material: <input checked="" type="checkbox"/> Neat Cement <input type="checkbox"/> 10 Sack Sand Slurry <input type="checkbox"/> Bentonite <input type="checkbox"/> Other (See Comments)		
Destruction Method: <input checked="" type="checkbox"/> Pressure Grout <input type="checkbox"/> Drill Out <input type="checkbox"/> Excavate <input type="checkbox"/> Bail, Perf, & Backfill <input type="checkbox"/> Bail & Backfill <input type="checkbox"/> Other (See Comments)					
Well destroyed according to provisions of Santa Clara Valley Water District Permit?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)	
GPS Coordinates: Lat: _____ Long: _____					
Comments: _____ _____ _____					

Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee

EW2
Permit #: 05D00229

ORIGINAL
File with DWR

Page 1 of

Owner's Well No. EW-2

Date Work Began 10/12/05 Ended 10/13/05

Local Permit Agency SCVWD

Permit No. 05D00229 Permit Date 4-7-05

STATE OF CALIFORNIA
WELL COMPLETION REPORT
Refer to Instruction Pamphlet

No. e023746

DWR USE ONLY - DO NOT FILL IN

061502W35D003

STATE WELL NO./STATION NO.

LATITUDE LONGITUDE

APN/TRS/OTHER

GEOLOGIC LOG

ORIENTATION () ☒ VERTICAL ☐ HORIZONTAL ☐ ANGLE ☐ (SPECIFY)

DRILLING
METHOD

FLUID

DESCRIPTION

Describe material, grain size, color, etc.

DEPTH FROM
SURFACE

FL. to FL.

Pressure grout with
neat cement.

See attach boring
log for
lithology description

WELL OWNER

Name Fred Hill % Hill & Company Realtors

Mailing Address 700 S Bernardo Ave.

CITY Sunnyvale

STATE CA ZIP 94087

WELL LOCATION

Address 700 S. Bernardo Ave.

City Sunnyvale

County Santa Clara

APN Book 198 Page 18 Parcel 015

Township 6S Range 2W Section 35

Latitude DEG. MIN. SEC. NORTH Longitude DEG. MIN. SEC. WEST

LOCATION SKETCH

NORTH

see attached
site plan

ACTIVITY ()

☐ NEW WELL

MODIFICATION/REPAIR

☐ Deepen

☐ Other (Specify)

☒ DESTROY (Describe
Procedures and Materials
Under "GEOLOGIC LOG")

PLANNED USES ()

WATER SUPPLY

☐ Domestic ☐ Public

☐ Irrigation ☐ Industrial

MONITORING ☐

TEST WELL ☐

CATHODIC PROTECTION ☐

HEAT EXCHANGE ☐

DIRECT PUSH ☐

INJECTION ☐

VAPOR EXTRACTION ☐

SPARGING ☐

REMEDIATION ☐

OTHER (SPECIFY) ☐

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER (FL) BELOW SURFACE

DEPTH OF STATIC

WATER LEVEL (FL) & DATE MEASURED

ESTIMATED YIELD (GPM) & TEST TYPE

TEST LENGTH (Hrs) TOTAL DRAWDOWN (FL)

* May not be representative of a well's long-term yield.

DEPTH FROM SURFACE			BORE-HOLE DIA (Inches)	CASING (S)					DEPTH FROM SURFACE	ANNULAR MATERIAL					
				TYPE (✓)				MATERIAL / GRADE		INTERNAL DIAMETER (Inches)	GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	TYPE		
Fl	to	Fl		BLANK	SCREEN	CON-DUCTOR	FILL PIPE		CE-MENT (✓)				BEN-TONITE (✓)	FILL (✓)	FILTER PACK (TYPE/SIZE)
0	85	10								0	61	✓			
0	65	10	✓				PVC	4	sch 40	61	63		✓		
65	85	10		✓			PVC	4	sch 40	63	85			✓	2 1/2 sand

ATTACHMENTS ()

- ☒ Geologic Log
☒ Well Construction Diagram
☐ Geophysical Log(s)
☐ Soil/Water Chemical Analyses
☒ Other site plan

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief

NAME Woodward Drilling
(PERSON, FIRM OR CORPORATION) (TYPED OR PRINTED)

550 River Road PO Box 336 Rio Vista CA 94571
ADDRESS CITY STATE ZIP

J. J. May Drilling 10/12/05
Signed DATE SIGNED

WELL DRILLER AUTHORIZED REPRESENTATIVE

C-57 LICENSE NUMBER 710079

Well Drillers Authorization Letter

Site Name:

Site Address:

City:

Well Driller Woodward Drilling Co., Inc

Drillers Address P.O. Box 336

City, State, Zip Rio Vista, CA 94571

Drillers Phone # (707) 374 - 4300

C-57 License # 710079 Exp. Date 7/31/2007

For the sole purpose of procuring permits for drilling, well construction, and well destruction's, and DWR188 forms, I hereby designate the following entities to act as our authorized representative.

Name: Thomas Neely


Company: ETIC

Address: 2285 Morello

City & State: Pleasant Hill, CA

I understand that as the applicant for permits, I am responsible for compliance with all provisions of the permits. I also understand that upon written notification, that I may rescind this Authorization.

Signed:



Printed: Wayne G. Woodward

Date: 8-5-05

LOG OF EXPLORATORY BORING

PROJECT NAME HILL/OLYMPIC BORING NO. EW-2 DATE 4/12/93
 PROJECT NUMBER 93028.1 DRILLER BAYLAND LOGGED BY: RFF

Odor	PID READING TPH (ppm)	PENETRA- TION (Blows/ ft)	GROUND WATER LEVELS	DEPTH IN FT.	SAMPLES	LITHO- GRAPHIC COLUMN	DESCRIPTION
				0		ML	2-inch asphalt concrete over 6-inch agg base Silt, brown, slightly moist, loose
None	0	12		5			
None	0	23		10		SW	Sand, Gravelly, Silty, loose, slightly moist
None	0	7		15		ML	Silt, Clayey, Gravelly, brown, loose, moist
None	0	10		20		GW	Gravel, Sandy, gray-green, moist dense, with some large cobbles
None	0	40		25			
Slight	20	61		30		SW	Sand, Gravelly to Gravel, Sandy, gray-green moist, very dense
Slight	30	13		35		ML	Silt, Sandy, to Clay, Silty, gray, moist, stiff
				40			

ETIC

LOG OF EXPLORATORY BORING

PROJECT NAME HILL/OLYMPIC

BORING NO. EW-2

DATE 4/12/93

PROJECT NUMBER 93028.1

DRILLER BAYLAND

LOGGED BY: RFF

Ochr	PID READING TPH (ppm)	PENETRA- TION (Blows/ FT)	GROUND WATER LEVELS	DEPTH IN FT.	SAMPLES	LITHO- GRAPHIC COLUMN	DESCRIPTION
Slight	Not Taken	24		40		ML/ SP	Silt, Clayey to Sand, Silty, fine, gray, stiff to medium dense, moist
Slight	100	20		45			
Slight	20	50		50		SW	Sand, Gravelly, gray, moist, dense
Slight	10	75		55		ML	Silt, Sandy, Gravelly, gray, moist, very dense
Slight	7	50		60		GW	Gravel, Sandy, Clayey, gray, moist, dense
Slight	12	79		65			
Slight	5	51		70			
Mod	100			75		CL	Clay, Gravelly and Sandy, gray, very stiff to hard, moist
				80			

ETIC

LOG OF EXPLORATORY BORING

PROJECT NAME HILL/OLYMPIC BORING NO. EW-2 DATE 4/12/93
 PROJECT NUMBER 93028.1 DRILLER BAYLAND LOGGED BY: RFF

Odor	PID READING TPH (ppm)	PENETRA- TION (blows/ ft)	GROUND WATER LEVELS	DEPTH IN FT.	SAMPLES	LITHO- GRAPHIC COLUMN	DESCRIPTION
Mod	200	74		80		CL/ ML	Clay and Silt, Gravelly, Sandy, gray and brown, moist, very hard
Mod	200	68		85			Bottom of boring at 85 feet. Converted into soil vapor extraction well under inspection of SCWD Inspector.

ETIC

WELL DETAILS

PROJECT NUMBER 93028.1


PROJECT NAME HILL/OLYMPIC

BORING/WELL NUMBER EW-2

WELL PERMIT NUMBER 93W0595

DRILLER BAYLAND DRILLING

DATE 4/12/93



EXPLORATORY BORING

a. Total depth 85 ft.
 b. Diameter 10 in.
 Drilling method hollow stem auger

WELL CONSTRUCTION

c. Casing length 85 ft.
 Material 40 PVC
 d. Diameter 4 in.
 e. Depth to top perforations 65 ft.
 f. Perforated length 20 ft.
 Perforated interval from 65 to 85 ft.
 Perforation type factory slotted
 Perforation size 0.010"
 g. Surface seal 1.5 ft.
 Seal material cement
 h. Backfill 61.5 ft.
 Backfill material cement
 i. Seal 2 ft.
 Seal material bentonite
 j. Gravel pack 22 ft.
 Pack material 2/12 sand
 k. Bottom seal NA ft.
 Seal material NA

RECEIVED

WELL DESTRUCTION APPLICATION

FC 19Bw (12-16-02)

Santa Clara Valley Water District

APR 12 2005

Page 1 of 4

5750 ALMADEN EXPRESSWAY, SAN JOSE, CA 95118-3685
Please complete all information.

ETIC ENGINEERING

DISTRICT PERMIT NO.:

05D00229

Well Owner: Fred Hill c/o Hill's Company Realtors	Property Owner: Fred Hill c/o Hill's Company Realtors	Name of Business/Residence at Well Site: Olympic Sunnyvale Station
Well Owner's Mailing Address: 700 S. Bernardo Avenue	Property Owner's Mailing Address: 700 S. Bernardo Avenue	Address of Well Site: 750 S. Bernardo Avenue
City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94087	City, State, Zip: Sunnyvale, Ca. 94086
Telephone No.: (408) 736-5900	Telephone No.: (408) 736-5900	Assessor's Parcel Number of Well Site: Book: 198 Page: 18 Parcel: 015
Consultant: ETIC Engineering	Drilling Company: Woodward Drilling	
Address: 2285 Morelo Avenue	Address: 550 River Road PO Box 336	
City, State, Zip: Pleasant Hill Ca. 94523	City, State, Zip: Rio Vista Ca. 94571	
Telephone No.: (925) 602-4710	Telephone No.: (707) 374-4300	C-57 License No.: 710079
<input type="checkbox"/> Check if address or phone number has changed.		<input type="checkbox"/> Check if address or phone number has changed

All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers.

Well Information

Well Registration No.: 06S02W35 D003	Owner/Consultant Well No.: EW-2	Original Well Construction Permit No.: 93W0595
Well Casing Depth: 85 feet	Total Boring Depth: 85 feet	Well Casing Diameter: 4-inches

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

CASE NAME:

Oversight Agency:

SCVWD

If under S.C.V.W.D. oversight, list Case Number(s): 06S2W35 D01F

☐ Well on SCVWD property/easement*☐ Well is within 50 feet of the top of a creek/river bank*

(* See General Conditions, E)

Well Description:

☒ Vertical Well☐ Dewatering Well☐ Elevator Shaft☐ Multiple Casing☐ Horizontal Wall☐ Pit Well

Well Type: check all that apply

☐ Water Producing
(supply or extraction)☐ Contamination Cleanup☐ Agricultural☐ Domestic☐ Municipal & Industrial☒ Vapor Extraction☒ Monitoring☐ Inclinator☐ Groundwater☐ Vadose☐ Piezometer☐ Interface☐ Suction Lysimeter☐ Seismic☐ Injection/Infiltration☐ Contamination Cleanup☐ Reclaimed Water☐ Air Sparging☐ Cathodic Protection

Additional Questions For Water Producing Wells

Does the well have:

1. Outer conductor casing?

☐ Yes☐ No

2. Annular cement seal outside of casing at surface?

☐ Yes☐ No

3. A S.C.V.W.D. water meter attached?

☐ Yes☐ No

Type of Original Drilling Method:

☐ Rotary☐ Cable-Tool☐ Hand Dug Pit Well☐ Hollow Stem Auger☐ Other:

IMPORTANT

A minimum 24-hour notice must be given to SCVWD prior to installing the annular seal.
Call (408) 265-2607 Ext. 2660. For weekends, holidays, after hours call (408) 265-2607, Ext. 2120.
Please allow 10 working days to process permit application.

MAR 23 2005


Site Plan

WELL LOCATION


(Draw accurately; recommend using assessor's map)

1. Sketch well location to scale, show dimensions to nearest foot. (Do not attach separate map.)
2. Show a minimum of two dimensions at right angles. Dimensions shall be from the centerline of the closest named streets, roads, or highways.

EXAMPLE →



Sketch well location as described above:



Please allow 10 working days to process this application.

Please describe, in detail, the proposed destruction method*:

The well will be destroyed using the pressure grouting method in accordance with SCVWD methodology. Employing this method, neat cement grout will be tremied into the well to displace any water in the well from the bottom of the well to the surface. Once the casing has been filled, additional neat cement grout will be pumped into the well and placed under at least 25 psi for a minimum of 5 minutes or until an additional 1/3 of the volume of the well casing has been injected into the well. Upon completion of pressure grouting, the well box and concrete surface seal will be removed and backfilled with neat cement to grade.

*Any well destruction in which the well casing is left in place and in which the well has a filter pack outside the casing, must be destroyed using approved neat cement grout.

I understand that all work is to be done in accordance with the District Well Ordinance, the District Well Standards, and the conditions of this permit (see page 4). I also certify that the information given in this permit is correct.
NOTE: All applicable signatures must be present before permit will be processed.

Signature of Well Owner/Agent: <i>W. Charles Lawrence for Fred Hill</i>	Print Name: <i>W. Charles Lawrence for Fred Hill</i>	Date: <i>3-8-05</i>
Signature of Driller/Agent: <i>Conciling E. Woodward</i>	Print Name: <i>CONCILING E. WOODWARD</i>	Date: <i>3-14-05</i>
Signature of Consultant (if any): <i>W. Charles Lawrence</i>	Print Name: <i>W. Charles Lawrence</i>	Date: <i>3-8-05</i>

DISTRICT USE ONLY

The District has approved the following destruction methods for the well described in this permit:

☒ Pressure Grout Method (as outlined in Standards).

NOTE: Neat cement is the only sealing material approved for pressure grouting.

☐ Drill out well to a total depth of _____ feet, with a minimum bore of _____ inches.

☐ Clean out well casing to a total depth of _____ feet and back fill with approved sealing material (if total depth is unknown, driller must determine total depth during clean out of well). **NOTE:** Neat cement is the only sealing material approved for back filling gravel packed wells.

☐ Well casing must be perforated at the following depths prior to backfilling: _____

☐ Other: _____

Permit Approved By: <i>[Signature]</i>		Date: <i>4/5/5</i>	
District Permit No.: <i>05D00229</i>	Date Issued: <i>4-7-05</i>	Expiration Date: <i>10-7-05</i>	Driller's Log No.: <i>023746</i>

Please allow 10 working days to process this application.

GENERAL CONDITIONS

- A. SCVWD (Telephone 408-265-2607, Ext. 2660) MUST BE NOTIFIED A MINIMUM OF ONE WORKING DAY BEFORE THE PLACEMENT OF THE WELL DESTRUCTION SEALING MATERIALS. An authorized District representative must be on site to witness the destruction activities. This requirement may be waived by an authorized District representative. If the District waives the inspection requirement, the District may request the Permittee(s) to furnish certification under penalty of perjury that the well was destroyed in accordance with the District Well Standards and with the permit conditions.
- B. This Permit is valid only for the purpose specified herein. Well destruction methods authorized under this Permit may not be changed except by written approval of an authorized District representative, and only if the District believes that such a change will result in equal or superior compliance with the District and State Well Standards (e.g. if the District representative believes that site conditions warrant such a change).
- C. This Permit is only valid for the Assessor's Parcel Number indicated on it.
- D. This Permit may be voided if it contains any incorrect information. If the permit is voided after work has begun, the well or boring that is being destroyed under this permit may be required to be reconstructed in accordance with District and State Well Standards.
- E. If any work associated with this permit will take place within 50 feet of the top of the banks of a stream or watercourse, or on SCVWD property, an encroachment or construction permit must be granted by the District's Community Projects Review Unit (telephone (408) 2652607, Ext. 2350, 2217, or 2253).
- F. Within 60 days of the completion of well destruction activities, the driller or consultant identified on this permit shall fully complete State of California DWR Form 188 and submit the original to the District's Wells and Water Production Unit.
- G. The Permittee(s) shall assume entire responsibility for all activities and uses under this Permit and shall indemnify, defend, and hold the District, its officers, agents, and employees free and harmless from any and all expense, cost, and liability in connection with or resulting from, the granting of or exercise of this Permit including, but not limited to, property damage, personal injury, and wrongful death.
- H. Permittees are required to be in full compliance with Cal/OSHA California Labor Code Section 6300.
- I. A current C-57 Water Well Drilling Contractors License is required for the destruction of all wells.
- J. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all materials generated during drilling, well destruction, well development, pump testing, or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials/waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways. Such materials/waters shall not be allowed to move off the property where the work is being completed.
- K. The driller and consultant (if applicable) shall have an active copy of their Worker's Compensation Insurance on file with the District.
- L. This Permit shall expire if not exercised within 180 calendar days of its approval unless an extension of the permit expiration date is granted in writing by an authorized District representative.
- M. If the well approved to be destroyed under this permit is a monitoring well, associated with an investigation/cleanup overseen by a regulatory agency, the proposed well destruction must be approved by the person with regulatory authority over the investigation/cleanup.
- N. This permit shall be kept on-site during the completion of all activities associated with it and shall immediately be presented to an authorized District representative upon request.

Please allow 10 working days to process this application.

Santa Clara Valley Water District



WELL INSPECTION COMPLETION NOTICE

FC 15BA (07-26-89) (DP 4-901)

From: WELL SECTION	Date:	Permit No: 93W0595
Inspector: Bill Cameron	Date of Inspection: 4-14-93	Well Registration No.: Em-2 06S2W35D03A
Well Owner: Fred Hill		
Address of Well Site: 750 S. Bernardo Ave.	City or County: Sunnyvale	
Drilling Company: Bayland	Consultant: ETIC	

PURPOSE OF WELL:

- ☐ Domestic
- ☐ Agricultural
- ☐ Municipal/Industrial
- ☐ Cathodic Protection

*Monitoring Well Use

- ☒ *Vadose extraction
- ☐ *Groundwater
- ☐ *Other

- Well completed according to provisions of Santa Clara Valley Water District Permit ☒ Yes ☐ No (If "No", see comments below)
- Depth of Surface Annular Seal = 63'

Comments: TD = 85'
TS = 63'
Bent = 1'

Hollow Stem
Sand Slurry

Distribution: White - Well Section Yellow - Water Revenue Pink - Permittee Goldenrod - City/County

①

Santa Clara Valley Water District
5750 Almaden Expressway, San Jose, CA 95118 (408) 265-2600

WELL CONSTRUCTION APPLICATION

FC 168 (10-25-90) (DP 4-901)

TO BE COMPLETED BY DISTRICT

District Permit No.: <u>93WD595</u>	Date issued: <u>4-6-93</u>	Well Registration No.: <u>06S2W35D03A</u>
Geologic Setting: <u>1</u>	Expiration Date: <u>10-6-93</u>	Driller's Log No.: <u>466213</u>

TO BE COMPLETED BY OWNER AND DRILLER

Property Owner: <u>Fred Hill</u>	Well Owner (if different):	Drilling Co.: <u>Bayland Drilling</u>
Address: <u>700 - South Bernardo</u>	Address of Well Site: <u>750 S. Bernardo</u>	Driller's Contractor's License Number (C-57 Req'd): <u>374152</u>
City, State, Zip: <u>Sunnyvale, CA 94087</u>	City, State, Zip: <u>Sunnyvale CA 94087</u>	Address: <u>811 Hamilton Ave</u>
Telephone No.: <u>408-736-5400</u>	Telephone No.: <u>408-735-8416</u>	City, State, Zip: <u>Menlo Park, CA 94025</u>
Assessor's Parcel No. of Well site: <u>198</u> Page <u>18</u> Parcel <u>15</u>	Owner's/Consultant's Well No.: <u>EW-2</u>	Telephone No.: <u>415-322-2900</u>

Estimated depth of completed well: ☐ Less than 50 ft. ☒ 50 to 300 ft. ☐ Over 300 ft.
Purpose of Well: ☐ Domestic ☐ Municipal/Industrial ☐ Agricultural ☒ Monitoring ☐ Cathodic Protection
*Monitoring wells are those constructed for the purpose of obtaining repetitive water level measurements and/or repetitive air samples for analysis. This includes wells constructed for general exploration and investigation purposes as well as those to be constructed in conformance with the Hazardous Materials Storage Permit Ordinance for site-specific groundwater monitoring of existing underground hazardous materials storage tanks.

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

Purpose of Monitoring Well: ☐ To comply with City or County Hazardous Materials Storage Permit Ordinance ☐ Exploration studies
☐ Other (specify): ☒ Extraction/Recovery

NAME OF BUSINESS AT WELL SITE: Olympic Gas Station

If proposed well is to meet compliance with a Hazardous Materials Storage Permit Ordinance has the City or County been contacted? ☐ Yes ☐ No

If yes, give name of City or County:

Consultant's Name (Company):

ETIC

Address:

3275 Stevens Creek Blvd. Ste. 315

City, State, Zip:

San Jose CA 95117

Telephone No.:

408-244-7202

Type of monitoring device: ☐ Groundwater ☒ Vadose
Type of extraction device: ☐ Groundwater ☒ Vadose
Monitoring well use: ☐ Depth ☐ Quality ☐ Chloride
Vadose device installation: ☒ Vapor ☐ Interface ☐ Suction Lysimeter

Kenneth L. Melien
Signature of Responsible Professional
(No substitution of signature will be accepted)

C17487

Registration No. Civil Engineer

OR

Certificate No. Engineering Geologist

TOPOGRAPHIC FEATURES

Well is to be constructed: ☐ In a public sidewalk ☐ In a public road ☐ On public property ☒ On private property ☐ On SCVWD property
Within 50 ft. of the top of a creek bank: ☐ Yes ☒ No Within 50 ft. of any existing well: ☒ Yes ☐ No
Within 50 ft. of a sanitary sewer: ☒ Yes ☐ No Within 150 ft. of a cesspool or seepage pit: ☐ Yes ☒ No
Within 100 ft. of a pit privy, septic tank, leachfield: ☐ Yes ☒ No Other wells exist on this property: ☒ Yes ☐ No
Status: ☐ Active ☒ Inactive ☐ Abandoned

CERTIFICATION BY WELL OWNER/AGENT AND DRILLER/AGENT

I certify that the information given above is correct to the best of my knowledge. I certify that the well will be constructed in compliance with the conditions of this permit, the Santa Clara Valley Water District's Ordinance 90-1 and, if applicable, the Hazardous Materials Storage Permit Ordinance of the County or City, as appropriate. It is my responsibility as the well owner to notify this District of any changes in the purpose of this well from that which is indicated on this application form.

[Signature]
Signature of Well Owner/Agent

3/31/93
Date

[Signature]
Signature of Driller/Agent

3/31/93
Date

MONITORING WELL PLAN APPROVAL

City/County:

Approved by:

Date:

IMPORTANT: A minimum 24-hour notice must be given to SCVWD Well Inspection Dept. prior to installing the annular seal. Call (408) 927-0710 Ext. 660. For weekends, holidays, after hours call (408) 385-8121 or (408) 927-0714.

ORIGINAL
File with DWR
Page 1 of 1
Owner's Well No. EW-2
Date Work Began 4/13/93 Ended 4/14/93

STATE OF CALIFORNIA
WELL COMPLETION REPORT
Refer to Instruction Pamphlet

DWR USE ONLY - DO NOT FILL IN
0650243510103A
STATE WELL NO./STATION NO.
LATITUDE _____ LONGITUDE _____
APN/TRS/OTHER _____

Local Permit Agency SCVWD
Permit No. 95W0595 Permit Date 4-6-93

ORIENTATION (°)		VERTICAL	HORIZONTAL	ANGLE	(SPECIFY)
DEPTH TO FIRST WATER <u>NA</u> (FL) BELOW SURFACE					
DEPTH FROM SURFACE	FL	TO	FL	DESCRIPTION Describe material, grain size, color, etc.	
0	5			Silt, brown loose, No odor	
5	10			Sand, Gravelly, silty, loose	
10	15			Silt, clayey, gravelly, brown	
15	20			" " " "	
20	23			Gravel, sand, pebbles, dense	
23	30			Sand, Gravelly, silty, brown	
30	35			Silt, sandy to clay, gray, stiff	
35	40			" " " "	
40	45			" " " "	
45	50			Sand, Gravelly, gray, dense	
50	55			Silt, sandy, clayey, gray, loose	
55	60			Gravel, sandy, clayey, gray	
60	70			Clay, Gravelly/sandy, gray	
70	75			" " " "	
75	85			Clay and silt, gravelly, sandy, gray, brown, hard	

WELL OWNER
Name Fred Hill
Mailing Address 700 South Bernardo Sunnyvale CA
City Sunnyvale State CA ZIP 95117
WELL LOCATION
Address 750 S. Bernardo Ave
City Sunnyvale
County Santa Clara
APN Book 198 Page 18 Parcel 15
Township _____ Range _____ Section _____
Latitude _____ Longitude _____
DEG. MIN. SEC. WEST
NORTH SKETCH
NORTH
S. Bernardo Ave.
Building
90' 15' EN-2
SOUTH
Illustrate or Describe Distance of Well from Landmarks such as Roads, Buildings, Fences, Rivers, etc. PLEASE BE ACCURATE & COMPLETE.
ACTIVITY (°)
☒ NEW WELL
MODIFICATION/REPAIR
____ Deepen
____ Other (Specify) _____
DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")
PLANNED USE(S) (°)
____ MONITORING
WATER SUPPLY
____ Domestic
____ Public
____ Irrigation
____ Industrial
____ "TEST WELL"
CATHODIC PROTECTION
OTHER (Specify) Vapor Extraction


DRILLING METHOD Hollow Stem FLUID _____
WATER LEVEL & YIELD OF COMPLETED WELL
DEPTH OF STATIC WATER LEVEL Dry (FL) & DATE MEASURED _____
ESTIMATED YIELD* _____ (GPM) & TEST TYPE _____
TEST LENGTH _____ TOTAL DRAWDOWN _____ (FL)
* May not be representative of a well's long-term yield.

TOTAL DEPTH OF BORING 85 (Feet)
TOTAL DEPTH OF COMPLETED WELL 85 (Feet)

DEPTH FROM SURFACE		BORE-HOLE DIA. (Inches)	CASING(S)						DEPTH FROM SURFACE		ANNULAR MATERIAL			
FL	TO		TYPE (°)	MATERIAL / GRADE	INTERNAL DIAMETER (Inches)	GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)		FL	TO	CE-MENT (°)	BEN-TONITE (°)	FL-L (°)	FILTER PACK (TYPE/SIZE)
0	65	10	✓	PVC 40	4"	.25	.010"		0	63	✓			2 1/2" sand
65	85	10	✓	"	4"	.25	.010"		63	85	✓			2 1/2" sand

ATTACHMENTS (°)
☒ Geologic Log
☒ Well Construction Diagram
____ Geophysical Log(s)
____ Soil/Water Chemical Analyses
____ Other _____
ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

CERTIFICATION STATEMENT
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.
NAME ETIC
(PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)
3275 Stevens Creek, #315 San Jose CA 95117
ADDRESS _____ CITY _____ STATE _____ ZIP _____
Signed [Signature] DATE SIGNED 6/8/93 374152
WELL DRILLER/AUTHORIZED REPRESENTATIVE DATE SIGNED C.S.P. LICENSE NUMBER



Well Annotations- 7 Wells Selected

APN: 19818015
750 S Bernardo Ave
Sunnyvale CA
94087

No	Well_nbr	Permit	Consultnum	Status	Easting	Northing
1	06S02W35D001	84W0708	MW-1	Other-Active	6109206	1961149
2	06S02W35D002	91W1314	MW-1	Other-Active	6109194	1961221
3	06S02W35D003	93W0595	EW-2	Other-Active	6109223	1961168
4	06S02W35D004	93W0594	EW-1	Other-Active	6109254	1961161
5	06S02W35D007	98W00793	MW4	Other-Active	6109188	1961206
6	06S02W35D008	98W00792	MW-5	Other-Active	6109263	1961148
7	06S02W35D009	98W00826	AS-1	Other-Active	6109237	1961144

Wells.shp

- Water Supply - Active
- Water Supply - Standby
- Water Supply - Inactive
- Extraction (Env) - Active
- Extraction (Env) - Inactive
- Other - Active
- Other - Inactive
- Abandoned
- Destroyed
- Status Undetermined

Parcels.shp

- Fuelleak.shp
- VALFLOOR.SHP
- Zone 1
- Zone 2
- Zone 3
- Zone 4
- Zone 5

Approximate Scale

30 0 30 60 Feet



WELL DESTRUCTION COMPLETION NOTICE

FCE 218 (08-14-98)

Inspector: <u>H. H. H.</u>		Date of Inspection: <u>10-13-05</u>		Permit: <u>000-0-00</u>	
Owner/Consultant No.: <u>EW-3</u>			Well Registration No.: <u>065024151000</u>		
Well Owner: <u>San Jose</u>		Address of Well Site: <u>750 S. Homestead Ave.</u>		City or County: <u>San Jose</u>	
Drilling Company: <u>Wardwell</u>		Consultant: <u>CH</u>			
Well Depth: <u>78' 9"</u>	Borehole Diameter: <u>10"</u>	Casing Diameter: <u>4"</u>	Casing Material: <u>PVC</u>	Well Type: <input checked="" type="checkbox"/> HSA <input type="checkbox"/> Rotary <input type="checkbox"/> Other (see comments)	
Casing Perforated: <u>10"</u> to			Sealing Material: <input checked="" type="checkbox"/> Neat Cement <input type="checkbox"/> 10 Sack Sand Slurry		
			<input type="checkbox"/> Bentonite <input type="checkbox"/> Other (See Comments)		
Destruction Method: <input checked="" type="checkbox"/> Pressure Grout <input type="checkbox"/> Drill Out <input type="checkbox"/> Excavate					
<input type="checkbox"/> Bail, Perf, & Backfill <input type="checkbox"/> Bail & Backfill <input type="checkbox"/> Other (See Comments)					
Well destroyed according to provisions of Santa Clara Valley Water District Permit?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)	
GPS Coordinates: Lat: Long:					
Comments:					
Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee					

AS1
Permit #: 05D00233

ORIGINAL
File with DWR

STATE OF CALIFORNIA
WELL COMPLETION REPORT
Refer to Instruction Pamphlet

Page 1 of

Owner's Well No. AS-1

No. e023750

Date Work Began 10/12/05, Ended 10/13/05

Local Permit Agency SCVWD

Permit No. 05D00233

Permit Date 4-7-05

DWR USE ONLY — DO NOT FILL IN

06150210351009

STATE WELL NO./STATION NO.

LATITUDE LONGITUDE

APN/TRS/OTHER

GEOLOGIC LOG

ORIENTATION (\angle) ☒ VERTICAL ☐ HORIZONTAL ☐ ANGLE ☐ (SPECIFY)

DEPTH FROM SURFACE

FL to FL

DRILLING METHOD ☐ FLUID ☐

DESCRIPTION

Describe material, grain size, color, etc.

Pressure grouted with

Neat Cement -

see attached soil

boiling log for

lithology description

WELL OWNER

Name Fred Hill % Hill & Company Realtors

Mailing Address 700 S Bernardo Ave.

City Sunnyvale State CA ZIP 94087

WELL LOCATION

Address 750 S. Bernardo Avenue

City Sunnyvale

County Santa Clara

APN Book 198 Page 18 Parcel 015

Township 6S Range 2W Section 3S

Latitude DEG. MIN. SEC. NORTH Longitude DEG. MIN. SEC. WEST

LOCATION SKETCH

NORTH

WEST

EAST

SOUTH

Illustrate or Describe Distance of Well from Roads, Buildings, Fences, Rivers, etc. and attach a map. Use additional paper if necessary. **PLEASE BE ACCURATE & COMPLETE.**

see attached

site plan

ACTIVITY (\angle)

☐ NEW WELL

☐ MODIFICATION/REPAIR

☐ Deepen

☐ Other (Specify)

☒ DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")

PLANNED USES (\angle)

WATER SUPPLY

☐ Domestic ☐ Public

☐ Irrigation ☐ Industrial

MONITORING ☐

TEST WELL ☐

CATHODIC PROTECTION ☐

HEAT EXCHANGE ☐

DIRECT PUSH ☐

INJECTION ☐

VAPOR EXTRACTION ☐

SPARGING ☐

REMEDIATION ☐

OTHER (SPECIFY) ☐

TOTAL DEPTH OF BORING 80 (Feet)

TOTAL DEPTH OF COMPLETED WELL 80 (Feet)

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER (Ft) BELOW SURFACE

DEPTH OF STATIC WATER LEVEL (Ft) & DATE MEASURED

ESTIMATED YIELD (GPM) & TEST TYPE

TEST LENGTH (Hrs) TOTAL DRAWDOWN (Ft)

* May not be representative of a well's long-term yield.

DEPTH FROM SURFACE	BORE- HOLE DIA (Inches)	CASING (S)						DEPTH FROM SURFACE	ANNULAR MATERIAL					
		TYPE (≦)				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)		GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	TYPE			
		BLANK	SCREEN	CON- DUCTOR	FILL PIPE						CE- MENT (≦)	BEN- TONITE (≦)	FILL (≦)	FILTER PACK (TYPE/SIZE)
Fl to Fl								Fl to Fl						
0 80	77					PVC	2	sch 40	—	0	74	✓		
0 77	77	✓				PVC	2	sch 40		74	76	✓		
77 80	80		✓			PVC	2	sch 40	0.010"	76	80		✓	#2/12 sand

ATTACHMENTS (\angle)

☒ Geologic Log

☒ Well Construction Diagram

☐ Geophysical Log(s)

☐ Soil/Water Chemical Analyses

☒ Other Site plan

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief

NAME Woodward Drilling

(PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)

ADDRESS 550 River Road PO Box 336 Rio Vista CA 94571

CITY Rio Vista STATE CA ZIP 94571

Signed [Signature] WELL DRILLER/AUTHORIZED REPRESENTATIVE DATE SIGNED 10/19/05 C-57 LICENSE NUMBER 710079

Well Drillers Authorization Letter

Site Name:

Site Address:

City:

Well Driller Woodward Drilling Co., Inc

Drillers Address P.O. Box 336

City, State, Zip Rio Vista, CA 94571

Drillers Phone # (707) 374 - 4300

C-57 License # 710079 Exp. Date 7/31/2007

For the sole purpose of procuring permits for drilling, well construction, and well destruction's, and DWR188 forms, I hereby designate the following entities to act as our authorized representative.

Name: Thomas Neely


Company: ETIC

Address: 2285 Morello

City & State: Pleasant Hill, CA

I understand that as the applicant for permits, I am responsible for compliance with all provisions of the permits. I also understand that upon written notification, that I may rescind this Authorization.

Signed:



Printed: Wayne G. Woodward

Date: 8-5-05

SOIL BORING LOG DETAILS

Project name: OLYMPIC
Project No. 95221
Driller: Exploration Geoservices
Logged by: H Barrientos
Drilling method: Hollow Stem Auger

Boring No. _____ AS 1
Date: _____ 12/8/98
Well permit No. _____ 98W00826
Total depth: _____ 80 ft
Diameter: _____ 8 inches

Lithology Description	Casing	Graphic Log	Soil type	Depth	Sample	Blows/ft
Asphalt and backfill			SM	0 3 6 9 12 15 18 21 24 27 30 33 36 39 42 45 48 51 54 57 60 63 66 69 72 75 78 81 84 87 90		
Clean soil, brown, dry, silt No odor at 35'	8" dia Sch 40 pipe/ Factory Slotted at 0.010"					
Fine uniform sand						
						@ 65' (19-27-31)
						Water Grab Sample @ 73'

ETIC
Engineering Inc

Notes

Figure No.

RECEIVED

WELL DESTRUCTION APPLICATION

FC 198w (12-16-02)

APR 12 2005

Page 1 of 4

5750 ALMADEN EXPRESSWAY, SAN JOSE, CA 95118-3686
Please complete all information.

ETIC ENGINEERING

DISTRICT PERMIT NO.:

05D00233

Well Owner:
Fred Hill c/o Hill's Company Realtors

Property Owner:
Fred Hill c/o Hill's Company Realtors

Name of Business/Residence at Well Site:

Olympic Sunnyvale Station

Well Owner's Mailing Address:
700 S. Bernardo Avenue

Property Owner's Mailing Address:
700 S. Bernardo Avenue

Address of Well Site:

750 S. Bernardo Avenue

City, State, Zip:
Sunnyvale, Ca. 94087

City, State, Zip:
Sunnyvale, Ca. 94087

City, State, Zip:

Sunnyvale, Ca. 94086

Telephone No.:
(408) 736-5900

Telephone No.:
(408) 736-5900

Assessor's Parcel Number of Well Site:

Book: 198 Page: 18 Parcel: 015

Consultant:

ETIC Engineering

Drilling Company:

Woodward Drilling

Address:

2285 Morelo Avenue

Address:

550 River Road PO Box 336

City, State, Zip:

Pleasant Hill Ca. 94523

City, State, Zip:

Rio Vista Ca. 94571

Telephone No.:

(925) 602-4710

Telephone No.:

(707) 374-4300

C-57 License No.:

710079

☐ Check if address or phone number has changed.

☐ Check if address or phone number has changed.

All questions below are to be completed before permit can be issued; if unknown, applicant shall make on-site investigation to determine correct answers.

Well Information

Well Registration No.:

06502W35D009

Owner/Consultant Well No.:

AS-1

Original Well Construction Permit No.:

98W00826

Well Casing Depth:

80 feet

Total Boring Depth:

80 feet

Well Casing Diameter:

2-inches

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS

CASE NAME:

SCVWD

If under S.C.V.W.D. oversight, list Case Number(s):

0652W35D014

Oversight Agency:

☐ Well on SCVWD property/easement*

☐ Well is within 50 feet of the top of a creek/river bank*

(* See General Conditions, E)

Well Description:

☒ Vertical Well

☐ Dewatering Well

☐ Elevator Shaft

☐ Multiple Casing

☐ Horizontal Wall

☐ Pit Well

Well Type: check all that apply

☐ Water Producing
(supply or extraction)

☐ Contamination Cleanup

☐ Agricultural

☐ Domestic

☐ Municipal & Industrial

☐ Vapor Extraction

☒ Monitoring

☐ Inclinator

☐ Groundwater

☐ Vadose

☐ Piezometer

☐ Interface

☐ Suction Lysimeter

☐ Seismic

☐ Injection/Infiltration

☐ Contamination Cleanup

☐ Reclaimed Water

☒ Air Sparging

☐ Cathodic Protection

Additional Questions For Water Producing Wells

Does the well have:

1. Outer conductor casing?

☐ Yes

☐ No

2. Annular cement seal outside of casing at surface?

☐ Yes

☐ No

3. A.S.C.V.W.D. water meter attached?

☐ Yes

☐ No

Type of Original Drilling Method:

☐ Rotary

☐ Cable-Tool

☐ Hand Dug Pit Well

☐ Hollow Stem Auger

☐ Other:

IMPORTANT

A minimum 24-hour notice must be given to SCVWD prior to installing the annular seal.
Call (408) 265-2607 Ext. 2660. For weekends, holidays, after hours call (408) 265-2607, Ext. 2120.
Please allow 10 working days to process permit application.

MAR 23 2005


Site Plan

WELL LOCATION


(Draw accurately; recommend using assessor's map)

1. Sketch well location to scale, show dimensions to nearest foot. (Do not attach separate map.)
2. Show a minimum of two dimensions at right angles. Dimensions shall be from the centerline of the closest named streets, roads, or highways.

EXAMPLE →



Sketch well location as described above:



Please allow 10 working days to process this application.



Please describe, in detail, the proposed destruction method*:

The well will be destroyed using the pressure grouting method in accordance with SCVWD methodology. Employing this method, neat cement grout will be tremied into the well to displace any water in the well from the bottom of the well to the surface. Once the casing has been filled, additional neat cement grout will be pumped into the well and placed under at least 25 psi for a minimum of 5 minutes or until an additional 1/3 of the volume of the well casing has been injected into the well. Upon completion of pressure grouting, the well box and concrete surface seal will be removed and backfilled with neat cement to grade.

* Any well destruction in which the well casing is left in place and in which the well has a filter pack outside the casing, must be destroyed using approved neat cement grout.

I understand that all work is to be done in accordance with the District Well Ordinance, the District Well Standards, and the conditions of this permit (see page 4). I also certify that the information given in this permit is correct.
NOTE: All applicable signatures must be present before permit will be processed.

Signature of Well Owner/Agent: <i>W. Charles Lawrence for Fred Hill</i>	Print Name: <i>W. Charles Lawrence for Fred Hill</i>	Date: <i>3-8-05</i>
Signature of Driller/Agent: <i>Concraig E. Woodward</i>	Print Name: <i>CONCRAIG E WOODWARD</i>	Date: <i>3-14-05</i>
Signature of Consultant (if any): <i>W. Charles Lawrence</i>	Print Name: <i>W. Charles Lawrence</i>	Date: <i>3-8-05</i>

DISTRICT USE ONLY

The District has approved the following destruction methods for the well described in this permit:

☒ Pressure Grout Method (as outlined in Standards).

NOTE: Neat cement is the only sealing material approved for pressure grouting.

☐ Drill out well to a total depth of _____ feet, with a minimum bore of _____ inches.

☐ Clean out well casing to a total depth of _____ feet and back fill with approved sealing material (if total depth is unknown, driller must determine total depth during clean out of well). NOTE: Neat cement is the only sealing material approved for back filling gravel packed wells.

☐ Well casing must be perforated at the following depths prior to backfilling: _____

☐ Other: _____

Permit Approved By: <i>W. Charles Lawrence</i>	Date: <i>4/5/05</i>
District Permit No.: <i>05D00033</i>	Date Issued: <i>4-7-05</i>
Expiration Date: <i>10-7-05</i>	Driller's Log No.: <i>023750</i>

Please allow 10 working days to process this application.

GENERAL CONDITIONS

- A. SCVWD (Telephone 408-265-2607, Ext. 2660) MUST BE NOTIFIED A MINIMUM OF ONE WORKING DAY BEFORE THE PLACEMENT OF THE WELL DESTRUCTION SEALING MATERIALS. An authorized District representative must be on site to witness the destruction activities. This requirement may be waived by an authorized District representative. If the District waives the inspection requirement, the District may request the Permittee(s) to furnish certification under penalty of perjury that the well was destroyed in accordance with the District Well Standards and with the permit conditions.
- B. This Permit is valid only for the purpose specified herein. Well destruction methods authorized under this Permit may not be changed except by written approval of an authorized District representative, and only if the District believes that such a change will result in equal or superior compliance with the District and State Well Standards (e.g. if the District representative believes that site conditions warrant such a change).
- C. This Permit is only valid for the Assessor's Parcel Number indicated on it.
- D. This Permit may be voided if it contains any incorrect information. If the permit is voided after work has begun, the well or boring that is being destroyed under this permit may be required to be reconstructed in accordance with District and State Well Standards.
- E. If any work associated with this permit will take place within 50 feet of the top of the banks of a stream or watercourse, or on SCVWD property, an encroachment or construction permit must be granted by the District's Community Projects Review Unit (telephone (408) 2652607, Ext. 2350, 2217, or 2253).
- F. Within 60 days of the completion of well destruction activities, the driller or consultant identified on this permit shall fully complete State of California DWR Form 188 and submit the original to the District's Wells and Water Production Unit.
- G. The Permittee(s) shall assume entire responsibility for all activities and uses under this Permit and shall indemnify, defend, and hold the District, its officers, agents, and employees free and harmless from any and all expense, cost, and liability in connection with or resulting from, the granting of or exercise of this Permit including, but not limited to, property damage, personal injury, and wrongful death.
- H. Permittees are required to be in full compliance with Cal/OSHA California Labor Code Section 6300.
- I. A current C-57 Water Well Drilling Contractors License is required for the destruction of all wells.
- J. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all materials generated during drilling, well destruction, well development, pump testing, or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials/waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways. Such materials/waters shall not be allowed to move off the property where the work is being completed.
- K. The driller and consultant (if applicable) shall have an active copy of their Worker's Compensation Insurance on file with the District.
- L. This Permit shall expire if not exercised within 180 calendar days of its approval unless an extension of the permit expiration date is granted in writing by an authorized District representative.
- M. If the well approved to be destroyed under this permit is a monitoring well, associated with an investigation/cleanup overseen by a regulatory agency, the proposed well destruction must be approved by the person with regulatory authority over the investigation/cleanup.
- N. This permit shall be kept on-site during the completion of all activities associated with it and shall immediately be presented to an authorized District representative upon request.

Please allow 10 working days to process this application.

Santa Clara Valley Water District



WELL CONSTRUCTION/COMPLETION NOTICE

FCE 158A (08-14-98)

Inspector: <u>Bill Cameron</u>		Date of Inspection: <u>12-15-98</u>		Permit: <u>99W00826</u>	
Owner/Consultant Well No.: <u>SW-1</u>		Well Registration No.: <u>06S02W35D009</u>			
Well Owner: <u>Fred Hill</u>		Address of Well Site: <u>740 S. Bernardo Ave.</u>		City or County: <u>San Jose</u>	
Drilling Company: <u>Eva Lee Services</u>		Consultant: <u>ETIC</u>			
Cond. Bore: <u>—</u>		Conductor Depth: <u>—</u>		Conductor Diameter & Material: <u>—</u>	
TD: <u>80'</u>		BOC: <u>80'</u>		Blank Casing Diameter & Material: <u>2" PVC</u>	
Filter Pack Material: <u>3/12</u>		Filter Pack Interval(s): <u>76'</u>		Bent: <u>74-76</u>	
Sealing Material: <input type="checkbox"/> Neat Cement		<input checked="" type="checkbox"/> 10 Back Band Slurry		Drilling Method: <input checked="" type="checkbox"/> HSA	
<input type="checkbox"/> Bentonite		<input type="checkbox"/> Other (See Comments)		<input type="checkbox"/> Mud rotary	
				<input type="checkbox"/> Direct Push	
				<input type="checkbox"/> Air Rotary	
Well Type: <input checked="" type="checkbox"/> GW Monitoring		<input type="checkbox"/> GW Extraction		<input type="checkbox"/> Vadoso Monitoring	
<input type="checkbox"/> Domestic		<input type="checkbox"/> Agricultural		<input type="checkbox"/> Vadoso Extraction	
		<input type="checkbox"/> Municipal/Industrial		<input type="checkbox"/> Elevator	
				<input type="checkbox"/> Cathodic	
				<input type="checkbox"/> Other (See Comments)	
Well constructed according to provisions of Santa Clara Valley Water District Permit? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)					
Well Location: <u>127' NW: Brookfield Ave. 100' NW: S. Bernardo Ave.</u>					
GPS Coordinates: Lat: Long:					
Comments: <u>Seal = 76'</u>					

Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee

5750 Almaden Expressway, San Jose, CA 95118 (408) 285-2600

TO BE COMPLETED BY DISTRICT		
District Permit No.: <u>98W00826</u>	Date Issued: <u>12-4-98</u>	Well Registration No.: <u>06502W35D004</u>
Geologic Setting: <u>1</u>	Expiration Date: <u>6-4-99</u>	Driller's Log No.: <u>829386</u>

TO BE COMPLETED BY OWNER AND DRILLER		
Property Owner: <u>FRED HILL</u>	Well Owner (if different):	Drilling Co.: <u>EXPLORATION GEO SERVICES</u>
Address: <u>700 S. BERNARDO AVE</u>	Address of Well Site: <u>7AD S. BERNARDO AVE</u>	Driller's Contractors License Number (C-67 Reg'd): <u>981288</u>
City, State, Zip: <u>SUNNYVALE, CA 94087</u>	City, State, Zip: <u>SUNNYVALE, CA 94087</u>	Address: <u>1535 INDUSTRIAL AVE</u>
Telephone No.: <u>408-736-5900</u>	Telephone No.: <u>SAJ JOSE, CA 95112</u>	City, State, Zip: <u>SAJ JOSE, CA 95112</u>
Assessor's Parcel No. of Well site: Book <u>198</u> Page <u>13</u> Parcel <u>016</u>	Owner's/Consultant's Well No.: <u>WW6</u>	Telephone No.: <u>(408) 280-6822</u>

Estimated depth of completed well: ☐ Less than 50 ft. ☒ 50 to 300 ft. ☐ Over 300 ft.
 Purpose of Well: ☐ Domestic ☐ Municipal/Industrial ☐ Agricultural ☒ Monitoring ☐ Cathodic Protection
 *Monitoring wells are those constructed for the purpose of obtaining repetitive water level measurements and/or repetitive air samples for analysis. This includes wells constructed for general exploration and investigation purposes as well as those to be constructed in conformance with the Hazardous Materials Storage Permit Ordinance for site-specific groundwater monitoring of existing underground hazardous materials storage tanks.

THIS SECTION TO BE COMPLETED FOR ALL MONITORING WELLS OR EXTRACTION/RECOVERY WELLS
 Purpose of Monitoring Well: ☐ To comply with City or County Hazardous Materials Storage Permit Ordinance ☒ Exploration studies
☐ Other (specify): ☐ Extraction/Recovery

NAME OF BUSINESS AT WELL SITE: OLYMPIC GAS STATION
 If proposed well is to meet compliance with a Hazardous Materials Storage Permit Ordinance has the City or County been contacted? ☐ Yes ☒ No

Consultant's Name (Company): ETIC ENGINEERING
 Address: 3225 STEVENS CREEK BLVD #315
 City, State, Zip: SAN JOSE CA 95117
 Telephone No.: 408 244-7202

Type of monitoring device: ☒ Groundwater ☐ Vadose
 Type of extraction device: ☐ Groundwater ☐ Vadose
 Monitoring well use: ☒ Depth ☒ Quality ☐ Chloride
 Vadose device installation: ☐ Vapor ☐ Interface ☐ Suction Lysimeter
 Signature of Responsible Professional (No substitution of signature will be accepted): Kenneth A. Wilson
C17487 Exp 6/30/01
 Registration No. Civil Engineer OR Certificate No. Engineering Geologist

TOPOGRAPHIC FEATURES
 Well is to be constructed: ☐ In a public sidewalk ☐ In a public road ☐ On public property ☒ On private property ☐ On SCVWD property
 Within 50 ft. of the top of a creek bank: ☐ Yes ☒ No
 Within 50 ft. of a sanitary sewer: ☐ Yes ☒ No
 Within 100 ft. of a pit privy, septic tank, leachfield: ☐ Yes ☒ No
 Other wells exist on this property: ☒ Yes ☐ No
 Status: ☒ Active ☐ Inactive ☐ Abandoned

CERTIFICATION BY WELL OWNER/AGENT AND DRILLER/AGENT:
 I certify that the information given above is correct to the best of my knowledge. I certify that the well will be constructed in compliance with the conditions of this permit, the Santa Clara Valley Water District's Ordinance 90-1 and, if applicable, the Hazardous Materials Storage Permit Ordinance of the County or City, as appropriate. It is my responsibility as the well owner to notify this District of any changes in the purpose of this well from that which is indicated on this application form.

Signature of Well Owner/Agent: [Signature]
 Signature of Driller/Agent: [Signature]

Date: 11/12/98
 Date: 11/12/98

MONITORING WELL PLAN APPROVAL
 City/County: _____
 Approved by: _____
 Date: _____

IMPORTANT: A minimum 24-hour notice must be given to SCVWD Well Inspection Dept. prior to installing the annular seal. Call (408) 827-0710 Ext. 660. For weekends, holidays, after hours call (408) 385-8121 or (408) 827-0714.

SCVWD 11/16/98 10:25

ORIGINAL
File with DWR

Page 1 of 1
Owner's Well No. W22A AS-1
Date Work Began 5/20/98 Ended 5/20/98
Local Permit Agency San Jose Permit No. 484258 Permit Date 12-4-98

STATE OF CALIFORNIA
WELL COMPLETION REPORT

OWNER USE ONLY - DO NOT PRINT
D10S012W357ND0109
STATE WELL NO./STATION NO.
LATITUDE
LONGITUDE
APN/TRB/OTHER

ORIENTATION (Z) ☒ VERTICAL ☐ HORIZONTAL ☐ ANGLE ☐ (Specify)
DRIILLING METHOD ☐ FLUID
DEPTH FROM SURFACE
DESCRIPTION
Describe material, grain size, color, etc.
0 2 Asphalt and backfill
2 2963 Clean soil
brown, dry
silt
no odor
63 69 Tight, silty clay
brown, dry
69 80 Fine uniform sand

WELL OWNER
Name Fred Hill
Mailing Address 700 S. Bernardo Ave
Sunnyvale, CA 94087
City Sunnyvale, CA 94087 STATE CA
Address 740 S. Bernardo Ave
City Sunnyvale, CA 94087
County Santa Clara
APN Book 198 Page 18 Parcel 16
Township Range Section 16
Latitude DEC. MIN. SEC. NORTH Longitude DEC. MIN. SEC. WEST

LOCATION SKETCH
NORTH
El Camino Real
Bernardo
70'
60'
MWB
EWS
SOUTH
Illustrate or Describe Distance of Well from Roads, Buildings, Fences, Rivers, etc. and attach a map. Use additional paper if necessary. PLEASE BE ACCURATE & COMPLETE.

ACTIVITY (Z)
☒ NEW WELL
MODIFICATION/REPAIR
Deepen
Other (Specify)
DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")
PLANNED USES (Z)
WATER SUPPLY
Domestic ☐ Public
Irrigation ☐ Industrial
MONITORING ☒
TEST WELL
CATHODIC PROTECTION
HEAT EXCHANGE
DIRECT PUMP
INJECTION
VAPOR EXTRACTION
SPARGING
REMEDIATION
OTHER (SPECIFY)

TOTAL DEPTH OF BORING 80.84 (feet)
TOTAL DEPTH OF COMPLETED WELL 80 (feet)

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER _____ (ft.) BELOW SURFACE
DEPTH OF STATIC WATER LEVEL _____ (ft.) & DATE MEASURED _____
ESTIMATED YIELD _____ (GPM) & TEST TYPE _____
TEST LENGTH _____ (min) TOTAL DRAWDOWN _____ (ft.)
* May not be representative of a well's long-term yield.

DEPTH FROM SURFACE R B R	BORE-HOLE DIA. (inches)	CASING (S)					DEPTH FROM SURFACE R B R	ANNULAR MATERIAL			
		TYPE (Z)		MATERIAL / GRADE	INTERNAL DIAMETER (inches)	GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (inches)	TYPE			
		BLANK	SCREEN					CE- MENT (Z)	BR- TONITE (Z)	FILL (Z)	FILTER PACK (TYPE/SIZE)
0 77	108	<input checked="" type="checkbox"/>	<input type="checkbox"/>	sch 40 PVC	8		0.010"	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
77 80	10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	sch 40 PVC	8			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2/12 sand

ATTACHMENTS (Z)
☐ Geologic Log
☐ Well Construction Diagram
☐ Geophysical Logs
☐ Soil/Water Chemical Analysis
☐ Other
ATTACH ADDITIONAL INFORMATION IF IT EXISTS.

CERTIFICATION STATEMENT
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.
Exploration Geoservices
1535 Industrial Ave San Jose CA 95112
7/25/00 484258
Exploration Geoservices
WELL DRILLER/AUTHORIZED REPRESENTATIVE



APN: 19818015
750 S Bernardo Ave
Sunnyvale CA
94087

Well Annotations- 7 Wells Selected

No	Well_nbr	Permit	Consultnum	Status	Easting	Northing
1	06S02W35D001	84W0708	MW-1	Other-Active	6109206	1961149
2	06S02W35D002	91W1314	MW-1	Other-Active	6109194	1961221
3	06S02W35D003	93W0595	EW-2	Other-Active	6109223	1961168
4	06S02W35D004	93W0594	EW-1	Other-Active	6109254	1961161
5	06S02W35D007	98W00793	MW4	Other-Active	6109188	1961206
6	06S02W35D008	98W00792	MW-5	Other-Active	6109263	1961148
7	06S02W35D009	98W00826	AS-1	Other-Active	6109237	1961144

- Wells.shp
- Water Supply - Active
 - Water Supply - Standby
 - Water Supply - Inactive
 - Extraction (Env) - Active
 - Extraction (Env) - Inactive
 - Other - Active
 - Other - Inactive
 - Abandoned
 - Destroyed
 - Status Undetermined
 - Parcels.shp
 - FuelTank.shp
 - VALFLOOR.SHP
 - Zone 1
 - Zone 2
 - Zone 3
 - Zone 4
 - Zone 5

Approximate Scale
30 0 30 60 Feet

April 7, 2005



WELL DESTRUCTION COMPLETION NOTICE

FCE 218 (08-14-98)

Inspector: <i>11-11-05</i>		Date of Inspection: <i>11-11-05</i>		Permit: <i>05000285</i>	
Owner/Consultant No.: <i>45-1</i>			Well Registration No.: <i>065011350008</i>		
Well Owner: <i>Tim H</i>		Address of Well Site: <i>250 W. ...</i>		City or County: <i>San Jose</i>	
Drilling Company: <i>Woodward</i>		Consultant: <i>ETC</i>			
Well Depth: <i>20'</i>	Borehole Diameter: <i>7"</i>	Casing Diameter: <i>3"</i>	Casing Material: <i>PVC</i>	Well Type: <input checked="" type="checkbox"/> HSA <input type="checkbox"/> Rotary <input type="checkbox"/> Other (see comments) <input type="checkbox"/> Direct Push <input type="checkbox"/> Cable Tool	
Casing Perforated: _____ to _____			Sealing Material: <input checked="" type="checkbox"/> Neat Cement <input type="checkbox"/> 10 Sack Sand Slurry <input type="checkbox"/> Bentonite <input type="checkbox"/> Other (See Comments)		
Destruction Method: <input checked="" type="checkbox"/> Pressure Grout <input type="checkbox"/> Drill Out <input type="checkbox"/> Excavate <input type="checkbox"/> Bail, Perf, & Backfill <input type="checkbox"/> Bail & Backfill <input type="checkbox"/> Other (See Comments)					
Well destroyed according to provisions of Santa Clara Valley Water District Permit?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (See Comments)	
GPS Coordinates: Lat: _____ Long: _____					
Comments: _____ _____ _____					

Distribution: ORIGINAL-Permit File; YELLOW-City/County; PINK-Well File; GOLDENROD-Permittee